


SAFETY DATA SHEET

Section 1 - Identification

Product Identifier	BARE BONES LOW ODOR Low Odor All-Purpose Speed Stripper (1-5, 1-16)
Other means of identification	1051 (1-5, 1-16)
Recommended use	Floor stripper.
Recommended restrictions	For commercial and industrial use only. User prepared Ready-To-Use solution. 1:5 to 1:16 in water.
Manufacturer / Importer / Supplier / Distributor Information	
Company Name	National Chemical Laboratories of PA, Inc.
Address	401 N. 10th Street - Philadelphia, PA 19123
Telephone	1 (215) 922-1200
Supplier Email	info@nclonline.com
Contact	CHEM-TEL
Emergency Phone	1 (800) 255-3924

Section 2 - Hazard(s) Identification

	Classification	Category
Physical Hazards	Not Classified	
Health Hazards	Serious eye damage/eye irritation	2A
	Skin corrosion/irritation	2
OSHA defined hazards	Not Classified.	
Label Elements		
Hazard Symbol		
Signal Word	Warning	
Hazard Statement	Causes serious eye irritation. Causes skin irritation. May be harmful if swallowed, in contact with skin or if inhaled. May cause respiratory irritation.	
Precautionary statement		
Prevention	Do not breathe the mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.	
Response	If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Wash contaminated clothing before reuse.	
Storage	Store in a well-ventilated place. Keep container tightly closed. Store locked up.	
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.	
Hazard(s) not otherwise classified (HNOC)	Not classified.	

Section 3 - Composition/Information on ingredients

Mixture			
Hazardous Components	Ingredient Name	CAS #	%
	2-Butoxyethanol	111-76-2	1 - 8
	2-Amino Ethanol	141-43-5	0.5 - 2
	Benzyl Alcohol	100-51-6	0.1 - 1
	Dipropylene Glycol Monomethyl Ether	34590-94-8	0.1 - 1

Section 4 - First-aid Measures

Inhalation	Move to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Get medical attention immediately.
Skin contact	Remove contaminated clothing and shoes. Immediately flush skin with plenty of water. Get medical attention if irritation persists. Wash contaminated clothing before reuse.

SAFETY DATA SHEET

Eye contact	Immediately flush eyes with plenty of water for at least 20 minutes, occasionally lifting the upper and lower eyelids. Check and remove contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation persists.
Ingestion	Rinse mouth thoroughly with water. DO NOT induce vomiting. If victim is fully conscious, give a cupful of water. Never give anything by mouth to an unconscious person. If vomiting occurs, keep head lower than the hips to help prevent aspiration. Call a physician or poison control center immediately.
Most Important symptoms /effects, acute and delayed	Causes skin irritation. Causes serious eye irritation. May cause respiratory tract irritation. Symptoms may be delayed.
Indication of immediate medical attention and special treatment	Treat symptomatically.
General Information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Immediate medical attention is required. In case of shortness of breath, give oxygen. Keep victim warm.

Section 5 - Fire-fighting measures

Suitable extinguishing media	RTU product will not support combustion. Alcohol-resistant foam, water spray, or water fog.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	None known..
Special protective equipment and precautions for firefighters	Wear suitable protective equipment. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire-fighting equipment /instructions	Move containers from fire area if you can do it without risk. Use water spray to keep fire-exposed containers cool.

Section 6 - Accidental release measures

Personal precautions, protective equipment and emergency procedures.	Isolate area. Keep unnecessary personnel away. Use personal protection as recommended in Section 8 of the SDS.
Methods and materials for containment and cleaning up	Contain spill. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Flush area with water.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.

Section 7 - Handling and storage

Precautions for safe handling	Do not get in eyes, on skin, or on clothing. Do not breathe mist or vapor. Keep container closed. Wash thoroughly after handling. Use Personal Protective Equipment recommended in section 8 of the SDS.
Conditions for safe storage, including any incompatibilities	Keep containers tightly closed in a dry, cool and well-ventilated place. Store away from incompatible materials. Keep container closed. Keep out of reach of children.

Section 8 - Exposure control/personal protection

Occupational exposure limits

US. Workplace environmental Exposure Level (WEEL) Guides

Component	Type	Value
Benzyl Alcohol (CAS 100-51-6)	TWA	44.2 mg/m ³ , 10 ppm

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
2-Amino Ethanol (CAS 141-43-5)	TWA	6 mg/m ³ , 3 ppm	
2-Butoxyethanol (CAS 111-76-2)	TWA	240 mg/m ³ , 50 ppm	
Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)	TWA	600 mg/m ³ , 100ppm	

US. ACGIH Threshold Limit Values

Component	Type	Value	Form
2-Amino Ethanol (CAS 141-43-5)	STEL	6 ppm	
2-Amino Ethanol (CAS 141-43-5)	TWA	3 ppm	
2-Butoxyethanol (CAS 111-76-2)	TWA	20 ppm	
Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)	STEL	150 ppm	
Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)	TWA	100 ppm	

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
2-Amino Ethanol (CAS 141-43-5)	STEL	15 mg/m ³ , 6 ppm
2-Amino Ethanol (CAS 141-43-5)	TWA	8 mg/m ³ , 3 ppm
2-Butoxyethanol (CAS 111-76-2)	TWA	24 mg/m ³ , 5 ppm
Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)	TWA	600 mg/m ³ , 100 ppm
Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)	STEL	900 mg/m ³ , 150 ppm

US. ACGIH. BEIs. Biological Exposure Indices

Components	Value	Determinate	Specimen	Sampling Time
2-Butoxyethanol (CAS 111-76-2)	200 mg/g	Butoxyacetic acid (BAA),	Creatinine in urine	*

SAFETY DATA SHEET

with hydrolysis

* - For sampling details, please see the source document.

Exposure guidelines Use personal protective equipment as required. Keep working clothes separately.

US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants

Components	Exposure
2-Butoxyethanol (CAS 111-76-2)	Can be absorbed through the skin.
Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)	Can be absorbed through the skin.

US. Minnesota Hazardous Substances List (Minn. Rules 5206.0400).

Components	Exposure
2-Butoxyethanol (CAS 111-76-2)	Skin designation applies.

US. NIOSH: Pocket Guide to Chemical Hazards

Component	Exposure
2-Butoxyethanol (CAS 111-76-2)	Can be absorbed through the skin.
Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)	Can be absorbed through the skin.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.100)

Components	Exposure
2-Butoxyethanol (CAS 111-76-2)	Can be absorbed through the skin.
Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)	Can be absorbed through the skin.

US. OSHA Table Z-1-A (29 CFR 1910.100)

Components	Exposure
2-Butoxyethanol (CAS 111-76-2)	Can be absorbed through the skin.

US. Tennessee. OELs Occupational Exposure Limkits, Table Z1A

Components	Exposure
2-Butoxyethanol (CAS 111-76-2)	Can be absorbed through the skin.
Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)	Can be absorbed through the skin.

US ACGIH Threshold Limit Values: Skin designation

Component	Exposure
Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)	Can be absorbed through the skin.

Appropriate engineering controls Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection

Hand protection Wear chemical-resistant, impervious gloves. Suitable gloves can be recommended by the glove supplier.

Other Not available.

Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. In the United States of America, if respirators are used, a program should be instituted to assure compliance with OSHA 29 CFR 1910.134.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

Section 9 - Physical and chemical properties

Appearance

Physical state	Liquid.
Form	Clear, thin liquid.
Color	Colorless to pale straw.

Odor Sassafra.

Odor threshold Not available.

pH 11.0 ± 0.4

Melting point/freezing point Not available.

Initial boiling point and boiling range 212 °F (100 °C)

Flash point >201°F (94°C) TCC

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower (%) Not available.

Flammability limit - upper (%) Not available.

SAFETY DATA SHEET

Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Similar to water.
Vapor density	Similar to water.
Relative density	0.99 ± 0.01
Relative density temperature	75 °F (23.89 °C)
Solubilities	Not available.
Partition Coefficient n-octanol/water	Not available.
Auto-ignition temperature	Not Available.
Decomposition temperature	Not Available.
Viscosity	< 10 cP
Viscosity Temperature	75 °F (23.89 °C)

Section 10 - Stability and reactivity

Reactivity	The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	Stable at normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to Avoid	Keep away from heat and direct sunlight. Contact with incompatible materials.
Incompatible materials	Oxidizing agents.
Hazardous Decomposition Products	Carbon monoxide. Carbon dioxide. Nitrogen oxides.

Section 11 - Toxicological information

Information on likely routes of exposure

Ingestion	May cause irritation of the gastrointestinal tract if swallowed..
Inhalation	Irritating to respiratory system.
Skin contact	Causes skin irritation.
Eye contact	Causes serious eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics Causes skin irritation. Causes serious eye irritation. May cause respiratory tract irritation. Symptoms may be delayed.

Information on toxicological effects.

Acute toxicity Harmful if inhaled, absorbed through skin, or swallowed.

Components	Level	Type	Code	Species	Results
2-Amino Ethanol (CAS 141-43-5)	Acute	Dermal	LD50	Rabbit	1025 mg/kg
	Acute	Oral	LD50	Rat	1715 mg/kg
2-Butoxyethanol (CAS 111-76-2)	Acute	Dermal	LD50	Rabbit	400 mg/kg
	Acute	Inhalation	LC50	Rat	450 mg/l, 4 hrs
	Acute	Oral	LD50	Rat	560 mg/kg
	Acute	Inhalation	LC100	Rat	200 - 300 mg/l,
Benzyl Alcohol (CAS 100-51-6)	Acute	Dermal	LD50	Rabbit	2000 mg/kg
	Acute	Inhalation	LC50	Rat	8.8 mg/l, 4 Hou
	Acute	Oral	LD50	Mouse	1150 mg/kg
	Acute	Oral	LD50	Rat	1230 - 3100 mg
	Acute	Other	LD50	Mouse	480 mg/kg
	Acute	Other	LD50	Rat	400 mg/kg

Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/ eye irritation	Causes serious eye irritation.
Respiratory sensitization	Not classified.
Skin sensitization	Not classified.
Germ cell mutagenicity	Not classified.

IARC Monographs. Overall Evaluation of Carcinogenicity

Component	Result	Comment
2-Butoxyethanol (CAS 111-76-2)	3	Not classifiable as to carcinogenicity to humans.

Reproductive toxicity	Not classified.
Specific target organ toxicity - single exposure	Irritating to respiratory system.
Specific target organ toxicity - repeated exposure	Not classified.

SAFETY DATA SHEET

Aspiration hazard	Not classified.
Chronic effects	2-Butoxy ethanol may be absorbed through the skin in toxic amounts if contact is repeated and prolonged. These effects have not been observed in humans. Prolonged or repeated exposure may cause liver and kidney damage. These effects have not been observed in humans.

Section 12 - Ecological Information

Ecotoxicity	The product contains a substance which is very toxic to aquatic organisms.			
Component(s)	2-Amino Ethanol, 141-43-5			
Aquatic				
Acute	Algae	EC50	Selenastrum capricornutum (new name) Pseudokirchnerella subca	2.5 mg/l, 48 hours
	Crustacea	EC50	Daphnia magna	65 mg/l, 48 hours
	Fish	LC50	Goldfish (Carassius auratus)	170 mg/l, 96 hours
	Fish	LC50	Cyprinus carpio	349 mg/l, 96 hours
Persistence and degradability	No data is available on the degradability of this product.			
Bioaccumulative potential	No data available.			
Partition coefficient n-octanol / water log (Kow)				
Components			Results	
2-Butoxyethanol (CAS 111-76-2)			0.83	
Benzyl Alcohol (CAS 100-51-6)			1.1	
2-Amino Ethanol (CAS 141-43-5)			-1.31	
Mobility in soil	No data available.			
Mobility in general	No data available.			
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.			

Section 13 - Disposal considerations

Disposal instructions	Dispose in accordance with applicable federal, state, and local regulations.
Local disposal regulations	Dispose of in accordance with local regulations.
Hazardous waste code	Waste codes should be assigned by the user based on the application for which the product was used.
Waste from residues / unused products	Dispose in accordance with all applicable regulations.
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied.

Section 14 - Transport information

General information	This product is customer diluted for on site use only. No transportation information is anticipated or provided. The regulatory transport classification of the product without consideration to dilution strength, packaging, quantity, or modal restrictions and exceptions can not be anticipated. It is the user's responsibility to determine the appropriate packaging and modal requirements and/or limitations for the product quantity being shipped.
----------------------------	--

Section 15 - Regulatory Information

US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.		
TSCA Section 12(b) Export Notification (40 CFR707, Subpt. D)	Not regulated.		
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)	Not listed.		
CERCLA Hazardous Substance List (40 CFR 302.4)			
Components			Result
2-Butoxyethanol (CAS 111-76-2)			LISTED
Superfund Amendments and Reauthorization Act of 1986 (SARA)			
Hazard Categories	Immediate Hazard	Yes	
	Delayed Hazard	No	
	Fire Hazard	No	
	Pressure Hazard	No	
	Reactivity Hazard	No	
SARA 302 Extremely hazardous substance	Not listed.		
SARA 311/312 Hazardous chemical	Yes		
SARA 313 (TRI reporting)			
Chemical name	CAS #	% by wt.	
2-Butoxyethanol	111-76-2	1 - 8	
Other federal regulations			

SAFETY DATA SHEET

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HSPs) List Not regulated.
 Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated.
 Safe Drinking Water Act (SDWA) Not regulated.
 Food and Drug Administration (FDA) Not regulated.

US state regulations

US.Massachusetts RTK - Substance List
 Components
 2-Amino Ethanol (CAS 141-43-5)
 2-Butoxyethanol (CAS 111-76-2)
 Benzyl Alcohol (CAS 100-51-6)
 Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)

US.New Jersey Worker and Community Right-to-Know Act
 Components
 2-Amino Ethanol (CAS 141-43-5)
 2-Butoxyethanol (CAS 111-76-2)
 Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)

US.Pennsylvania RTK - Hazardous Substances
 Components
 2-Amino Ethanol (CAS 141-43-5)
 2-Butoxyethanol (CAS 111-76-2)
 Benzyl Alcohol (CAS 100-51-6)
 Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)

US.Rhode Island RTK
 Components
 2-Amino Ethanol (CAS 141-43-5)
 2-Butoxyethanol (CAS 111-76-2)

US - California Proposition 65
 California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory Name	On Inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes
Unites States Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

*A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Section 16 - Other information, including date of preparation or last version

Issue date 1/18/2015
Version # 01
Disclaimer The information contained herein was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising from the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS. Various government agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be reflected in this SDS. The user should review these regulations to ensure full compliance.