


SAFETY DATA SHEET

Section 1 - Identification

| | |
|---|---|
| Product Identifier | BULLSEYE Non-Butyl Degreaser Cleaner RTU (1:30 - 1:128) |
| Other means of identification | 1040 (1-30, 1-128) |
| Recommended use | Alkaline cleaner. |
| Recommended restrictions | For commercial and industrial use only. User prepared Ready-To-Use solution. 1:30 to 1:128 in water |
| Manufacturer / Importer / Supplier / Distributor Information | |
| Company Name | National Chemical Laboratories of PA, Inc. |
| Address | 401 N. 10th Street - Philadelphia, PA 19123 |
| Telephone | 1 (215) 922-1200 |
| Supplier Email | info@nclonline.com |
| Contact | CHEM-TEL |
| Emergency Phone | 1 (800) 255-3924 |

Section 2 - Hazard(s) Identification

SDS Hazards and Warnings are based on the undiluted product. Refer to diluted SDS for Ready-To-Use Hazards and Warnings.

| | Classification | Category |
|--|---|-----------------|
| Physical Hazards | Not Classified | |
| Health Hazards | Serious eye damage/eye irritation | 2A |
| | Skin corrosion/irritation | 3 |
| OSHA defined hazards | Not Classified. | |
| Label Elements | | |
| Hazard Symbol |  | |
| Signal Word | Warning | |
| Hazard Statement | Causes serious eye irritation. May cause skin irritation. | |
| Precautionary statement | | |
| Prevention | Wear protective gloves/eye protection/face protection. Wash thoroughly after handling. | |
| Response | If on skin: Wash with water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation persists get medical advice/attention . Take off contaminated clothing and wash before reuse. | |
| Storage | Store away from incompatible materials. Keep container tightly closed. Store locked up. | |
| Disposal | Dispose of contents/container in accordance with local/regional/national/international regulations. | |
| Hazard(s) not otherwise classified (HNOC) | None known. | |

Section 3 - Composition/Information on ingredients

| | | | |
|-----------------------------|----------------------------|--------------|----------|
| Mixture | | | |
| Hazardous Components | Ingredient Name | CAS # | % |
| | 2-(2-Butoxyethoxy) Ethanol | 112-34-5 | < 0.2 |
| | Sodium Hydroxide | 1310-73-2 | < 0.2 |

Section 4 - First-aid Measures

| | |
|--|---|
| Inhalation | Move to fresh air. Get medical attention if irritation develops and persists. |
| Skin contact | Wash with water. Get medical attention if irritation develops and persists. |
| Eye contact | Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. |
| Ingestion | Rinse mouth. Get medical attention if irritation develops and persists. |
| Most important symptoms /effects, acute and delayed | Serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Direct skin contact may cause slight or mild transient irritation. Symptoms may include redness and itching. |

SAFETY DATA SHEET

| | |
|--|--|
| Indication of immediate medical attention and special treatment | Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed. |
| General Information | If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. |

Section 5 - Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | RTU product will not support combustion. Water fog. Foam. Carbon dioxide (CO ₂). |
| Unsuitable extinguishing media | Do not use water jet as an extinguisher, as this will spread the fire. |
| Specific hazards arising from the chemical | During fire, gases hazardous to health may be formed. |
| Special protective equipment and precautions for firefighters | Self-contained breathing apparatus and full protective clothing must be worn in case of fire. |
| Fire-fighting equipment /instructions | Move containers from fire area if you can do it without risk. |
| General fire hazards | No unusual fire or explosion hazards noted. |
| Specific Methods | Use standard fire fighting procedures and consider the hazards of other involved materials. |

Section 6 - Accidental release measures

| | |
|---|---|
| Personal precautions, protective equipment and emergency procedures. | Isolate area. Keep unnecessary personnel away. Use personal protection as recommended in Section 8 of the SDS. |
| Methods and materials for containment and cleaning up | This product is miscible in water. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. |
| Environmental precautions | Avoid discharge into drains, water courses or onto the ground. |

Section 7 - Handling and storage

| | |
|---|--|
| Precautions for safe handling | Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices. |
| Conditions for safe storage, including any incompatibilities | Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). |

Section 8 - Exposure control/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components | Type | Value | Form |
|----------------------------------|------|---------------------|------|
| Sodium Hydroxide (CAS 1310-73-2) | TWA | 2 mg/m ³ | |

US. ACGIH Threshold Limit Values

| Component | Type | Value | Form |
|---|---------|---------------------|-------------------------------|
| Sodium Hydroxide (CAS 1310-73-2) | Ceiling | 2 mg/m ³ | |
| 2-(2-Butoxyethoxy) Ethanol (CAS 112-34-5) | TWA | 10 ppm | Inhalable fraction and vapor. |

US. NIOSH: Pocket Guide to Chemical Hazards

| Components | Type | Value |
|----------------------------------|---------|---------------------|
| Sodium Hydroxide (CAS 1310-73-2) | Ceiling | 2 mg/m ³ |

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection If use of product risks exposure to contact, wear safety glasses with side shields.

Skin protection

Hand protection Impervious gloves are recommended for prolonged use.

Other If use of product risk exposure to contact, wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.No personal respiratory protective equipment normally required.

SAFETY DATA SHEET

| | |
|---------------------------------------|--|
| Thermal hazards | Wear appropriate thermal protective clothing, when necessary. |
| General hygiene considerations | Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. |

Section 9 - Physical and chemical properties

| | |
|---|-------------------------|
| Appearance | |
| Physical state | Liquid. |
| Form | Clear liquid. |
| Color | Pale violet. |
| Odor | Mild, pleasant. |
| Odor threshold | Not available. |
| pH | 12. ± 0.4 |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | 212 °F (100 °C) |
| Flash point | > 212.0 °F (> 100.0 °C) |
| Evaporation rate | Not available. |
| Flammability (solid, gas) | Not applicable. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not available. |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Similar to water. |
| Vapor density | Similar to water. |
| Relative density | 1.00 ± 0.01 |
| Relative density temperature | 75 °F (23.9 °C) |
| Solubilities (water) | Completely soluble. |
| Partition Coefficient n-octanol/water | Not available |
| Auto-ignition temperature | Not Available |
| Decomposition temperature | Not Available |
| Viscosity | < 10 cP |
| Viscosity Temperature | 75 °F (23.9 °C) |

Section 10 - Stability and reactivity

| | |
|---|---|
| Reactivity | Reacts with strong acids. This product may react with oxidizing agents. |
| Chemical stability | Material is stable under normal conditions. |
| Possibility of hazardous reactions | No dangerous reaction known under conditions of normal use. |
| Conditions to Avoid | Do not mix with other chemicals. Contact with incompatible materials. |
| Incompatible materials | Strong acids. Acids. Strong oxidizing agents. Oxidizing agents. |
| Hazardous Decomposition Products | No hazardous decomposition products are known. |

Section 11 - Toxicological information

Information on likely routes of exposure

| | |
|---------------------|---|
| Ingestion | Expected to be a low ingestion hazard. |
| Inhalation | May cause irritation to the respiratory system. Prolonged inhalation may be harmful. |
| Skin contact | Direct skin contact may cause slight or mild transient irritation. Prolonged or repeated exposure may cause liver and kidney damage. These effects have not been observed in humans. |
| Eye contact | Causes serious eye irritation. |

Symptoms related to the physical, chemical and toxicological characteristics Serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause skin irritation. Symptoms may include redness and itching. Symptoms may be delayed.

Information on toxicological effects.

Acute toxicity Harmful if swallowed. May cause respiratory irritation.

| Components | Level | Type | Code | Species | Results |
|---|-------|--------|------|---------|--------------------|
| 2-(2-Butoxyethoxy) Ethanol (CAS 112-34-5) | Acute | Dermal | LD50 | Rabbit | 2764 mg/kg, (Male) |
| Sodium Hydroxide (CAS 1310-73-2) | Acute | Oral | LD50 | Rabbit | 500 mg/kg |

Skin corrosion/irritation Direct skin contact may cause slight or mild transient irritation.

SAFETY DATA SHEET

| | |
|---|--|
| Serious eye damage/ eye irritation | Causes serious eye damage. |
| Respiratory sensitization | This product is not expected to cause respiratory sensitization. |
| Skin sensitization | This product is not expected to cause skin sensitization. |
| Germ cell mutagenicity | No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. |
| Carcinogenicity | This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. |
| Reproductive toxicity | This product is not expected to cause reproductive or developmental effects. |
| Specific target organ toxicity - single exposure | May cause respiratory irritation. |
| Specific target organ toxicity - repeated exposure | Not classified. |
| Aspiration hazard | Not classified. |
| Chronic effects | May be harmful if absorbed through skin. Prolonged inhalation may be harmful. Prolonged or repeated exposure may cause liver and kidney damage. These effects have not been observed in humans. |

Section 12 - Ecological Information

| | |
|--|--|
| Ecotoxicity | The RTU product is highly diluted and is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. |
| Persistence and degradability | The product is expected to be biodegradable. |
| Bioaccumulative potential | Not known. |
| Partition coefficient n-octanol / water log (Kow) | |
| Components | Results |
| 2-(2-Butoxyethoxy) Ethanol (CAS 112-34-5) | 0.56 |
| Mobility in soil | No data available. |
| Other adverse effects | No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. |

Section 13 - Disposal considerations

| | |
|--|---|
| Disposal instructions | Dispose in accordance with applicable federal, state, and local regulations. |
| Local disposal regulations | Dispose of in accordance with local regulations. |
| Hazardous waste code | Waste codes should be assigned by the user based on the application for which the product was used. |
| Waste from residues / unused products | Dispose in accordance with all applicable regulations. |
| Contaminated packaging | Since emptied containers may retain product residue, follow label warnings even after container is emptied. |

Section 14 - Transport information

| | |
|----------------------------|--|
| General Information | This product is customer diluted for on site use only. No transportation information is anticipated or provided. The regulatory transport classification of the product without consideration to dilution strength, packaging, quantity, or modal restrictions and exceptions can not be anticipated. It is the user's responsibility to determine the appropriate packaging and modal requirements and/or limitations for the product quantity being shipped. |
|----------------------------|--|

Section 15 - Regulatory Information

| | | |
|---|--|-----|
| US federal regulations | This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List. | |
| TSCA Section 12(b) Export Notification (40 CFR707, Subpt. D) | Not regulated. | |
| US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) | Not listed. | |
| CERCLA Hazardous Substance List (40 CFR 302.4) | | |
| Components | Result | |
| Sodium Hydroxide (CAS 1310-73-2) | LISTED | |
| 2-(2-Butoxyethoxy) Ethanol (CAS 112-34-5) | LISTED | |
| Superfund Amendments and Reauthorization Act of 1986 (SARA) | | |
| Hazard Categories | Immediate Hazard | Yes |
| | Delayed Hazard | No |
| | Fire Hazard | No |
| | Pressure Hazard | No |
| | Reactivity Hazard | No |
| SARA 302 Extremely hazardous substance | Not listed. | |
| SARA 311/312 Hazardous chemical | Yes | |
| SARA 313 (TRI reporting) | | |

SAFETY DATA SHEET

| | | |
|----------------------------|----------|----------|
| Chemical name | CAS # | % by wt. |
| 2-(2-Butoxyethoxy) Ethanol | 112-34-5 | < 0.2 |

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HSPs) List

Components
2-(2-Butoxyethoxy) Ethanol (CAS 112-34-5)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

Food and Drug Administration (FDA) Not regulated.

US state regulations

US.Massachusetts RTK - Substance List

Components
Sodium Hydroxide (CAS 1310-73-2)
2-(2-Butoxyethoxy) Ethanol (CAS 112-34-5)

US.New Jersey Worker and Community Right-to-Know Act

Components
Sodium Hydroxide (CAS 1310-73-2)
2-(2-Butoxyethoxy) Ethanol (CAS 112-34-5)

US.Pennsylvania RTK - Hazardous Substances

Components
Sodium Hydroxide (CAS 1310-73-2)
2-(2-Butoxyethoxy) Ethanol (CAS 112-34-5)

US.Rhode Island RTK

Components
Sodium Hydroxide (CAS 1310-73-2)
2-(2-Butoxyethoxy) Ethanol (CAS 112-34-5)

US - California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

| Country(s) or region | Inventory Name | On Inventory (yes/no)* |
|---------------------------|--|------------------------|
| Australia | Australian Inventory of Chemical Substances (AICS) | Yes |
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| China | Inventory of Existing Chemical Substances in China (IECSC) | Yes |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes |
| Europe | European List of Notified Chemical Substances (ELINCS) | No |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | No |
| Korea | Existing Chemicals List (ECL) | Yes |
| New Zealand | New Zealand Inventory | Yes |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances | Yes |
| Unites States Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

*A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Section 16 - Other information, including date of preparation or last version

Revision date 1/17/2018

Version # 02

Disclaimer The information contained herein was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising from the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS. Various government agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be reflected in this SDS. The user should review these regulations to ensure full compliance.