

# NATIONAL CHEMICAL LABORATORIES, INC.

#### SAFETY DATA SHEET

	SAFEITDAI	Α ΟΠΕΕΙ	
	Section 1 - Ide	entification	
Product Identifier	KLEER BRITE Non-Ammoniate	d Window & Glass Cleaner	
Other means of identificatio	n 1304		
Recommended use	Glass cleaner.		
Recommended restrictions	For commercial and industrial	use only.	
Manufacturer / Importer / S	upplier / Distributor Information		
Company Name	National Chemical Laboratories of PA, Inc.		
Address	401 N. 10th Street - Philadelphia, PA 19123		
Telephone	1 (215) 922-1200		
Supplier Email	info@nclonline.com		
Contact	CHEM-TEL		
Emergency Phone	1 (800) 255-3924		
	Section 2 - Hazard	(s) Identification	
SDS Hazards	s and Warnings are based on the undiluted product. F	Refer to diluted SDS for Ready-To-Use Hazards a	nd Warnings.
	Classification	Category	
Physical Hazards	Not Classified		
Health Hazards	Serious eye damage/eye irritation	2B	
OSHA defined hazards	Not Classified.		
abel Elements			
Hazard Symbol	None.		
Signal Word	Warning		
Hazard Statement	Causes eye irritation.		
ecautionary statement			
Prevention	Wash thoroughly after handling.		
Response	If in eyes: Rinse cautiously with water for several min	utes Remove contact lenses if present and easy	to do Continue rinsing
	If eye irritation persists: Get medical advice/attention		to doi continue mismig.
Storage	Store in a well-ventilated place. Keep cool.		
Disposal	Dispose of contents/container in accordance with loc	al/regional/national/international regulations.	
azard(s) not otherwise assified (HNOC)	Not classified.		
	Section 3 - Composition/Int	formation on ingredients	
Mixture			
Hazardous Components	Ingredient Name	CAS #	%
	Ethyl Alcohol	67-63-0	1 - 5
	2-Butoxyethanol	111-76-2	1 - 5
	Section 4 - First	aid Measures	
nhalation	Move to fresh air. Get medical attention if irrita	tion persists.	
skin contact	Wash skin with water. Get medical attention if i		
eve contact		minutes. Get medical attention if irritation persi	sts
ngestion	, , ,	ater. Keep person under observation. Do not indu	
	occurs, keep head low. If person becomes unco		
Nost Important symptoms o	or effects, acute and delayed		
	May cause eye irritation. Exposed individuals m skin contact may cause drying, cracking, or irrita	ay experience eye tearing, redness, and discomfo ation.	ort. Prolonged or repeated
ndication of immediate med	lical attention and special treatment needed		
	Provide general supportive measures and treat	symptomatically. Keep victim under observation	. Symptoms may be delayed.
General Information		material(s) involved, and take precautions to pro	
	Provide and a second	(, , ,	

#### Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

#### Section 5 - Fire-fighting measures In case of fire, use water spray, dry chemical, or CO2. Avoid using a direct stream of water.

Suitable extinguishing media

Unsuitable extinguishing media	Do not use water jet as an extin	guisher, as this v	will spread the fire.		
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.				
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.				
Fire-fighting equipment /instructions	Move containers from fire area if you can do it without risk. Cool material exposed to heat with water spray and remove it if no risk is involved.				
	Section 6 - A	<b>\ccidenta</b>	l release measures		
Personal precautions, protective equipment and emergency procedures.	Isolate area. Keep unnecessary p or flames in immediate area). U			ignition sources (no smoking, flares, sparks on 8 of the SDS.	
Methods and materials for containment and cleaning up	SMALL SPILLAGE: Absorb spillage with suitable absorbent material. LARGE SPILLS: Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. After removal flush contaminated area thoroughly with water.				
Environmental precautions	Avoid discharge into drains, wat	er courses or or	nto the ground.		
	Section	7 - Handli	ng and storage		
Precautions for safe handling	Avoid breathing mist or vapor. Avoid contact eyes. Wash hands thoroughly after handling. Provide adequate ventilation. Keep container closed. Use Personal Protective Equipment recommended in section 8 of the SDS.				
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Keep containers closed when not in use. Store at ambient temperature and atmospheric pressure. Store away from incompatible materials (see Section 10 of the SDS).				
	Section 8 - Expo	sure cont	rol/personal protec	tion	
Occupational exposure limits US. OSHA Table Z-1 Limits for	Air Contaminants (29 CFR 1910.1	.000)			
Components		Туре	Value	Form	
2-Butoxyethanol (CAS 111-	76-2)	TWA	240 mg/m <sup>3</sup> , 50 ppm		
Ethyl Alcohol (CAS 67-63-0)			980 mg/m³, 400ppm		
US. ACGIH Threshold Limit Va	alues				
Component		Туре	Value	Form	
Ethyl Alcohol (CAS 67-63-0)			400 ppm		
Ethyl Alcohol (CAS 67-63-0)			200 ppm		
2-Butoxyethanol (CAS 111-76-2)		TWA	20 ppm		
US. NIOSH: Pocket Guide to C	hemical Hazards				
Components		Туре	Value		
2-Butoxyethanol (CAS 111-	76-2)	TWA	24 mg/m <sup>3</sup> , 5 ppm		
Ethyl Alcohol (CAS 67-63-0)		IDLH	2000 ppm		
			rr 		

Ethyl Alcohol (CAS 67-63-0)	STEL	1225 mg/m³, 500 ppm		
Ethyl Alcohol (CAS 67-63-0)	TWA	980 mg/m³, 400 ppm		
US. ACGIH. BEIs. Biological Exposure Indices				Sampling
Components	Value	Determinate	Specimen	Time
Ethyl Alcohol (CAS 67-63-0)	200 mg/g	Butoxyacetic acid (BAA), with hydrolysis	Creatinine in urine	*
Ethyl Alcohol (CAS 67-63-0)	40 mg/l	Acetone	Urine	*
2-Butoxyethanol (CAS 111-76-2)	200 mg/g	Butoxyacetic acid (BAA), with hydrolysis	Creatinine in urine	*

#### \* - For sampling details, please see the source document.

Exposure guidelines

ines Use personal protective equipment as required. Keep working clothes separately.

	KLEER BRITE Non-Ammoniated Window & Glass Cleaner 1304	Page
2-Butoxvethanol (CAS 111-76-2)	Can be absorbed though the skin.	
Components	Exposure	
US.OSHA Table Z-1 Limits for Air Contaminants (29 Cl	R 1910.100)	
2-Butoxyethanol (CAS 111-76-2)	Can be absorbed though the skin.	
Component	Exposure	
US.NIOSH: Pocket Guide to Chemical Hazards		
2-Butoxyethanol (CAS 111-76-2)	Skin designation applies.	
Components	Exposure	
US.Minnesota Hazardous Substances List (Minn. Rule	s 5206.0400).	
2-Butoxyethanol (CAS 111-76-2)	Can be absorbed though the skin.	
Components	Exposure	

US.OSHA Table Z-1-A (29 CF	R 1910.100)		
Components		Exposure	
2-Butoxyethanol (CAS 111-76-2)		Can be absorbed though the skin.	
US.Rhode Island Hazardous	Substances Right-to-Know Act (R.I. Gen.	Laws Section 28-21-1 et. seq.)	
Components		Exposure	
2-Butoxyethanol (CAS 111	-76-2)	Can be absorbed though the skin.	
US. Tennesee. OELs Occupat	tional Exposure Limkits, Table Z1A		
Components		Exposure	
2-Butoxyethanol (CAS 111	-76-2)	Can be absorbed though the skin.	
Appropriate engineering controls	Provide adequate ventilation and minimize the risk of inhalation of vapors and mists. Provide easy access to water supply and eye wash facilities.		
Individual protection measures,	such as personal protective equipment		
Eye/face protection	If use of product risks exposure to cor	tact, wear safety glasses with side shields.	
Skin protection			
Hand protection	Impervious gloves are recommended for prolonged use.		
Other	If use of product risk exposure to contact, wear suitable protective clothing.		
<b>Respiratory protection</b>	In case of inadequate ventilation, use respiratory protection.		
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.		
General hygiene considerations		e measures, such as washing after handling the material and before eating, drinking, clothing and protective equipment to remove contaminants.	

#### Section 9 - Physical and chemical properties

Appearance	Clear.
Physical state	Liquid.
Form	Clear, thin liquid.
Color	Light Blue.
Odor	Mild Alcohol.
Odor threshold	Not available.
рН	10.4
Melting point/freezing point	Not available.
Initial boinging point and boiling range	212 °F (100 °C)
Flash point	> 201.0 °F (> 94.0 °C)
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or expl	osive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	$0.99 \pm 0.01$
Relative density temperature	75 °F (23.9 °C)
Solubilities (water)	Soluble
Partition Coefficient n- octanol/water	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	< 10 cP
Viscosity Temperature	75 °F (23.9 °C)

## Section 10 - Stability and reactivity

Reactivity	The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	Stable at normal conditions.
Possiblity of hazardous reactions	Hazardous polymerization does not occur.
Conditions to Avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents. Strong acids. Strong bases.
Hazardous Decomposition	No hazardous decomposition products are known.
Products	

#### Section 11 - Toxicological information

	Sec	tion 11 - To	xicological	informa	ntion	
Information on likely routes of ex	posure					
Ingestion	May be harmful if s	wallowed.				
Inhalation	Vapors and mist ma	ay irritate throat an	d respiratory syster	n and cause	coughing.	
Skin contact	Prolonged or repeated skin contact may cause drying, cracking, or irritation. May cause eye irritation.					
Eye contact						
Symptoms related to the physical, chemical and toxicological characteristics	ted to theMay cause eye irritation. Prolonged or repeated skin contact may cause drying, cracking, or irritation.cal andCall and					
Information on toxicological effect	ts.					
Acute toxicity	May be harmful if s	wallowed				
Components	way be narman s	Level	Туре	Code	Species	Results
2-Butoxyethanol (CAS 111-76	5-2)	Acute	Dermal	LD50	Rabbit	400 mg/kg
		Acute	Inhalation	LC50	Mouse	700 ppm, 7 hours
		Acute	Inhalation	LC50	Rat	450 mg/l, 4 hrs
		Acute	Oral	LD50	Guinea pig	1.2 g/kg
		Acute	Oral	LD50	Mouse	1519 mg/kg
		Acute	Oral	LD50	Rabbit	0.32 g/kg
Chin composing (instant)	Dualacted	Acute	Oral	LD50	Rat	560 mg/kg
Skin corrosion/irritation	Prolonged or repeat		y skin and cause irri	tation.		
Serious eye damage/ eye irritation	May cause eye irrita	ation.				
Respiratory sensitization	Not classified.					
Skin sensitization	Not available.					
Germ cell mutagenicity	Not classified.					
Carcinogenicity	Not classified.					
ARC Monographs. Overall Evalua	tion of Carcinogenicit	Ξ <b>γ</b>				
	Component			Result	Comment	
	2-Butoxyethanol (C	AS 111-76-2)		3	Not classifiable as to	carcinogenicity to humans.
Reproductive toxicity	Not classified.					
Specific target organ toxicity - single exposure	Not classified.					
Specific target organ toxicity - repeated exposure	Not classified.					
Aspiration hazard	Not available.					
	Se	ection 12 - E	Ecological Ir	nformat	ion	
Ecotoxicity	The product is not of frequent spills can h					e possibility that large or
Persistence and degradability	The product is expe	cted to be biodegra	adable.			
Bioaccumulative potential	Not known.					
Partition coefficient n-octance	l / water log (Kow)					
Components			Results			
Ethyl Alcohol (CAS 67-63-0)			0.05			
2-Butoxyethanol (CAS 111-	76-2)		0.83			
Mobility in soil	Not available.					
Mobility in general	The product is wate	r soluble and may	spread in water sust	ems		
Other adverse effects	None known.	a soluble allu fildy s	spread in water syst			
	Se	ction 13 - D	isposal con	siderati	ons	
Disposal instructions	Dispose in accordar			ocal regulati	ons.	
Local disposal regulations	Dispose of in accord	-				
Waste from residues / unused products	Dispose in accordar	nce with all applicat	ole regulations.			
Contaminated packaging	Since emptied cont	ainers may retain p	roduct residue, foll	ow label war	nings even after contair	ner is emptied.
	S	ection 14 - 1	Transport in	formati	on	
от	Not regulated as dan	igerous goods.				

#### IATA IMDG Transportation in bulk according to Annex II of MARPOL 73/78 and IBC Code

Not regulated as dangerous goods. Not regulated as dangerous goods.

This substance/mixture is not intended to be transported in bulk.

		Section	n 15 - Re	gulatory Information	1	
US federal regulations				is defined by the OSHA Hazard Cor A Inventory List.	mmunication Standard	d, 29 CFR 1910.1200.
TSCA Section 12(b) Exp	oort Notification (40 CF	R707, Subpt.	D)	Not regulated.		
US. OSHA Specifically I	Regulated Substances	29 CFR 1910	.1001-1050)	Not on regulatory list.		
CERCLA Hazardous Sub	ostance List (40 CFR 30	2.4				
Component	S			Result		
2-Butoxyeth	anol (CAS 111-76-2)			LISTED		
Superfund Amendmer	nts and Reauthorizatio	n Act of 1986	(SARA)			
Hazard Categories	Immediate Hazard	Yes				
	Delayed Hazard	No				
	Fire Hazard	No				
	Pressure Hazard	No				
	Reactivity Hazard	No				
SARA 302 Extremely h	azardous substance	No				
SARA 311/312 Hazard	ous chemical	Yes				
SARA 313 (TRI reportir	ng)					
Chem	ical name			CAS #	% by wt.	
2-But	oxyethanol			111-76-2	1 - 5	
Other federal regulations						
Clean Air Act (CAA) See	tion 112 Hazardous A	r Pollutants (	HAPs) List	Not regulate	ed.	
Clean Air Act (CAA) See				0		
Drug Enforcement Adn Exempt Chemical Mixt			Not regulate			
DEA Exempt Chemical			Not regulate	ed		
Safe Drinking Water A		gulated.	Notregulat			
Food and Drug Admini		gulated.				
_		guiatea.				
US state regulations	6 hate and 150		<b>C</b>			
US.Massachusetts RTK	- Substance List		Compone			
			-	ohol (CAS 67-63-0)		
			-	ethanol (CAS 111-76-2)		
US.New Jersey Worker	and Community Right-	to-Know Act	-			
			Ethyl Alco	ohol (CAS 67-63-0)		
			2-Butoxy	ethanol (CAS 111-76-2)		
US.Pennsylvania RTK - I	Hazardous Substances		Compone	ents		
			Ethyl Alco	ohol (CAS 67-63-0)		
			2-Butoxy	ethanol (CAS 111-76-2)		
US.Rhode Island RTK			Compone	ents		
			2-Butoxy	ethanol (CAS 111-76-2)		
US - California Propositi	ion 65		material	a Safe Drinking Water and Toxic Er is not known to expose you to any tive toxins.		· · · /
International Inventories			•			
Country(s) or region	Invento	ry Name				On Inventory (yes/no)*
Australia		-	y of Chemical	Substances (AICS)		Yes
Canada		stic Substance	-			Yes
Canada			tances List (N	IDSL)		No
China			•	ubstances in China (IECSC)		Yes
Europe		-	-	ommercial Chemical Substances	(EINECS)	Yes
Europe	=		-	al Substances (ELINCS)	ž	No
Japan	•			nemical Substances (ENCS)		Yes
Korea		, g Chemicals I	-	· ·		Yes
New Zealand		ealand Inven				Yes

Philippines

Unites States Puerto Rico

Philippine Inventory of Chemicals and Chemical Substances Toxic Substances Control Act (TSCA) Inventory Yes Yes

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

\*A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Se	ction 16 - Other information, including date of preparation or last version
Revision date	6/1/2023
Version #	04
Further information	Not available.
References	HSDB <sup>®</sup> - Hazardous Substances Data Bank HPVIS - High Production Volume Information System
HMIS Hazard Codes	PPE A
Disclaimer	The information contained herein was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising from the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS. Various government agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product

which may not be reflected in this SDS. The user should review these regulations to ensure full compliance.