

NATIONAL CHEMICAL LABORATORIES, INC.

SAFETY DATA SHEET

Section 1 - Identification

Product Identifier BULLSEYE RTU (1:30 - 1:128) Non-Butyl Degreaser Cleaner

Other means of identification 1040 (1-30, 1-128)
Recommended use Alkaline cleaner.

Recommended restrictions For commercial and industrial use only. User prepared Ready-To-Use solution. 1:30 to 1:128 in water

Manufacturer / Importer / Supplier / Distributor Information

Company Name National Chemical Laboratories of PA, Inc.

Address 401 N. 10th Street - Philadelphia, PA 19123

Telephone 1 (215) 922-1200
Supplier Email info@nclonline.com
Contact CHEM-TEL
Emergency Phone 1 (800) 255-3924

Section 2 - Hazard(s) Identification

Classification Category

Physical Hazards Not Classified

 Health Hazards
 Serious eye damage/eye irritation
 2A

 Skin corrosion/irritation
 2

OSHA defined hazards

Label Elements
Hazard Symbol



Not Classified.

Signal Word Warning

Hazard Statement Causes serious eye irritation. May cause skin irritation.

Precautionary statement

Prevention Wear protective gloves/eye protection/face protection. Wash thoroughly after handling.

Response If on skin: Wash with water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If irritation persists get medical advice/attention . Take off contaminated clothing and wash

before reuse.

None known.

Storage Store away from incompatible materials. Keep container tightly closed. Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

Section 3 - Composition/Information on ingredients

Mixture

 Hazardous Components
 Ingredient Name
 CAS #
 %

 Sodium Hydroxide
 1310-73-2
 < 0.2</td>

 2-(2-Butoxyethoxy) Ethanol
 112-34-5
 < 0.2</td>

Section 4 - First-aid Measures

InhalationMove to fresh air. Get medical attention if irritation develops and persists.Skin contactWash with water. Get medical attention if irritation develops and persists.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do.

 $\label{lem:continue} \textbf{Continue rinsing. Get medical attention if irritation develops and persists.}$

Ingestion Rinse mouth. Get medical attention if irritation develops and persists.

Most Important symptoms or effects, acute and delayed

Serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Direct skin contact may

cause slight or mild transient irritation. Symptoms may include redness and itching.

Indication of immediate medical attention and special treatment needed

General Information

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

Section 5 - Fire-fighting measures

Suitable extinguishing media

RTU product will not suport combustion. Water fog. Foam. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire-fighting equipment

/instructions

Move containers from fire area if you can do it without risk.

General fire hazards No unusual fire or explosion hazards noted.

Specific Methods Use standard fire fighting procedures and consider the hazards of other involved materials.

Section 6 - Accidental release measures

Personal precautions, protective

equipment and emergency procedures.

Isolate area. Keep unnecessary personnel away. Use personal protection as recommended in Section 8 of the SDS.

Methods and materials for containment and cleaning up

This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into

waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual

contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

Section 7 - Handling and storage

Precautions for safe handling

Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Section 8 - Exposure control/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Value Components Form Type

Sodium Hydroxide (CAS 1310-73-2)

US. ACGIH Threshold Limit Values

Value Component Type Form

Sodium Hydroxide (CAS 1310-73-2) Ceiling 2 mg/m³

2-(2-Butoxyethoxy) Ethanol (CAS 112-34-5) TWA 10 ppm Inhalable fraction and vapor.

TWA

US. NIOSH: Pocket Guide to Chemical Hazards

Components Type Value Sodium Hydroxide (CAS 1310-73-2) Ceiling 2 mg/m³

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne

2 mg/m³

levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection

Skin protection

If use of product risks exposure to contact, wear safety glasses with side shields.

Hand protection

Impervious gloves are recommended for prolonged use.

If use of product risk exposure to contact, wear suitable protective clothing. Other

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. No personal respiratory protective equipment

normally required.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove

contaminants

Section 9 - Physical and chemical properties

Appearance

Physical state Liquid. Form Clear liquid. Color Pale violet. Odor Mild, pleasant. Odor threshold Not available. 12 + 0 4 Melting point/freezing point Not available. Initial boinging point and 212 °F (100 °C)

boiling range

> 212.0 °F (> 100.0 °C) Flash point

Evaporation rate Not available. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits Flammability limit - lower (%) Not available. Flammability limit - upper (%) Not available. Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Vapor pressure Similar to water. Vapor density Similar to water. Relative density 1.00 ± 0.01 Relative density temperature 75 °F (23.9 °C) Solubilities (water) Completely soluble.

Partition Coefficient noctanol/water

Not available

Auto-ignition temperature Not Available **Decomposition temperature** Not Available < 10 cP 75 °F (23.9 °C) **Viscosity Temperature**

Section 10 - Stability and reactivity

Reactivity Reacts with strong acids. This product may react with oxidizing agents.

Chemical stability Material is stable under normal conditions.

Possiblity of hazardous reactions No dangerous reaction known under conditions of normal use. **Conditions to Avoid** Do not mix with other chemicals. Contact with incompatible materials.

Incompatible materials Strong acids. Acids. Strong oxidizing agents. Oxidizing agents. No hazardous decomposition products are known.

Hazardous Decomposition

Products

Section 11 - Toxicological information

Information on likely routes of exposure

Ingestion Expected to be a low ingestion hazard.

Inhalation May cause irritation to the respiratory system. Prolonged inhalation may be harmful.

Skin contact Direct skin contact may cause slight or mild transient irritation.

Prolonged or repeated exposure may cause liver and kidney damage. These effects have not been observed in humans.

Eye contact

Symptoms related to the physical, chemical and toxicological characteristics Serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause skin

irritation. Symptoms may include redness and itching. Symptoms may be delayed.

Information on toxicological effects.

Acute toxicity Harmful if swallowed. May cause respiratory irritation.

Components Type Code **Species**

2-(2-Butoxyethoxy) Ethanol (CAS 112-34-5) Dermal LD50 Rabbit 2764 mg/kg, (Male) Acute

Sodium Hydroxide (CAS 1310-73-2) Oral LD50 Rabbit Acute 500 mg/kg

1040 (1-30, 1-12

Skin corrosion/irritation Direct skin contact may cause slight or mild transient irritation.

Serious eye damage/ eye

irritation

Causes serious eye damage.

Respiratory sensitization

This product is not expected to cause respiratory sensitization.

Skin sensitization

This product is not expected to cause skin sensitization.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

...,

Specific target organ toxicity -

single exposure

May cause respiratory irritation.

Specific target organ toxicity -

repeated exposure

Chronic effects

Reproductive toxicity

Not classified.

repeated exposure

Aspiration hazard

Not classified.

May be harmful if absorbed through skin. Prolonged inhalation may be harmful.

This product is not expected to cause reproductive or developmental effects.

Prolonged or repeated exposure may cause liver and kidney damage. These effects have not been observed in humans.

Section 12 - Ecological Information

Ecotoxicity The RTU product is highly diluted and is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability The product is expected to be biodegradable.

Bioaccumulative potential Not known.

Partition coefficient n-octanol / water log (Kow)

Components Results 2-(2-Butoxyethoxy) Ethanol (CAS 112-34-5) 0.56

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine

disruption, global warming potential) are expected from this component.

Section 13 - Disposal considerations

Disposal instructions Dispose in accordance with applicable federal, state, and local regulations.

Local disposal regulations Dispose of in accordance with local regulations.

Hazardous waste codeWaste codes should be assigned by the user based on the application for which the product was used.

Waste from residues / unused

products

Dispose in accordance with all applicable regulations.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is emptied.

Section 14 - Transport information

General Information This product is customer diluted for on site use only. No transportation information is anticipated or provided. The

regulatory transport classification of the product without consideration to dilution strength, packaging, quantity, or modal restrictions and exceptions can not be anticipated. It is the user's responsibility to determine the appropriate packaging and

modal requirements and/or limitations for the product quantity being shipped.

Section 15 - Regulatory Information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR707, Subpt. D)

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

CERCLA Hazardous Substance List (40 CFR 302.4

Components Result
Sodium Hydroxide (CAS 1310-73-2) LISTED
2-(2-Butoxyethoxy) Ethanol (CAS 112-34-5) LISTED

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard Categories Immediate Hazard Yes

Delayed Hazard No Fire Hazard No

Pressure Hazard No

Reactivity Hazard No

SARA 302 Extremely hazardous substance Not listed.
SARA 311/312 Hazardous chemical Yes

SARA 313 (TRI reporting)

 Chemical name
 CAS #
 % by wt.

 2-(2-Butoxyethoxy) Ethanol
 112-34-5
 < 0.2</td>

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Components

2-(2-Butoxyethoxy) Ethanol (CAS 112-34-5)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.
Food and Drug Administration (FDA) Not regulated.

US state regulations

US.Massachusetts RTK - Substance List Components

Sodium Hydroxide (CAS 1310-73-2)

2-(2-Butoxyethoxy) Ethanol (CAS 112-34-5)

US.New Jersey Worker and Community Right-to-Know Act Components

Sodium Hydroxide (CAS 1310-73-2)

2-(2-Butoxyethoxy) Ethanol (CAS 112-34-5)

US.Pennsylvania RTK - Hazardous Substances Components

Sodium Hydroxide (CAS 1310-73-2)

2-(2-Butoxyethoxy) Ethanol (CAS 112-34-5)

US.Rhode Island RTK Components

Inventory Name

Sodium Hydroxide (CAS 1310-73-2)

2-(2-Butoxyethoxy) Ethanol (CAS 112-34-5)

US - California Proposition 65 California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This

material is not known to expose you to any chemicals currently listed as carcinogens or

reproductive toxins.

International Inventories Country(s) or region

Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notifed Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes
Unites States Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

Section 16 - Other information, including date of preparation or last version

Revision date 6/1/2023 Version # 03

DisclaimerThe information contained herein was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of

this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising from the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS. Various government agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product

which may not be reflected in this SDS. The user should review these regulations to ensure full compliance.

On Inventory (yes/no)*

^{*}A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).