

Skin contact

Eye contact

NATIONAL CHEMICAL LABORATORIES, INC.

SAFETY DATA SHEET

	SAFETY DAT		
	Section 1 - Ide	ntification	
Product Identifier	CITRUS-KLEEN Non Butyl / Hea	vy Duty Cleaner Degreaser	
Other means of identification	n 1095		
Recommended use	Alkaline cleaner.		
Recommended restrictions	For commercial and industrial	use only.	
Manufacturer / Importer / S	upplier / Distributor Information		
Company Name	National Chemical Laboratories of PA, Inc.		
Address	401 N. 10th Street - Philadelphia, PA 19123		
Telephone	1 (215) 922-1200		
Supplier Email	info@nclonline.com		
Contact	CHEM-TEL		
Emergency Phone	1 (800) 255-3924		
	Section 2 - Hazard(s) Identification	
SDS Hazards	s and Warnings are based on the undiluted product. R	-	nd Warnings.
	Classification	Category	
Physical Hazards	Not Classified		
Health Hazards	Sensitization, skin	1	
	Serious eye damage/eye irritation	1	
	Skin corrosion/irritation	1	
OSHA defined hazards	Not Classified.		
Label Elements			
Caral Mand			
Signal Word	Danger		
Hazard Statement	Causes severe skin burns and eye damage. May cause	an allergic skin reaction.	
recautionary statement			
Prevention	Do not breathe mist or vapor. Wash thoroughly after h workplace. Wear protective gloves/protective clothing		be allowed out of the
Response	If swallowed: Rinse mouth. Do NOT induce vomiting. I skin with water/shower. If inhaled: Remove person to cautiously with water for several minutes. Remove con call a poison center/doctor. If skin irritation or rash oc reuse.	fresh air and keep comfortable for breathing. If intact lenses, if present and easy to do. Continue	in eyes: Rinse rinsing. Immediately
Storage	Store locked up.		
Disposal	Dispose of contents/container in accordance with loca	l/regional/national/international regulations.	
lazard(s) not otherwise lassified (HNOC)	None known.		
	Section 3 - Composition/Inf	ormation on ingredients	
Mixture			
Hazardous Components	Ingredient Name	CAS #	%
	Sodium Hydroxide	1310-73-2	1 - 5
	Sodium dimethylbenzenesulfonate	1300-72-7	1 - 5
	Orange Oil	8008-57-9	0.1 - 1
	Section 4 - First-	aid Measures	
Inhalation	Move to fresh air. Get medical attention if irritat	ion nersists	
	Nove to resident. Get medical attention if Imitat		

Continue rinsing. Call a physician or poison control center immediately.

	SAFETY DATA SHEET
Ingestion	Call a physician or poison control center immediately. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Aost Important symptoms or effe	ects, acute and delayed
	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.
ndication of immediate medical a	attention and special treatment needed
	Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.
General Information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.
	Section 5 - Fire-fighting measures
uitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire-fighting equipment /instructions	Move containers from fire area if you can do it without risk.
General fire hazards	No unusual fire or explosion hazards noted.
Specific Methods	Use standard firefighting procedures and consider the hazards of other involved materials.
	Section 6 - Accidental release measures
Personal precautions, protective equipment and emergency procedures.	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	This product is miscible in water. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual
	contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
	Section 7 - Handling and storage
Precautions for safe handling	Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Provide adequate
	ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS)
	Continu 9 Francesso controllances and arctantian

Section 8 - Exposure control/personal protection

Occupational exposure limits				
US. OSHA Table Z-1 Limits	for Air Contaminants (29 CFR 1910.10	00)		
Components		Туре	Value	Form
Sodium Hydroxide (CAS 1310-73-2)		TWA	2 mg/m ³	
US. ACGIH Threshold Lim	it Values			
Component		Туре	Value	Form
Sodium Hydroxide (CAS 1310-73-2)		Ceiling	2 mg/m³	
US. NIOSH: Pocket Guide	to Chemical Hazards			
Components		Туре	Value	
Sodium Hydroxide (CAS 1310-73-2)		Ceiling	2 mg/m³	
Biological limit values	No biological exposure limits not	ed for the ingre	dient(s).	
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.			
Individual protection measure	s such as nersonal protective equipm	ont		

Individual protection measures, such as personal protective equipment

Eye/face protection If use of product risks exposure to contact, wear safety glasses with side shields. Skin protection Hand protection Impervious gloves are recommended for prolonged use. Other If use of product risk exposure to contact, wear suitable protective clothing. **Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment. Thermal hazards Wear appropriate thermal protective clothing, when necessary. General hygiene Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, considerations and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

Section 9 - Physical and chemical properties

Appearance **Physical state** Liquid. Form Clear, thin liquid. Color Orange. Odor Orange. Odor threshold Not available. рΗ 13.3 Melting point/freezing point Not available. Initial boinging point and 212 °F (100 °C) boiling range Flash point None to boiling. **Evaporation rate** Not available. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits Flammability limit - lower (%) Not available. Flammability limit - upper (%) Not available. Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Vapor pressure Similar to water. Vapor density Similar to water. **Relative density** 1.03 ± 0.01 **Relative density temperature** 75 °F (23.9 °C) Solubilities (water) Completely soluble. Partition Coefficient n-Not available octanol/water Auto-ignition temperature Not Available **Decomposition temperature** Not Available Viscosity < 10 cSt **Viscosity Temperature** 75 °F (23.9 °C)

Section 10 - Stability and reactivity

Reactivity	Reacts violently with strong acids. This product may react with oxidizing agents.
Chemical stability	Material is stable under normal conditions.
Possiblity of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to Avoid	Do not mix with other chemicals. Contact with incompatible materials.
Incompatible materials	Strong Acids, Acids, Oxidizing Agents.
Hazardous Decomposition	No hazardous decomposition products are known.
Products	

Section 11 - Toxicological information

Information on likely routes of e	exposure
Ingestion	Causes digestive tract burns.
Inhalation	May cause irritation to the respiratory system. Prolonged inhalation may be harmful.
Skin contact	Causes severe skin burns. May cause an allergic skin reaction.
Eye contact	Causes serious eye damage.
Symptoms related to the physical, chemical and toxicological characteristics	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation.

Information on toxicological effects.

Acute toxicity	May cause an allergic sk	in reaction. Ma	y cause respirato	ry irritation.		
Components		Level	Туре	Code	Species	Results
Sodium dimethylbenzenesu	lfonate (CAS 1300-72-7)	Acute	Dermal	LD50	Rabbit	>2000 mg/kg
		Acute	Oral	LD50	Rat	7200 mg/kg
Sodium Hydroxide (CAS 131	.0-73-2)	Acute	Oral	LD50	Rabbit	500 mg/kg
Skin corrosion/irritation	Causes severe skin burn	s and eye dama	age.			
Serious eye damage/ eye irritation	Causes serious eye dam	age.				
Respiratory sensitization	Not a respiratory sensition	zer.				
Skin sensitization	May cause an allergic sk	in reaction.				
Germ cell mutagenicity	, , , , , , , , , , , , , , , , , , , ,				nutagenic or genotoxic.	
Carcinogenicity	This product is not cons	idered to be a c	arcinogen by IAR	C, ACGIH, NTP, o	r OSHA.	
Reproductive toxicity	This product is not expe	cted to cause re	eproductive or de	velopmental effe	ects.	
Specific target organ toxicity - single exposure	This product is not expected to cause reproductive or developmental effects. May cause respiratory irritation.					
Specific target organ toxicity - repeated exposure	Not classified.					
Aspiration hazard	Not an aspiration hazard	ł.				
Chronic effects	Prolonged inhalation ma	ay be harmful.				
	Sect	ion 12 - E	cological l	nformatio	n	
Ecotoxicity	Harmful to aquatic life v	vith long lasting	g effects.			
Persistence and degradability	No data is available on t					
Bioaccumulative potential		0				
Partition coefficient n-octan	ol / water log (Kow)					
Components			Results			
Orange Oil (CAS 8008-57-9))		2.61			
Mobility in soil	No data available.					
-	No data available.					
Mobility in general Other adverse effects	No other adverse enviro	nmontal offoct	s (o.g. ozono doni	ation photochor	mical ozono croatio	n notontial andocrina
other adverse enects	disruption, global warm					n potential, endocrine
	Secti	on 13 - Di	isposal cor	sideratio	ns	
Disposal instructions	Dispose in accordance v	vith applicable f	federal, state, and	local regulation	s.	
Local disposal regulations	Dispose of in accordanc	e with local reg	ulations.			
Hazardous waste code	Waste codes should be	assigned by the	user based on th	e application for	which the product	was used.
Waste from residues / unused products	Dispose in accordance with all applicable regulations.					
Contaminated packaging	Since emptied containe	rs may retain pr	roduct residue, fo	llow label warnir	ngs even after conta	iner is emptied.
	Sect	tion 14 - 1	Transport i	nformatio	n	
OOT UN number	UN1824					
Proper shipping name	SODIUM HYDROXIDE SO					
		LUTION				
Transport hazard class(es) Packing group	8 II					
Special precautions for user		SDS and amore	anay procedure -	hoforo handlin-		
	Read safety instructions,	anu emerg כעכ	sency procedures	beibre nandling.		
Special provisions	B2, IB2, N34, T7, TP2					
Packaging exemption Packaging non bulk	154 202					
Packaging bulk	242					
ATA UN number	UN1824					
UN proper shipping name	SODIUM HYDROXIDE SOI					
	8					
Transport hazard class(es) Packaging group	8 					
Environmental hazards	No.					
ERG Code	8L					

Special precautions for user Other Information	Read safety instructions, SDS and emergency procedures before handling.
IMDG	
UN number	UN1824
UN proper shipping name	SODIUM HYDROXIDE SOLUTION
Transport hazard class(es)	8
Packaging group	II
Environmental hazards Marine pollutant	No.
EmS	F-A, S-B
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Transportation in bulk according to Annex II of MARPOL 73/78 and IBC Code	This substance/mixture is not intended to be transported in bulk.

	Section	15 - Regulator	y Information	
. .			v the OSHA Hazard Communication Stand	dard, 29 CFR 1910.1200.
All components are on the U.S. EPA TSC TSCA Section 12(b) Export Notification (40 CFR707, Subpt. D)				
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)			gulated.	
CERCLA Hazardous Substance List (40	•	01-1050) Not list		
Components		R	esult	
Sodium Hydroxide (CAS 13	(10-73-2)		STED	
	,			
Superfund Amendments and Reauth	orization Act of 1986 (S	ARA)		
Hazard Categories Immediate I	Hazard Yes			
Delayed Haz	zard No			
Fire Hazard	No			
Pressure Ha	zard No			
Reactivity H	azard No			
SARA 302 Extremely hazardous subs	tance Not listed.			
SARA 311/312 Hazardous chemical	Yes			
SARA 313 (TRI reporting)	Not regulate	ed.		
Other federal regulations				
Clean Air Act (CAA) Section 112 Haza	rdous Air Pollutants (HA	APs) List	Not regulated.	
Clean Air Act (CAA) Section 112(r) Ac			Not regulated.	
Safe Drinking Water Act (SDWA)	Not regulated.			
Food and Drug Administration (FDA)	-			
US state regulations				
US.Massachusetts RTK - Substance Lis	+	Components		
		Sodium Hydroxide (C	AS 1310-73-2)	
US New Jersey Worker and Communit			10107027	
US.New Jersey Worker and Community Right-to-Know Act		Components Sodium Hydroxide (C	۵۶ 1310-73-2)	
US.Pennsylvania RTK - Hazardous Substances		Components	AS 1510 75 27	
	stances	Sodium Hydroxide (C	AS 1310-73-2)	
US.Rhode Island RTK			A3 1310-73-27	
US.KIIOUE ISIAIIU KIK		Components	AS 1210 72 2)	
		Sodium Hydroxide (CAS 1310-73-2)		
US - California Proposition 65		California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to expose you to any chemicals currently listed as carcinogens or		
		reproductive toxins.	The expose you to any chemicals current	ly listed as carchiogens of
International Inventories				
Country(s) or region	Inventory Name			On Inventory (yes/no)*
Australia	Australian Inventory o	of Chemical Substances	(AICS)	Yes
Canada	Domestic Substances	List (DSL)		Yes
Canada	Non-Domestic Substa	nces List (NDSL)		No
China	Inventory of Existing O	Chemical Substances in	China (IECSC)	Yes
Europe	European Inventory o	f Existing Commercial	Chemical Substances (EINECS)	No
Europe	European List of Notif	ed Chemical Substance	es (ELINCS)	No
Japan	Inventory of Existing a		stances (ENCS)	No
Korea	Existing Chemicals List	: (ECL)		Yes

New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes
Unites States Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

*A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Section 16 - Other information, including date of preparation or last version

Revision date	6/1/2023
Version #	03
HMIS Hazard Codes	PPE A
Disclaimer	The information contained herein was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and dispose this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss injury, damage or expense arising from the product's improper use. No warranty, express

warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising from the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS. Various government agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be reflected in this SDS. The user should review these regulations to ensure full compliance.