

NATIONAL CHEMICAL LABORATORIES, INC.

SAFETY DATA SHEET

	Section 1 - Identif	ication					
Product Identifier	GRANITE STAR™ Granite Crystallizer Spray N' Buff						
Other means of identification	2525						
Recommended use	Buffing compound.						
Recommended restrictions	For commercial and industrial use only.						
Manufacturer / Importer / Supp	lier / Distributor Information						
Company Name	National Chemical Laboratories of PA, Inc.						
Address	401 N. 10th Street - Philadelphia, PA 19123						
Telephone	1 (215) 922-1200						
Supplier Email	info@nclonline.com						
Contact	CHEM-TEL						
Emergency Phone	1 (800) 255-3924						
	Section 2 - Hazard(s) lo	dentification					
SDS Hazards an	d Warnings are based on the undiluted product. Refer t	o diluted SDS for Read	y-To-Use Hazards ar	nd Warnings.			
	Classification	Category					
Physical Hazards	Not Classified						
Health Hazards	Acute toxicity, oral	4					
	Serious eye damage/eye irritation	1					
	Skin corrosion/irritation	1					
	Specific target organ toxicity, single exposure	3	TARGET ORGAN irritation	: respiratory tract			
OSHA defined hazards	Not Classified.						
Label Elements							
Signal Word	Danger						
Hazard Statement	Causes severe skin burns and eye damage. May cause respiratory irritation. Harmful if swallowed. swallowed.						
Precautionary statement							
Prevention	Do not breathe mist or vapor. Wear protective gloves, thoroughly after handling. Do not eat, drink or smoke						
Response	If swallowed: Rinse mouth. Do NOT induce vomiting. I skin with water/shower. Wash contaminated clothing comfortable for breathing. Immediately call a poison o minutes. Remove contact lenses, if present and easy t	before reuse. If inhale enter/doctor. If in eye	d: Remove person to	fresh air and keep			
Storage	Store locked up.	0					
Disposal	Dispose of contents/container in accordance with loca	l/regional/national/int	ernational regulation	1 5.			
Hazard(s) not otherwise classified (HNOC)	None known.		- 0.1 - 1.1-				
	Section 3 - Composition/Inform	ation on ingre	edients				
Mixture							
Hazardous Components	Ingredient Name		CAS #	%			
	Magnesium fluosilicate		16949-65-8	20 - 30			
	Phosphoric Acid		7664-38-2	1-5			
	Section 4 - First-aid	Measures					
Inhalation	If respiratory irritation or distress occurs, remove victi apply artificial respiration. CONSULT A PHYSICIAN.	m to fresh air. If breath	ing is difficult, give o	xygen. If breathing stops,			
Skin contact	Remove contaminated clothing and shoes. Wash off immediately with plenty of water for at least 15 minutes. Get medical attention if irritation persists. Wash contaminated clothing before reuse. Destroy or thoroughly clean contaminated shoes.						

Eye contact			at least 20 minutes, occas least 10 minutes. Get med	ionally lifting the upper and lower exitation immediately.	velids. Check and		
Ingestion	Rinse mouth thoroughly with water. DO NOT induce vomiting. If victim is fully conscious, give a cupful of water. Never give anything by mouth to an unconscious person. If vomiting occurs, keep head lower than the hips to help prevent aspiration. Cal a physician or poison control center immediately.						
Most Important symptoms	Causes skin and eye burns.						
/effects, acute and delayed							
Indication of immediate medical attention and special treatment	Treat symptomatical	Treat symptomatically.					
General Information	Ensure that medical	personnel are aware of the	e material(s) involved, and t	ake precautions to protect themsel	ves.		
	Se	ction 5 - Fire-fig	hting measures				
Suitable extinguishing media	Carbon dioxide, alcol	nol-resistant foam, dry che	mical, water spray, or wate	er fog.			
Unsuitable extinguishing media	Not available.						
Specific hazards arising from the chemical	None known.						
Special protective equipment and precautions for firefighters	Self-contained breath	ning apparatus and full pro	tective clothing must be w	orn in case of fire.			
Fire-fighting equipment /instructions			without risk. Use water spr	ay to keep fire-exposed containers o	cool.		
General fire hazards	This product is not fla	ammable or combustible.					
	Sectio	on 6 - Accidenta	l release measu	res			
Personal precautions, protective equipment and emergency procedures.	Isolate area. Keep un	necessary personnel away	. Use personal protection a	s recommended in Section 8 of the	SDS.		
Methods and materials for containment and cleaning up	SMALL SPILLAGE: Absorb spillage with suitable absorbent material. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. After removal flush contaminated area thoroughly with water. LARGE SPILLS: Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. After						
		removal flush contaminated area thoroughly with water. Avoid discharge into drains, water courses or onto the ground.					
Environmental precautions		• •					
Environmental precautions	Avoid discharge into	drains, water courses or o	nto the ground.				
Environmental precautions Precautions for safe handling	Avoid discharge into	drains, water courses or or ection 7 - Handli n skin, or on clothing. Do n	nto the ground. ing and storage ot breathe mist or vapor. D	o not taste or swallow. Use with ad	-		
	Avoid discharge into	drains, water courses or or ection 7 - Handli n skin, or on clothing. Do n	nto the ground. ing and storage ot breathe mist or vapor. E se Personal Protective Equi	o not taste or swallow. Use with ad oment recommended in section 8 of	-		
Precautions for safe handling Conditions for safe storage,	Avoid discharge into	drains, water courses or or ection 7 - Handli n skin, or on clothing. Do n oroughly after handling. Us ompatible materials. Keep	nto the ground. ing and storage ot breathe mist or vapor. E se Personal Protective Equi	oment recommended in section 8 of	-		
Precautions for safe handling Conditions for safe storage, including any incompatibilities Occupational exposure limits	Avoid discharge into Se Do not get in eyes, or ventilation. Wash the Store away from inco Store away from inco	drains, water courses or or ection 7 - Handli n skin, or on clothing. Do n broughly after handling. Us propatible materials. Keep - Exposure conf	nto the ground. ing and storage ot breathe mist or vapor. E se Personal Protective Equip container closed.	oment recommended in section 8 of	-		
Precautions for safe handling Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits fo	Avoid discharge into Se Do not get in eyes, or ventilation. Wash the Store away from inco Store away from inco	drains, water courses or or ection 7 - Handli n skin, or on clothing. Do n oroughly after handling. Us ompatible materials. Keep - Exposure cont CFR 1910.1000)	nto the ground. ing and storage ot breathe mist or vapor. E se Personal Protective Equip container closed. trol/personal pro	oment recommended in section 8 of	-		
Precautions for safe handling Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components	Avoid discharge into Se Do not get in eyes, or ventilation. Wash the Store away from inco Section 8 r Air Contaminants (29)	drains, water courses or or ection 7 - Handli n skin, or on clothing. Do n broughly after handling. Us bompatible materials. Keep - Exposure cont CFR 1910.1000) Type	nto the ground. ing and storage ot breathe mist or vapor. D se Personal Protective Equip container closed. trol/personal pro Value	oment recommended in section 8 of	-		
Precautions for safe handling Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components Magnesium fluosilicate (CA	Avoid discharge into Sec Do not get in eyes, or ventilation. Wash the Store away from inco Section 8 r Air Contaminants (29 of AS 16949-65-8)	drains, water courses or or ection 7 - Handli n skin, or on clothing. Do n oroughly after handling. Us ompatible materials. Keep - Exposure cont CFR 1910.1000) Type TWA	nto the ground. ing and storage ot breathe mist or vapor. E se Personal Protective Equip container closed. trol/personal pro Value 2.5mg/m ³	oment recommended in section 8 of	-		
Precautions for safe handling Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components Magnesium fluosilicate (CA Phosphoric Acid (CAS 7664	Avoid discharge into Sec Do not get in eyes, or ventilation. Wash the Store away from inco Section 8 r Air Contaminants (29 AS 16949-65-8) I-38-2)	drains, water courses or or ection 7 - Handli n skin, or on clothing. Do n broughly after handling. Us bompatible materials. Keep - Exposure cont CFR 1910.1000) Type	nto the ground. ing and storage ot breathe mist or vapor. D se Personal Protective Equip container closed. trol/personal pro Value	oment recommended in section 8 of	-		
Precautions for safe handling Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components Magnesium fluosilicate (CA Phosphoric Acid (CAS 7664 US. OSHA Table Z-2 (29 CFR	Avoid discharge into Sec Do not get in eyes, or ventilation. Wash the Store away from inco Section 8 r Air Contaminants (29 AS 16949-65-8) I-38-2)	drains, water courses or or ection 7 - Handli n skin, or on clothing. Do n oroughly after handling. Us ompatible materials. Keep - Exposure cont CFR 1910.1000) Type TWA TWA	nto the ground. ing and storage ot breathe mist or vapor. D se Personal Protective Equip container closed. trol/personal pro Value 2.5mg/m ³ 1 mg/m ³	oment recommended in section 8 of	-		
Precautions for safe handling Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components Magnesium fluosilicate (CA Phosphoric Acid (CAS 7664 US. OSHA Table Z-2 (29 CFR Components	Avoid discharge into Section 8 r Air Contaminants (29 AS 16949-65-8) 1-38-2) 1910.1000)	drains, water courses or or ection 7 - Handli n skin, or on clothing. Do n proughly after handling. Us ompatible materials. Keep - Exposure cont CFR 1910.1000) Type TWA TWA TWA	nto the ground. ing and storage ot breathe mist or vapor. D se Personal Protective Equip container closed. trol/personal pro Value 2.5mg/m ³ 1 mg/m ³ Value	oment recommended in section 8 of tection Form	-		
Precautions for safe handling Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits fo Components Magnesium fluosilicate (CA Phosphoric Acid (CAS 7664 US. OSHA Table Z-2 (29 CFR Components Magnesium fluosilicate (CA	Avoid discharge into Section 8 r Air Contaminants (29 (AS 16949-65-8) I-38-2) 1910.1000) AS 16949-65-8)	drains, water courses or or ection 7 - Handli n skin, or on clothing. Do n oroughly after handling. Us ompatible materials. Keep - Exposure cont CFR 1910.1000) Type TWA TWA	nto the ground. ing and storage ot breathe mist or vapor. D se Personal Protective Equip container closed. trol/personal pro Value 2.5mg/m ³ 1 mg/m ³	oment recommended in section 8 of	-		
Precautions for safe handling Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits fo Components Magnesium fluosilicate (CA Phosphoric Acid (CAS 7664 US. OSHA Table Z-2 (29 CFR Components Magnesium fluosilicate (CA US. ACGIH Threshold Limit V	Avoid discharge into Section 8 r Air Contaminants (29 (AS 16949-65-8) I-38-2) 1910.1000) AS 16949-65-8)	drains, water courses or or ection 7 - Handli n skin, or on clothing. Do n broughly after handling. Us bompatible materials. Keep - Exposure conf CFR 1910.1000) Type TWA TWA Type TWA	nto the ground. ing and storage ot breathe mist or vapor. D se Personal Protective Equip container closed. trol/personal pro Value 2.5mg/m ³ 1 mg/m ³ Value 2.5 mg.m ³	t ection Form Dust.	-		
Precautions for safe handling Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components Magnesium fluosilicate (CA Phosphoric Acid (CAS 7664 US. OSHA Table Z-2 (29 CFR Components Magnesium fluosilicate (CA US. ACGIH Threshold Limit V Component	Avoid discharge into Sec Do not get in eyes, or ventilation. Wash the Store away from inco Section 8 r Air Contaminants (29 AS 16949-65-8) I-38-2) 1910.1000) AS 16949-65-8) Yalues	drains, water courses or or ection 7 - Handli n skin, or on clothing. Do n broughly after handling. Us bompatible materials. Keep - Exposure cont CFR 1910.1000) Type TWA TWA Type TWA Type TWA	nto the ground. ing and storage ot breathe mist or vapor. D se Personal Protective Equip container closed. trol/personal pro Value 2.5mg/m ³ 1 mg/m ³ Value 2.5 mg.m ³ Value	oment recommended in section 8 of tection Form	-		
Precautions for safe handling Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components Magnesium fluosilicate (CA Phosphoric Acid (CAS 7664 US. OSHA Table Z-2 (29 CFR Components Magnesium fluosilicate (CA US. ACGIH Threshold Limit V Component Phosphoric Acid (CAS 7664	Avoid discharge into Section 8 r Air Contaminants (29 AS 16949-65-8) I-38-2) 1910.1000) AS 16949-65-8) /alues	drains, water courses or or ection 7 - Handli n skin, or on clothing. Do n broughly after handling. Us bompatible materials. Keep - Exposure cont CFR 1910.1000) Type TWA TWA TWA Type TWA Type TWA Type STEL	nto the ground. ing and storage ot breathe mist or vapor. E se Personal Protective Equip container closed. trol/personal pro Value 2.5mg/m ³ 1 mg/m ³ Value 2.5 mg.m ³ Value 3 mg/m ³	t ection Form Dust.	-		
Precautions for safe handling Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components Magnesium fluosilicate (CA Phosphoric Acid (CAS 7664 US. OSHA Table Z-2 (29 CFR Components Magnesium fluosilicate (CA US. ACGIH Threshold Limit V Component Phosphoric Acid (CAS 7664 Phosphoric Acid (CAS 7664	Avoid discharge into Section 8 Do not get in eyes, or ventilation. Wash the Store away from inco Section 8 r Air Contaminants (29 AS 16949-65-8) I-38-2) 1910.1000) AS 16949-65-8) Values I-38-2) I-38-2)	drains, water courses or or ection 7 - Handli n skin, or on clothing. Do n broughly after handling. Us bompatible materials. Keep of - Exposure cont CFR 1910.1000) Type TWA TWA Type TWA Type TWA Type STEL TWA	nto the ground. ing and storage ot breathe mist or vapor. E se Personal Protective Equip container closed. trol/personal pro Value 2.5mg/m ³ 1 mg/m ³ Value 2.5 mg.m ³ Value 3 mg/m ³ 1 mg/m ³	t ection Form Dust.	-		
Precautions for safe handling Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components Magnesium fluosilicate (CA Phosphoric Acid (CAS 7664 US. OSHA Table Z-2 (29 CFR Components Magnesium fluosilicate (CA US. ACGIH Threshold Limit V Component Phosphoric Acid (CAS 7664 Phosphoric Acid (CAS 7664 Magnesium fluosilicate (CA	Avoid discharge into Section 8 Do not get in eyes, or ventilation. Wash the Store away from inco Section 8 r Air Contaminants (29 AS 16949-65-8) 4-38-2) 1910.1000) AS 16949-65-8) Yalues 4-38-2) 4-38-2) 4-38-2) AS 16949-65-8)	drains, water courses or or ection 7 - Handli n skin, or on clothing. Do n broughly after handling. Us bompatible materials. Keep - Exposure cont CFR 1910.1000) Type TWA TWA TWA Type TWA Type TWA Type STEL	nto the ground. ing and storage ot breathe mist or vapor. E se Personal Protective Equip container closed. trol/personal pro Value 2.5mg/m ³ 1 mg/m ³ Value 2.5 mg.m ³ Value 3 mg/m ³	t ection Form Dust.	-		
Precautions for safe handling Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components Magnesium fluosilicate (CA Phosphoric Acid (CAS 7664 US. OSHA Table Z-2 (29 CFR Components Magnesium fluosilicate (CA US. ACGIH Threshold Limit V Component Phosphoric Acid (CAS 7664 Phosphoric Acid (CAS 7664 Magnesium fluosilicate (CA US. NIOSH: Pocket Guide to C	Avoid discharge into Section 8 Do not get in eyes, or ventilation. Wash the Store away from inco Section 8 r Air Contaminants (29 AS 16949-65-8) 4-38-2) 1910.1000) AS 16949-65-8) Yalues 4-38-2) 4-38-2) 4-38-2) AS 16949-65-8)	drains, water courses or or ection 7 - Handli n skin, or on clothing. Do n proughly after handling. Us pompatible materials. Keep of - Exposure cont CFR 1910.1000) Type TWA TWA Type TWA Type TWA Type STEL TWA TWA	nto the ground. ing and storage ot breathe mist or vapor. Dise Personal Protective Equip container closed. trol/personal pro Value 2.5mg/m ³ 1 mg/m ³ Value 3 mg/m ³ 1 mg/m ³ 2.5 mg/m ³	t ection Form Dust.	-		
Precautions for safe handling Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components Magnesium fluosilicate (CA Phosphoric Acid (CAS 7664 US. OSHA Table Z-2 (29 CFR Components Magnesium fluosilicate (CA US. ACGIH Threshold Limit V Component Phosphoric Acid (CAS 7664 Phosphoric Acid (CAS 7664 Magnesium fluosilicate (CA US. NIOSH: Pocket Guide to C Components	Avoid discharge into Section 8 Do not get in eyes, or ventilation. Wash the Store away from inco Section 8 r Air Contaminants (29 (AS 16949-65-8) (AS 16949-65-8) (7alues (1-38-2) (1-	drains, water courses or or ection 7 - Handli n skin, or on clothing. Do n proughly after handling. Us pompatible materials. Keep of - Exposure cont CFR 1910.1000) Type TWA TWA Type TWA Type STEL TWA TWA TWA Type STEL TWA	nto the ground. ing and storage ot breathe mist or vapor. D se Personal Protective Equip container closed. trol/personal pro Value 2.5mg/m ³ 1 mg/m ³ Value 3 mg/m ³ 1 mg/m ³ 2.5 mg/m ³ 1 mg/m ³ 2.5 mg/m ³	t ection Form Dust.	-		
Precautions for safe handling Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components Magnesium fluosilicate (CA Phosphoric Acid (CAS 7664 US. OSHA Table Z-2 (29 CFR Components Magnesium fluosilicate (CA US. ACGIH Threshold Limit V Component Phosphoric Acid (CAS 7664 Phosphoric Acid (CAS 7664 Magnesium fluosilicate (CA US. NIOSH: Pocket Guide to C Components Magnesium fluosilicate (CA	Avoid discharge into Section 8 Do not get in eyes, or ventilation. Wash the Store away from inco Section 8 r Air Contaminants (29 (AS 16949-65-8) (-38-2) 1910.1000) AS 16949-65-8) (/alues (-38-2) (drains, water courses or or ection 7 - Handli n skin, or on clothing. Do n proughly after handling. Us pompatible materials. Keep of - Exposure conf CFR 1910.1000) Type TWA TWA Type TWA Type STEL TWA TWA Type STEL TWA	nto the ground. ing and storage ot breathe mist or vapor. D se Personal Protective Equip container closed. trol/personal pro Value 2.5mg/m ³ 1 mg/m ³ Value 3 mg/m ³ 1 mg/m ³ 2.5 mg/m ³ 1 mg/m ³ 2.5 mg/m ³	t ection Form Dust.	-		
Precautions for safe handling Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components Magnesium fluosilicate (CA Phosphoric Acid (CAS 7664 US. OSHA Table Z-2 (29 CFR Components Magnesium fluosilicate (CA US. ACGIH Threshold Limit V Component Phosphoric Acid (CAS 7664 Phosphoric Acid (CAS 7664 Magnesium fluosilicate (CA US. NIOSH: Pocket Guide to C Components Magnesium fluosilicate (CA	Avoid discharge into Section 3 Conot get in eyes, or ventilation. Wash the Store away from inco Section 8 r Air Contaminants (29 AS 16949-65-8) I-38-2) 1910.1000) AS 16949-65-8) (alues I-38-2) I-38-2) AS 16949-65-8) Chemical Hazards AS 16949-65-8) AS 16949-65-8) AS 16949-65-8) AS 16949-65-8)	drains, water courses or or ection 7 - Handli n skin, or on clothing. Do n broughly after handling. Us bompatible materials. Keep - Exposure cont CFR 1910.1000) Type TWA TWA TWA Type STEL TWA Type STEL TWA Type STEL TWA Type STEL TWA Type TWA Type STEL TWA STEL	nto the ground. ing and storage ot breathe mist or vapor. E se Personal Protective Equip container closed. trol/personal pro Value 2.5mg/m ³ 1 mg/m ³ Value 2.5 mg.m ³ Value 3 mg/m ³ 1 mg/m ³ Value 3 mg/m ³ 1 mg/m ³ 2.5 mg/m ³ 3 mg/m ³ Value	t ection Form Dust.	-		
Precautions for safe handling Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components Magnesium fluosilicate (CA Phosphoric Acid (CAS 7664 US. OSHA Table Z-2 (29 CFR Components Magnesium fluosilicate (CA US. ACGIH Threshold Limit V Component Phosphoric Acid (CAS 7664 Phosphoric Acid (CAS 7664 Magnesium fluosilicate (CA US. NIOSH: Pocket Guide to C Components Magnesium fluosilicate (CA Distance (CA Components Magnesium fluosilicate (CA Phosphoric Acid (CAS 7664 Phosphoric Acid (CAS 7664 Phosphoric Acid (CAS 7664 Phosphoric Acid (CAS 7664	Avoid discharge into Section 8 To not get in eyes, or ventilation. Wash the Store away from inco Section 8 r Air Contaminants (29 AS 16949-65-8) I-38-2) 1910.1000) AS 16949-65-8) Yalues I-38-2) I-38-2) AS 16949-65-8) Chemical Hazards AS 16949-65-8) Chemical Hazards AS 16949-65-8) AS 16949-65-8) Chemical Hazards	drains, water courses or or ection 7 - Handli n skin, or on clothing. Do n proughly after handling. Us pompatible materials. Keep of - Exposure conf CFR 1910.1000) Type TWA TWA Type TWA Type STEL TWA TWA Type STEL TWA	nto the ground. ing and storage ot breathe mist or vapor. D se Personal Protective Equip container closed. trol/personal pro Value 2.5mg/m ³ 1 mg/m ³ Value 3 mg/m ³ 1 mg/m ³ 2.5 mg/m ³ 1 mg/m ³ 2.5 mg/m ³	t ection Form Dust.	f the SDS.		
Precautions for safe handling Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components Magnesium fluosilicate (CA Phosphoric Acid (CAS 7664 US. OSHA Table Z-2 (29 CFR Components Magnesium fluosilicate (CA US. ACGIH Threshold Limit V Component Phosphoric Acid (CAS 7664 Phosphoric Acid (CAS 7664 Magnesium fluosilicate (CA US. NIOSH: Pocket Guide to O Components Magnesium fluosilicate (CA Phosphoric Acid (CAS 7664 Phosphoric Acid (CAS 7664 Phosphoric Acid (CAS 7664 Phosphoric Acid (CAS 7664 US. ACGIH. BEIS. Biological E	Avoid discharge into Section 8 To not get in eyes, or ventilation. Wash the Store away from inco Section 8 r Air Contaminants (29 AS 16949-65-8) I-38-2) 1910.1000) AS 16949-65-8) Yalues I-38-2) I-38-2) AS 16949-65-8) Chemical Hazards AS 16949-65-8) Chemical Hazards AS 16949-65-8) AS 16949-65-8) Chemical Hazards	drains, water courses or or ection 7 - Handli In skin, or on clothing. Do n broughly after handling. Us bompatible materials. Keep of - Exposure cont CFR 1910.1000) Type TWA TWA Type TWA Type STEL TWA Type STEL TWA Type STEL TWA Type STEL TWA Type STEL TWA STEL REL	nto the ground. ing and storage ot breathe mist or vapor. E se Personal Protective Equip container closed. trol/personal pro Value 2.5 mg/m ³ 1 mg/m ³ Value 3 mg/m ³ 1 mg/m ³ 2.5 mg/m ³ 1 mg/m ³ 2.5 mg/m ³ 1 mg/m ³	tection Form Dust. Form	f the SDS.		
Precautions for safe handling Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components Magnesium fluosilicate (CA Phosphoric Acid (CAS 7664 US. OSHA Table Z-2 (29 CFR Components Magnesium fluosilicate (CA US. ACGIH Threshold Limit V Component Phosphoric Acid (CAS 7664 Phosphoric Acid (CAS 7664 Magnesium fluosilicate (CA US. NIOSH: Pocket Guide to O Components Magnesium fluosilicate (CA Phosphoric Acid (CAS 7664 Phosphoric Acid (CAS 7664 Phosphoric Acid (CAS 7664 Phosphoric Acid (CAS 7664 US. ACGIH. BEIS. Biological E Components	Avoid discharge into Section 3 Conot get in eyes, or ventilation. Wash the Store away from inco Section 8 r Air Contaminants (29 AS 16949-65-8) I-38-2) 1910.1000) AS 16949-65-8) Values I-38-2) AS 16949-65-8) Chemical Hazards AS 16949-65-8) Chemical Hazards AS 16949-65-8) I-38-2] I-38-2] I-38-3	drains, water courses or or ection 7 - Handli In skin, or on clothing. Do n proughly after handling. Us pompatible materials. Keep of - Exposure cont CFR 1910.1000) Type TWA TWA TWA Type STEL TWA TWA TWA Type STEL TWA TWA TWA STEL REL Value	nto the ground. ing and storage ot breathe mist or vapor. Dise Personal Protective Equip container closed. trol/personal pro Value 2.5 mg/m ³ 1 mg/m ³ Value 2.5 mg.m ³ Value 3 mg/m ³ 1 mg/m ³ 2.5 mg/m ³ 1 mg/m ³ 2.5 mg/m ³ 1 mg/m ³ 2.5 mg/m ³ 3 mg/m ³ 1 mg/m ³ 2.5 mg/m ³ 3 mg/m ³ 1 mg/m ³ 2.5 mg/m ³ 3 mg/m ³ 1 mg/m ³ 3 mg/m ³ 1 mg/m ³ 2 mg/m ³ 3 mg/m ³ 3 mg/m ³ 3 mg/m ³ 3 mg/m ³ 1 mg/m ³ 3 mg/m ³ 1 mg/m ³ 3 mg/m ³ 3 mg/m ³ 1 mg/m ³ 3 mg/m ³	tection Form Dust. Form	Sampling Time		
Precautions for safe handling Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components Magnesium fluosilicate (CA Phosphoric Acid (CAS 7664 US. OSHA Table Z-2 (29 CFR Components Magnesium fluosilicate (CA US. ACGIH Threshold Limit V Component Phosphoric Acid (CAS 7664 Phosphoric Acid (CAS 7664 Magnesium fluosilicate (CA US. NIOSH: Pocket Guide to O Components Magnesium fluosilicate (CA Phosphoric Acid (CAS 7664 Phosphoric Acid (CAS 7664 Phosphoric Acid (CAS 7664 Phosphoric Acid (CAS 7664 US. ACGIH. BEIS. Biological E	Avoid discharge into Section 3 Construction. Wash the Store away from inco Section 3 r Air Contaminants (29 AS 16949-65-8) 1-38-2) 1910.1000) AS 16949-65-8) Values 1-38-2) 1-38-2) AS 16949-65-8) Chemical Hazards AS 16949-65-8) 1-38-2) I-3	drains, water courses or or ection 7 - Handli In skin, or on clothing. Do n broughly after handling. Us bompatible materials. Keep of - Exposure cont CFR 1910.1000) Type TWA TWA Type TWA Type STEL TWA Type STEL TWA Type STEL TWA Type STEL TWA Type STEL TWA STEL REL	nto the ground. ing and storage ot breathe mist or vapor. E se Personal Protective Equip container closed. trol/personal pro Value 2.5 mg/m ³ 1 mg/m ³ Value 3 mg/m ³ 1 mg/m ³ 2.5 mg/m ³ 1 mg/m ³ 2.5 mg/m ³ 1 mg/m ³	tection Form Dust. Form	Sampling		

Exposure guidelines	Use personal protective equipment as required. Keep working clothes separately.			
Appropriate engineering controls	Provide adequate ventilation and minimize the risk of inhalation of vapors and mists. Provide easy access to water supply and eye wash facilities.			
Individual protection measures, s	uch as personal protective equipment			
Eye/face protection	If use of product risks exposure to contact, wear safety glasses with side shields.			
Skin protection				
Hand protection	Impervious gloves are recommended for prolonged use.			
Other	If use of product risk exposure to contact, wear suitable protective clothing.			
Respiratory protection	Use a respirator when local exhaust or ventilation is not adequate to keep exposures below the OEL. In a confined space a supplied respirator may be required.			
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.			
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.			

Section 9 - Physical and chemical properties

	ocction of a ringstear and chemical properties
Appearance	Liquid.
Physical state	Liquid.
Form	Opaque.
Color	Blue-Green.
Odor	Mild, bland.
Odor threshold	Not available.
рН	1.2
Melting point/freezing point	Not available.
Initial boinging point and	212 °F (100 °C)
boiling range	
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or expl	osive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Similar to water.
Vapor density	Similar to water.
Relative density	1.16 ± 0.01
Relative density temperature	75 °F (23.9 °C)
Solubilities (water)	10 - 99 % Soluble.
Partition Coefficient n- octanol/water	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	< 50 cP
Viscosity Temperature	75 °F (23.9 °C)

Section 10 - Stability and reactivity

Reactivity	Not available.
Chemical stability	Stable at normal conditions.
Possiblity of hazardous reactions	Hazardous polymerization does not occur.
Conditions to Avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous Decomposition	Carbon monoxide. Carbon dioxide.
Products	

Section 11 - Toxicological information

Information on likely routes of exposure				
Ingestion	Ingestion May cause burns of the gastrointestinal tract if swallowed			
Inhalation	Inhalation Irritating to respiratory system.			
Skin contact	Causes skin burns.			
Eye contact	Causes serious eye damage.			

Causes skin and eye burns. Symptoms may be delayed.

Symptoms related to the physical, chemical and toxicological characteristics

Information on toxicological effects.

Acute toxicity	May cause burns.					
Components		Level	Туре	Code	Species	Results
Magnesium fluosilicate (CAS	5 16949-65-8)	Acute	Oral	LD50	Rat	291 mg/kg
Phosphoric Acid (CAS 7664-	38-2)	Acute	Dermal	LD50	Rabbit	2740 mg/kg
		Acute	Inhalation	LC50	Rat	850 mg/m ³ , 4 Hours, 25.5 mg/m ³
		Acute	Oral	LD50	Rat	1530 mg/kg
Skin corrosion/irritation	Causes skin burns.					
Serious eye damage/ eye irritation	Causes serious eye d	amage.				
Respiratory sensitization	Not classified.					
Skin sensitization	Not classified.					
Germ cell mutagenicity	Not classified.					
Carcinogenicity	Not available.					
Reproductive toxicity	Not classified.					
Specific target organ toxicity - single exposure	Irritating to respirato	ry system.				
Specific target organ toxicity - repeated exposure	Not classified.					
Aspiration hazard	Not classified.					
Chronic effects	Prolonged or repeate	ed exposure may	cause liver and kidne	ey damage. Th	ese effects have not	t been observed in humans.
	Sec	ction 12 -	Ecological In	formatio	n	
Ecotoxicity	Because of the low pH of this product, it would be expected to produce significant ecotoxicity upon exposure to aquat				ty upon exposure to aquation	
• • • • • •	organisms and aquat	ic systems.				
Component(s) Phosphoric Acid, 7664-38-2						
Aquatic						
Level Type		Code	Species		Test	Results
Acute Fish		LC50	Mosquitofish (Gam	busia)		ng/l, 96 h
Persistence and degradability	The product is expec			,		
Bioaccumulative potential	Not known.					
Mobility in soil	Not available.					
Mobility in general	The product is water	soluble and may	spread in water syst	tems.		
Other adverse effects	None known.	soluble and may	spread in water syst			
		tion 12 - F)isposal cons	sidoratia	nc	
Disposal instructions	Dispose in accordance	••		ocal regulation	15.	
Local disposal regulations	Dispose of in accordance with local regulations. Waste codes should be assigned by the user based on the application for which the product was used.					
Hazardous waste code				application for	r which the product	was used.
Waste from residues / unused products	Dispose in accordanc	e with all applica	ible regulations.			
Contaminated packaging	Since emptied contai	ners may retain	product residue, follo	ow label warni	ngs even after conta	ainer is emptied.
	Se	ction 14 -	Transport in	formatio	n	
DOT	Se	ction 14 -	i ransport in	Tormatio	n	

UN number	UN1805
Proper shipping name	PHOSPHORIC ACID SOLUTION
Transport hazard class(es)	8
Packing group	111
Special precautions for user	Not available.
Special provisions	A7, IB3, N34, T4, TP1
Packaging exemption	154
Packaging non bulk	203
Packaging bulk	241

ΙΑΤΑ	
UN number	UN1805
UN proper shipping name	PHOSPHORIC ACID SOLUTION
Transport hazard class(es)	8
Packaging group	III
Environmental hazards	No
ERG Code	8L
Special precautions for user Other Information	Not available.
IMDG	
UN number	UN1805
UN proper shipping name	PHOSPHORIC ACID SOLUTION
Transport hazard class(es)	8
Packaging group	III
Environmental hazards Marine pollutant	Νο
EmS	F-A, S-B
Special precautions for user	Not available.
Transportation in bulk according to Annex II of MARPOL 73/78 and IBC Code	This substance/mixture is not intended to be transported in bulk.

		Section 15	5 - Regulatory Information	
US federal regulations	This product is a	a "Hazardous Che	mical" as defined by the OSHA Hazard Communication St	andard, 29 CFR 1910.1200.
TSCA Section 12(b) Export Notification (40 CFR707, Subpt. D)			Not regulated.	
US. OSHA Specifically Regulated Substances (29 CFR 1910.10			-1050) Not listed.	
CERCLA Hazardous Su	bstance List (40 CFR 302.4	4		
Componen	ts		Result	
Phosphoric	: Acid (CAS 7664-38-2)		LISTED	
Superfund Amendme	nts and Reauthorization A	Act of 1986 (SAR	A)	
Hazard Categories	Immediate Hazard	Yes		
	Delayed Hazard	No		
	Fire Hazard	No		
	Pressure Hazard	No		
	Reactivity Hazard	No		
SARA 302 Extremely l	nazardous substance	Not listed.		
SARA 311/312 Hazard	lous chemical	Yes		
SARA 313 (TRI report	ing)	Not regulated.		
Other federal regulations				
Clean Air Act (CAA) Se	ection 112 Hazardous Air	Pollutants (HSPs)) List Not regulated.	
Clean Air Act (CAA) Se	ection 112(r) Accidental R	elease Preventio	n (40 CFR 68.130) Not regulated.	
Safe Drinking Water A	Act (SDWA) Not regu	ulated.		
Food and Drug Admir	istration (FDA) Not regu	ulated.		
US state regulations				
US.Massachusetts RT	K - Substance List		Components	
			Phosphoric Acid (CAS 7664-38-2)	
US.New Jersey Worker and Community Right-to-Know Act				
US.New Jersey Worke	er and Community Right-t		Components	
US.New Jersey Worke	er and Community Right-t	o-Know Act		
US.New Jersey Worke	er and Community Right-t	o-Know Act	Components	
	er and Community Right-t - Hazardous Substances	o-Know Act	Components Phosphoric Acid (CAS 7664-38-2)	
		o-Know Act	Components Phosphoric Acid (CAS 7664-38-2) Magnesium fluosilicate (CAS 16949-65-8)	
		o-Know Act	Components Phosphoric Acid (CAS 7664-38-2) Magnesium fluosilicate (CAS 16949-65-8) Components	
		o-Know Act	Components Phosphoric Acid (CAS 7664-38-2) Magnesium fluosilicate (CAS 16949-65-8) Components Phosphoric Acid (CAS 7664-38-2) Magnesium fluosilicate (CAS 16949-65-8)	
US.Pennsylvania RTK		o-Know Act	Components Phosphoric Acid (CAS 7664-38-2) Magnesium fluosilicate (CAS 16949-65-8) Components Phosphoric Acid (CAS 7664-38-2) Magnesium fluosilicate (CAS 16949-65-8) Components	
US.Pennsylvania RTK		o-Know Act	Components Phosphoric Acid (CAS 7664-38-2) Magnesium fluosilicate (CAS 16949-65-8) Components Phosphoric Acid (CAS 7664-38-2) Magnesium fluosilicate (CAS 16949-65-8) Components Phosphoric Acid (CAS 7664-38-2)	of 1986 (Proposition 65): This
US.Pennsylvania RTK		o-Know Act	Components Phosphoric Acid (CAS 7664-38-2) Magnesium fluosilicate (CAS 16949-65-8) Components Phosphoric Acid (CAS 7664-38-2) Magnesium fluosilicate (CAS 16949-65-8) Components	,
US.Pennsylvania RTK		o-Know Act	Components Phosphoric Acid (CAS 7664-38-2) Magnesium fluosilicate (CAS 16949-65-8) Components Phosphoric Acid (CAS 7664-38-2) Magnesium fluosilicate (CAS 16949-65-8) Components Phosphoric Acid (CAS 7664-38-2) California Safe Drinking Water and Toxic Enforcement Act material is not known to expose you to any chemicals cur	,
US.Pennsylvania RTK US.Rhode Island RTK		o-Know Act	Components Phosphoric Acid (CAS 7664-38-2) Magnesium fluosilicate (CAS 16949-65-8) Components Phosphoric Acid (CAS 7664-38-2) Magnesium fluosilicate (CAS 16949-65-8) Components Phosphoric Acid (CAS 7664-38-2) California Safe Drinking Water and Toxic Enforcement Act material is not known to expose you to any chemicals cur	,
US.Pennsylvania RTK US.Rhode Island RTK International Inventories	- Hazardous Substances Inventor	o-Know Act	Components Phosphoric Acid (CAS 7664-38-2) Magnesium fluosilicate (CAS 16949-65-8) Components Phosphoric Acid (CAS 7664-38-2) Magnesium fluosilicate (CAS 16949-65-8) Components Phosphoric Acid (CAS 7664-38-2) California Safe Drinking Water and Toxic Enforcement Act material is not known to expose you to any chemicals cur	rently listed as carcinogens or
US.Pennsylvania RTK US.Rhode Island RTK International Inventories Country(s) or region	- Hazardous Substances Inventor Australi	o-Know Act	Components Phosphoric Acid (CAS 7664-38-2) Magnesium fluosilicate (CAS 16949-65-8) Components Phosphoric Acid (CAS 7664-38-2) Magnesium fluosilicate (CAS 16949-65-8) Components Phosphoric Acid (CAS 7664-38-2) California Safe Drinking Water and Toxic Enforcement Act material is not known to expose you to any chemicals cur reproductive toxins. Chemical Substances (AICS)	rently listed as carcinogens or On Inventory (yes/no)*

China	Inventory of Existing Chemical Substances in China (IECSC)	Yes			
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes			
Europe	European List of Notifed Chemical Substances (ELINCS)	No			
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes			
Korea	Existing Chemicals List (ECL)	Yes			
New Zealand	New Zealand Inventory	Yes			
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes			
Unites States Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes			
*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).					

*A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Section 16 - Other information, including date of preparation or last version

Revision date	1/17/2021
Version #	02
HMIS Hazard Codes	
Disclaimer	The inform

The information contained herein was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising from the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS. Various government agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be reflected in this SDS. The user should review these regulations to ensure full compliance.

PPE A