

# NATIONAL CHEMICAL LABORATORIES, INC.

## SAFETY DATA SHEET

#### Section 1 - Identification

Product Identifier MRP Marble Restoration Paste

Other means of identification 2522

Recommended use Buffing compound.

**Recommended restrictions** For commercial and industrial use only.

Manufacturer / Importer / Supplier / Distributor Information

Company NameNational Chemical Laboratories of PA, Inc.Address401 N. 10th Street - Philadelphia, PA 19123

 Telephone
 1 (215) 922-1200

 Supplier Email
 info@nclonline.com

 Contact
 CHEM-TEL

 Emergency Phone
 1 (800) 255-3924

#### Section 2 - Hazard(s) Identification

Physical Hazards Not Classified

Health Hazards Acute toxicity, dermal 4
Acute toxicity, oral 4
Serious eye damage/eye irritation 1
Skin corrosion/irritation 1B

OSHA defined hazards Not Classified.

OSHA defined hazards Label Elements

**Hazard Symbol** 



Signal Word Danger

Hazard Statement Harmful if swallowed. Harmful in contact with skin. Causes severe skin burns and eye damage.

Precautionary statement

**Prevention** Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear

protective gloves/protective clothing/eye protection/face protection.

Response If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse

cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinising. Immediately

call a poison center/doctor. Take off contaminated clothing and wash before reuse.

Storage Store locked up.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

# Section 3 - Composition/Information on ingredients

 Mixture

 Hazardous Components
 Ingredient Name
 CAS #
 %

 Potassium 2-hydroxy-2-oxoacetate
 127-95-7
 20 - 40

 Oxalic Acid Dihydrate
 6153-56-6
 10 - 20

 Aluminum oxide
 1344-28-1
 5 - 10

## Section 4 - First-aid Measures

**Inhalation** Move to fresh air. Get medical attention if irritation develops and persists.

Skin contact Take off immediately all contaminated clothing. Rinse skin with water/shower. Chemical burns must be treated by a physician.

Get medical advice/attention if you feel unwell. Get medical attention if irritation develops and persists. Wash contaminated

clothing before reuse.

**Eye contact** Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low

so that stomach content doesn't get into the lungs.

Most Important symptoms or effects, acute and delayed

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to

hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this General Information

safety data sheet to the doctor in attendance.

## Section 5 - Fire-fighting measures

Suitable extinguishing media

Water fog. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

During fire, gases hazardous to health may be formed.

the chemical Special protective equipment

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

and precautions for firefighters Fire-fighting equipment

Move containers from fire area if you can do it without risk.

/instructions

No unusual fire or explosion hazards noted.

General fire hazards Specific Methods

procedures.

Use standard fire fighting procedures and consider the hazards of other involved materials.

#### Section 6 - Accidental release measures

Personal precautions, protective

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Do not breathe equipment and emergency mist or vapor. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

For personal protection, see section 8 of the SDS.

Methods and materials for

This product is miscible in water. containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in

vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual

contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

**Environmental precautions** Avoid discharge into drains, water courses or onto the ground.

## Section 7 - Handling and storage

Precautions for safe handling

Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

## Section 8 - Exposure control/personal protection

#### Occupational exposure limits

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Type

Aluminum oxide (CAS 1344-28-1) TWA 5 mg/m<sup>3</sup>, 15 mg/m<sup>3</sup> FORM: Respirable fractio

Oxalic Acid Dihydrate (CAS 6153-56-6) 1 mg/m<sup>3</sup> **TWA** 

**US. ACGIH Threshold Limit Values** 

Value Component Type Form

Oxalic Acid Dihydrate (CAS 6153-56-6) STEL 2 mg/m<sup>3</sup> Oxalic Acid Dihydrate (CAS 6153-56-6) TWA 1 mg/m<sup>3</sup>

Aluminum oxide (CAS 1344-28-1) **TWA** 1 mg/m<sup>3</sup> FORM: Respirable fraction.

**US. NIOSH: Pocket Guide to Chemical Hazards** 

Value Components Tvpe Oxalic Acid Dihydrate (CAS 6153-56-6) TWA 1 mg/m<sup>3</sup> Oxalic Acid Dihydrate (CAS 6153-56-6) STEL 2 mg/m<sup>3</sup>

**Biological limit values** No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

#### Individual protection measures, such as personal protective equipment

Eye/face protection If use of product risks exposure to contact, wear safety glasses with side shields.

Skin protection

Impervious gloves are recommended for prolonged use. Hand protection

Other If use of product risk exposure to contact, wear suitable protective clothing. Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove

## Section 9 - Physical and chemical properties

**Appearance** 

Physical state Liquid.

Form Opaque liquid slury.

Color White. Odorless Not available Odor threshold 2.4

Melting point/freezing point

Initial boinging point and

Not relevant.

boiling range

212 °F (100 °C)

Flash point **Evaporation rate** 

None to boiling.

Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Flammability limit - lower (%) Not available. Flammability limit - upper (%) Not available. Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Vapor pressure Similar to water. Similar to water. Vapor density Relative density 1.38 ± 0.01 Relative density temperature 75 °F (23.9 °C) Solubilities (water) Soluble. Partition Coefficient n-Not available

**Auto-ignition temperature** Not Available **Decomposition temperature** Not Available Viscosity Pseudoplastic

#### Section 10 - Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. Chemical stability

Possiblity of hazardous reactions No dangerous reaction known under conditions of normal use.

**Conditions to Avoid** Contact with incompatible materials. Incompatible materials Acids. Strong oxidizing agents. Chlorine.

**Hazardous Decomposition** No hazardous decomposition products are known.

**Products** 

octanol/water

# Section 11 - Toxicological information

Information on likely routes of exposure

Ingestion Causes digestive tract burns. Harmful if swallowed.

Inhalation May cause irritation to the respiratory system. Prolonged inhalation may be harmful.

Skin contact Causes severe skin burns. Harmful in contact with skin.

Eye contact Causes serious eye damage.

Symptoms related to the physical, chemical and toxicological characteristics

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

Information on toxicological effects.

**Acute toxicity** Harmful in contact with skin. Harmful if swallowed.

Components Level Type Code Species Results

Aluminum oxide (CAS 1344-28-1) Acute Inhalation LC50 Rat >2.3 mg/l, 4 hours Oxalic Acid Dihydrate (CAS 6153-56-6) Acute Oral LDL0 Dog 1000 mg/kg

**Skin corrosion/irritation** Causes severe skin burns and eye damage.

Serious eye damage/ eye

irritation

/ eye

Causes serious eye damage.

**Respiratory sensitization** This product is not expected to cause respiratory sensitization.

Skin sensitization
This product is not expected to cause skin sensitization.

Germ cell mutagenicity
No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

**Reproductive toxicity** This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard

Not classified.

**Chronic effects** Prolonged inhalation may be harmful.

#### Section 12 - Ecological Information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or

frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential

No data available.

Mobility in soil

No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine

disruption, global warming potential) are expected from this component.

#### Section 13 - Disposal considerations

**Disposal instructions** Dispose in accordance with applicable federal, state, and local regulations.

**Local disposal regulations** Dispose of in accordance with local regulations.

Hazardous waste code Waste codes should be assigned by the user based on the application for which the product was used.

Waste from residues / unused

products

Dispose in accordance with all applicable regulations.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is emptied.

## Section 14 - Transport information

DOT Not regulated as dangerous goods.

IATA Not regulated as dangerous goods.

IMDG Not regulated as dangerous goods.

Transportation in bulk according to Annex II of MARPOL 73/78 and IBC Code

This substance/mixture is not intended to be transported in bulk.

#### Section 15 - Regulatory Information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR707, Subpt. D)

Components % by Weight Comment

Oxalic Acid Dihydrate (CAS 6153-56-6) 10 - 20 One time export notification only.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not listed CERCLA Hazardous Substance List (40 CFR 302.4 Not Listed

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard Categories Immediate Hazard Yes

Delayed Hazard No
Fire Hazard No
Pressure Hazard No
Reactivity Hazard No

SARA 302 Extremely hazardous substance Not listed.
SARA 311/312 Hazardous chemical Yes

SARA 313 (TRI reporting)

 Chemical name
 CAS #
 % by wt.

 Aluminum oxide
 1344-28-1
 5 - 10

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not listed.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.
Food and Drug Administration (FDA) Not regulated.

**US state regulations** 

US.Massachusetts RTK - Substance List Components

Oxalic Acid Dihydrate (CAS 6153-56-6) Aluminum oxide (CAS 1344-28-1)

US.New Jersey Worker and Community Right-to-Know Act Components

Oxalic Acid Dihydrate (CAS 6153-56-6) Aluminum oxide (CAS 1344-28-1)

US.Pennsylvania RTK - Hazardous Substances Components

Oxalic Acid Dihydrate (CAS 6153-56-6) Aluminum oxide (CAS 1344-28-1)

US.Rhode Island RTK Components

Aluminum oxide (CAS 1344-28-1)

**US - California Proposition 65** California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This

material is not known to expose you to any chemicals currently listed as carcinogens or

reproductive toxins.

International Inventories

Country(s) or region	Inventory Name	On Inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notifed Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes
Unites States Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

## Section 16 - Other information, including date of preparation or last version

Revision date 6/1/2023 Version # 03

HMIS Hazard Codes PPE A

Disclaimer

The information contained herein was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising from the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS. Various government agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be reflected in this SDS. The user should review these regulations to ensure full compliance.

<sup>\*</sup>A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).