

NATIONAL CHEMICAL LABORATORIES, INC.

SAFETY DATA SHEET

	Section 1 - Ide	ntification	
Product Identifier	Earth Sense [®] RSC #2 Multi-Surf	ace Cleaner Super Concentrate with H2O2 (Con	centrate)
Other means of identificatio	n 4072		
Recommended use	Detergent.		
Recommended restrictions	For commercial and industrial	use only.	
Manufacturer / Importer / S	upplier / Distributor Information		
Company Name	National Chemical Laboratories of PA, Inc.		
Address	401 N. 10th Street - Philadelphia, PA 19123		
Telephone	1 (215) 922-1200		
Supplier Email	info@nclonline.com		
Contact	CHEM-TEL		
Emergency Phone	1 (800) 255-3924		
	Section 2 - Hazard(s) Identification	
SDS Hazard	s and Warnings are based on the undiluted product. Re	efer to diluted SDS for Ready-To-Use Hazards a	nd Warnings.
	Classification	Category	
Physical Hazards	Not Classified		
Health Hazards	Sensitization, skin	1	
	Serious eye damage/eye irritation	2A	
	Skin corrosion/irritation	2	
OSHA defined hazards	Not Classified.		
Label Elements			
Hazard Symbol	\wedge		
Signal Word	Warning		
Hazard Statement	Causes serious eye irritation. Causes skin irritation. Ma	y cause an allergic skin reaction.	
Precautionary statement			
Prevention	Wear eye/face protection. Wear protective gloves. Wa	ash thoroughly after handling. Keep out of reach	of children.
Response	If on skin: Wash with plenty of water. If in eyes: Rinse present and easy to do. Continue rinsing. Immediately irritation or rash occurs: Get medical advice/attention.	call a poison center/doctor. Specific treatment	
Storage	Store away from incompatible materials.		
Disposal	Dispose of waste and residues in accordance with loca	l authority requirements.	
Hazard(s) not otherwise classified (HNOC)	None known.		
	Section 3 - Composition/Infe	ormation on ingredients	
Mixture			
Hazardous Components	Ingredient Name	CAS #	%
	Alcohols, C9-11, ethoxylate	68439-46-3	5 - 10
	Hydrogen Peroxide	7722-84-1	4 - 8
	Section 4 - First-	aid Measures	
Inhalation	Move to fresh air. Get medical attention if irritati	on persists.	
Skin contact	Remove contaminated clothing immediately and Seek medical attention and take along these inst	•	na or other skin disorders
	Immediately flush eyes with plenty of water for a	at least 15 minutes. Remove contact lenses, if pr	esent and easy to do.
Eye contact	Continue rinsing. Get medical attention immedia		

Causes serious eye irritation. Causes skin irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause an allergic skin reaction. Prolonged exposure may cause dermatitis. Prolonged exposure may cause chronic

	SAFET	TY DA1	TA SHEET	
	effects.			
ndication of immediate medical a	attention and special treatment need	ded		
	Provide general supportive measured	res and treat	symptomatically. Keep victin	n under observation. Symptoms may be delayed.
General Information	If you feel unwell, seek medical adv material(s) involved, and take prec	•		re that medical personnel are aware of the aminated clothing before reuse.
	Section 5	· Fire-fig	hting measures	
uitable extinguishing media	Water fog. Foam. Dry chemical pov	wder. Carbon	dioxide (CO2).	
Insuitable extinguishing nedia	Do not use water jet as an extingui	isher, as this v	will spread the fire.	
pecific hazards arising from he chemical	During fire, gases hazardous to hea	alth may be fo	ormed.	
pecial protective equipment nd precautions for firefighters	Self-contained breathing apparatus	s and full pro	tective clothing must be wor	ו in case of fire.
ire-fighting equipment instructions			without risk. Use water spray	to keep fire-exposed containers cool.
General fire hazards	No unusual fire or explosion hazard			
pecific Methods	Use standard firefighting procedur	es and consic	ler the hazards of other invol	ved materials.
	Section 6 - Ac	cidenta	l release measure	25
Personal precautions, protective equipment and emergency procedures. Methods and materials for containment and cleaning up	ignition sources (no smoking, flared clothing during clean-up. Avoid bre appropriate protective clothing. En cannot be contained. For personal This product is miscible in water. SMALL SPILLAGE: Wipe up with ab contamination. LARGE SPILLS: Stop the flow of ma plastic sheet to prevent spreading. waterways, sewer, basements or c	s, sparks, or f eathing mist of sure adequat protection, s osorbent mate aterial, if this Absorb in ve confined areas	lames in immediate area). W or vapor. Do not touch damag te ventilation. Local authoriti ee section 8 of the SDS. erial (e.g. cloth, fleece). Clear is without risk. Dike the spille rmiculite, dry sand or earth a s. Following product recovery	
	Never return spills to original conta	ainers for re-u	use. For waste disposal, see s	ection 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water	courses or or	nto the ground.	
	Section 7	- Handli	ng and storage	
Precautions for safe handling	-	-	•	Avoid contact with eyes, skin, and clothing. Avoid nal protective equipment. Observe good
Conditions for safe storage, ncluding any incompatibilities	Store in original tightly closed cont	ainer. Store a	way from incompatible mate	rials (see Section 10 of the SDS).
	Section 8 - Exposi	ure cont	rol/personal prote	ection
Occupational exposure limits				
•	l Exposure Level (WEEL) Guides			
Component		Туре	Value	
Hydrogen Peroxide (CAS 77		TWA	165 mg/m ³ , 30 ppm	
	Air Contaminants (29 CFR 1910.100			_
Components		Туре	Value	Form
Hydrogen Peroxide (CAS 77		TWA	1.4 mg/m³, 1 ppm	
US. ACGIH Threshold Limit Va	alues			
Component		Туре	Value	Form
Hydrogen Peroxide (CAS 77	22-84-1)	TWA	1 ppm	
US. NIOSH: Pocket Guide to C	hemical Hazards			
Components		Туре	Value	
Hydrogen Peroxide (CAS 77	22-84-1)	TWA	1.4 mg/m³, 1 ppm	
Biological limit values	No biological exposure limits noted	d for the ingre	edient(s).	
Appropriate engineering controls	conditions. If applicable, use proce airborne levels below recommende levels to an acceptable level. Provid	ess enclosures ed exposure l de eyewash s	, local exhaust ventilation, or imits. If exposure limits have	Ventilation rates should be matched to r other engineering controls to maintain not been established, maintain airborne
	uch as personal protective equipme		e cofoto alococo unitale state state	Ide
Eye/face protection	If use of product risks exposure to	contact, wea	r safety glasses with side shie	ius.

Skin protection Hand protection Other Respiratory protection Thermal hazards General hygiene considerations

Impervious gloves are recommended for prolonged use.

If use of product risk exposure to contact, wear suitable protective clothing.

In case of inadequate ventilation, use respiratory protection.

Wear appropriate thermal protective clothing, when necessary.

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

Section 9 - Physical and chemical properties

Appearance	Clear liquid.
Physical state	Liquid.
Form	Liquid.
Color	Colorless.
Odor	Citrus. No fragrance added.
Odor threshold	Not available.
рН	4.2 ± 0.5 (Conc)
	6.2 ± 0.5 (1:64)
Melting point/freezing point	Not relevant.
Initial boinging point and	212 °F (100 °C)
boiling range	
Flash point	None to boiling.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or expl	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Similar to water.
Vapor density	Similar to water.
Relative density	1.03 ± 0.01
Relative density temperature	75 °F (23.9 °C)
Solubilities (water)	Complete
Partition Coefficient n-	Not available
octanol/water	
Auto-ignition temperature	Not Available
Decomposition temperature	Not Available
Viscosity	<10 cSt
Viscosity Temperature	75 °F (23.9 °C)

Section 10 - Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possiblity of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to Avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents. Strong acids. Reducing agents.
Hazardous Decomposition	No hazardous decomposition products are known.
Products	

Section 11 - Toxicological information

Information on likely routes of e	xposure
Ingestion	Expected to be a low ingestion hazard.
Inhalation	Prolonged inhalation may be harmful.
Skin contact	Causes skin irritation. May cause an allergic skin reaction.
Eye contact	Causes serious eye irritation.
Symptoms related to the physical, chemical and toxicological characteristics	Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Causes skin irritation. Rash. May cause an allergic skin reaction. Dermatitis.

Information on toxicological effects.

Components Hydrogen Peroxide (CAS 7722-84-1)Level Acute Acute Dermal Dermal DS0Type Rabit DS0Gode Rabit Species Results Species Results Species Results Species Results Acute Acute Oral DS0Rat DS0Results Species Results Species Results Species Results Results Results Stin corrosion/Irritation Respiratory sensitization Respiratory acues an allergic skin reaction.Level Type Type Type Respiratory sensitization.Security Respiratory sensitization Respiratory sensitization Respiratory sensitization Respiratory sensitization Respiratory sensitication Respiratory sensitication may be harmful. May cause damage to organs through				SAFE1	ry data sh	IEET					
hydrogen Peroxide (CAS 7722-84-1) Acute Dermal LDSO Rabit > 2000 mg/kg, 24 hours Acute Inhiation LDSO Rat 3000 - 5480 mg/kg, Store Acute Inhiation LDSO Rat 3000 - 5480 mg/kg, Store Acute Oral LDSO Rat 3000 - 5480 mg/kg, Store Causes serious eye inflation. LDSO Rat 633.7 mg/kg Serious eye damage/ eye Causes serious eye inflation. May cause an allergic skin reaction. Serious eye damage/ eye Causes serious eye inflation. Skin sensitization This product is not expected to cause respiratory sensitization. Serious eye damage/ eye No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. Skin sensitization This product is not expected to cause respiratory sensitization. Not classified. Specific target organ toxicity Not classified. Not classified. Acute Expecific target organ toxicity Not classified. Acute Component(s) Self-10 Sel	Acute toxicity		May cause an allergi	c skin reaction							
Acute Dermal LDSO Rat 3000 - 5480 mg/kg Acute Inhalation LCSO Rat > 170 mg/m², 4 Hours Acute Oral LDSO Rat > 170 mg/m², 4 Hours Acute Oral LDSO Rat > 170 mg/m², 4 Hours Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. 693.7 mg/kg Skin corrosion/irritation This product is not expected to cause respiratory sensitization. Skin sensitization 0.58 are mitrated Skin sensitization May cause an allergic skin reaction. Causes serious eye limitation Skin corrosinder et all the sensitization. Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. Carcinegenicity This product is not expected to cause reproductive or developmental effects. Specific target organ toxicity May cause damage to organs through prolonged or repeated exposure. Specific target organ toxicity May cause damage to organs through prolonged or repeated exposure. Specific target organ toxicity The product is not cassified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. Component(s) Acute Code Species Test Results Acute Cy	Componen	its		Level	Туре	Code	Species	Results			
Acute AcuteInhalationLCS0Rat>170 mg/m², 4 Hours 633.7 mg/kgSkin corrosion/irritationProlonged skin contact may cause temporary irritation.Bat693.7 mg/kgSerious eye damage / eye irritationCauses serious eye irritation.Serious eye damage / eyeCauses serious eye irritation.Respiratory sensitizationThis product is not expected to cause respiratory sensitization.Serious eye analegic skin reaction.Respiratory sensitizationMay cause an allergic skin reaction.Serious eye analegic skin reaction.GarcinogenicityMay cause an allergic skin reaction.No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.CarcinogenicityThis product is not expected to cause reproductive or developmental effects.Specific target organ toxicityNot classified.Not classified.Not classified.Khrister organicityNot classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful. May cause damage to organs through prolonged or repeated exposure.AuterTypeCode fathed as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful. May cause damage to organ strough prolonged or repeated exposure.AuterTypeCode fathed minnow (Pimephales promelas)0.519 - 0.796 mg/l, 96 hoursAuterTypeCode fathed minnow (Pimephales promelas)0.619 - 0.796 mg/l, 96 hoursFishLCSOFathed minnow (Pimephales promelas)0.619 - 0.796 mg/l, 96 hour	Hydrogen I	Peroxide (CAS 772	2-84-1)	Acute	Dermal	LD50	Rabbit	> 2000 mg/kg, 24 Hours			
AcuteOralLDSORat693.7 mg/kgSkin corrosion/irritationProlonged skin contaxt my cause temp carues resonance of the product is not expected to cause respiratory sensitization.Skin sensitizationMay cause an allergic skin reaction.Skin sensitizationMay cause an allergic skin reaction reaction goen by IARC, ACGIH, NTP, or OSHAGerm cell mutage-licityNot classified.Sensitization staticty.This product is not expected to cause respiratory sensitization.Skin sensitization staticty.Not classified.Segnificating regionant toxicty.This product is not expected to cause responductive or developmental effects.Segnificating regionant toxicty.Not classified.Segnificating regionant toxicty.Not classified.Segnificating regionant toxicty.Not classified.Segnificating regionant toxicty.Prolonged inhalation may be harmful. May cause damage to organs through prolonged or repeated exposure.Segnificating regionant toxicty.Reproduct is not classified as environmentally haardous. However, this does not exclude the possibility that large or frequent spills can have a harmful. May cause damage to organs through prolonged or repeated exposure.Sectionalize toxicatic effectsSection 12 CGOAcuteTypeSection 12 CGOSection 12 CGOSection 12 CGOSection 12 CGOAcuteCoda as available.FishLCSOSection 12 CGOSection 12 CGOSection 12 CGOSection 12 CGOSection 12 CGOSection 12 CGOAcuteCoda available.Fish<				Acute	Dermal	LD50	Rat	3000 - 5480 mg/kg			
AcuteOralLDSORat693.7 mg/kgSkin corrosion/irritationProlonged skin contaxt my cause temp carues resonance of the product is not expected to cause respiratory sensitization.Skin sensitizationMay cause an allergic skin reaction.Skin sensitizationMay cause an allergic skin reaction reaction goen by IARC, ACGIH, NTP, or OSHAGerm cell mutage-licityNot classified.Sensitization staticty.This product is not expected to cause respiratory sensitization.Skin sensitization staticty.Not classified.Segnificating regionant toxicty.This product is not expected to cause responductive or developmental effects.Segnificating regionant toxicty.Not classified.Segnificating regionant toxicty.Not classified.Segnificating regionant toxicty.Not classified.Segnificating regionant toxicty.Prolonged inhalation may be harmful. May cause damage to organs through prolonged or repeated exposure.Segnificating regionant toxicty.Reproduct is not classified as environmentally haardous. However, this does not exclude the possibility that large or frequent spills can have a harmful. May cause damage to organs through prolonged or repeated exposure.Sectionalize toxicatic effectsSection 12 CGOAcuteTypeSection 12 CGOSection 12 CGOSection 12 CGOSection 12 CGOAcuteCoda as available.FishLCSOSection 12 CGOSection 12 CGOSection 12 CGOSection 12 CGOSection 12 CGOSection 12 CGOAcuteCoda available.Fish<				Acute	Inhalation	LC50	Rat				
Skin corrosion/irritation Serious eye damage / ey Gauses serious eye irritation. Serious eye damage / ey Gauses serious eye irritation. Serious eye damage / ey Gause serious eye irritation. Serious eye damage / ey Gause serious eye irritation. Serious eye damage / ey Gause serious eye irritation. Serious eye damage / ey Gause serious eye irritation. Serious eye damage / ey Gause serious eye irritation. Serious eye damage / ey Gause and available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. Garcinogenicity This product is not expected to cause reproductive or developmental effects. No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. Garcinogenicity This product is not expected to cause reproductive or developmental effects. No data available do graan to expected to cause reproductive or developmental effects. Not classified. Not classified. Not classified. Not classified. Not classified. Not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent splits can have a harmful or damaging effect on the environment. Component(s) Acute Coustacea Acute Coustacea Fish Coupy Advanta Coupy Adva								=			
irritation in the separatory sensitization in May cause an allergic skin reaction. Respiratory sensitization May cause an allergic skin reaction. Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Reproductive toxicity This product is not expected to cause reproductive or developmental effects. Specific target organ toxicity - Not classified. Specific target organ toxicity - May cause damage to organs through prolonged or repeated exposure. Posterior target organ toxicity - May cause damage to organs through prolonged or repeated exposure. Posterior target organ toxicity - Not classified. Chronic effects Prolonged inhalation may be harmful. May cause damage to organs through prolonged or repeated exposure. Specific target organ toxicity - May cause damage to a senvironmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. Component(s) Alcohols, C9-11, ethoxylate (CAS 68439-46-3) Aquatic Level Type Code Species Test Results Acute Crustacea ECSO Water flea (Daphnia magna) 2.9 - 8.5 mg/l, 48 hours Fish LCSO Fathead minnow (Pimephales promelas) 0.619 - 0.796 mg/l, 96 hours Fish LCSO Fathead minnow (Pimephales promelas) 0.619 - 0.796 mg/l, 96 hours Fish LCSO Fathead minnow (Pimephales promelas) 0.619 - 0.796 mg/l, 96 hours Ata available. Mobility in soil No data available on the degradability of this product. No data available. Mobility in general Mobility in general No data available. Mobility in general Modera available. Mobility in general Modera available. Mobility in general Modera available. Mobility in general Modera available. Mo data availa	Skin corrosion/i	rritation	Prolonged skin conta								
Skin sensitization May cause an allergic skin reaction. Gern cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Reproductive toxicity-specific target organ toxicity-repeated exposure No classified. Specific target organ toxicity-repeated exposure May cause damage to organs through prolonged or repeated exposure. Aspiration hazard Not classified. Specific target organ toxicity-repeated exposure. May cause damage to organs through prolonged or repeated exposure. Specific target organ toxicity-repeated exposure. Not classified. Specific target organ toxicity-repeated exposure. Not classified. Prolonged inhalation may be harmful. May cause damage to organs through prolonged or repeated exposure. Component(s) The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spilis can have a harmful or damaging effect on the environment. Component(s) Alcorbal, C9-11, ethoxylate (CAS 68439-46-3) Acute Type Code Species Test Results Acute Tish LCSO Fathead minnow (Pimephales promelas) 0.519 - 0.796 mg/l, 96 hours	Serious eye dam irritation	nage/ eye	Causes serious eye ir	ritation.							
Germ cell mutagenicity Carcinogenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Reproductive toxicity - specific target organ toxicity - specific target organ toxicity - specific target organ toxicity - Prepeated exposure Specific target organ toxicity - Prepeated exposure Specific target organ toxicity - Prepeated exposure Specific target organ toxicity - Prolonged inhalation may be harmful. May cause damage to organs through prolonged or repeated exposure. Specific target organ toxicity - Prepeated exposure Specific target organ toxicity - Prolonged inhalation may be harmful. May cause damage to organs through prolonged or repeated exposure. Specific target organ toxicity - Prepeated exposure Specific target organ toxicity - Prolonged inhalation may be harmful or damaging effect on the environment. Component(s) Alcohols, C9 11, ethoxylate (CAS 68439-46-3) Aquatic Level Type Code Species Test Results Acute Crustacea ECS0 Water flea (Daphnia magna) 2.9 - 8.5 mg/l, 48 hours Fish LCS0 Fathead minnow (Pimephales promelas) 0.619 - 0.796 mg/l, 96 hours Fish LCS0 Fathead minnow (Pimephales promelas) 0.619 - 0.796 mg/l, 96 hours 43 Persistence and degradability Mobility in soil Mobility in soil Mobility in soil Mobility in soil Mobility in general No data available. Mobility in soil Mobility in soil Mobility in soil Mobility in general No data available. Dispose in stocridance with applicable federal, state, and local regulations. Catear dispose of in accordance with local regulations. Mobili	Respiratory sen	sitization	This product is not e	xpected to cau	ise respiratory sensitiza	tion.					
Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Reproductive toxicity This product is not expected to cause reproductive or developmental effects. Specific target organ toxicity - May cause damage to organs through prolonged or repeated exposure. Specific target organ toxicity - Prolonged inhalation may be harmful. May cause damage to organs through prolonged or repeated exposure. Specific target organ toxicity - Prolonged inhalation may be harmful. May cause damage to organs through prolonged or repeated exposure. Specific target organ toxicity - Prolonged inhalation may be harmful. May cause damage to organs through prolonged or repeated exposure. Specific target organ toxicity - Prolonged inhalation may be harmful. May cause damage to organs through prolonged or repeated exposure. Specific target organ toxicity - Prolonged inhalation may be harmful. May cause damage to organs through prolonged or repeated exposure. Specific target organ toxicity - Prolonged inhalation may be harmful. May cause damage to organs through prolonged or repeated exposure. Specific target organ toxicity - Prolonged inhalation may be harmful. May cause damage to organs through prolonged or repeated exposure. Specific target organ toxicity - Prolonged inhalation may be harmful. May cause damage to organs through prolonged or repeated exposure. Specific target organ toxicity - Prolonged inhalation may be harmful or damaging effect on the environment. Component(s) Acute Crustacea ECS0 Expecific Species Test Results Acute Crustacea ECS0 Flathead minnow (Pimephales promelas) 0.619 - 0.796 mg/l, 96 hours Fish LCS0 Flathead minnow (Pimephales promelas) 0.619 - 0.796 mg/l, 96 hours A Componential the potential Protochemical ozone creation potential, endocrine disruption, global warming potential are expected from this component. Mobility in soil No data available. No d	Skin sensitizatio	n	May cause an allergi	c skin reaction							
Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Reproductive toxicity This product is not expected to cause reproductive or developmental effects. Specific target organ toxicity - May cause damage to organs through prolonged or repeated exposure. Specific target organ toxicity - Prolonged inhalation may be harmful. May cause damage to organs through prolonged or repeated exposure. Specific target organ toxicity - Prolonged inhalation may be harmful. May cause damage to organs through prolonged or repeated exposure. Specific target organ toxicity - Prolonged inhalation may be harmful. May cause damage to organs through prolonged or repeated exposure. Specific target organ toxicity - Prolonged inhalation may be harmful. May cause damage to organs through prolonged or repeated exposure. Specific target organ toxicity - Prolonged inhalation may be harmful. May cause damage to organs through prolonged or repeated exposure. Specific target organ toxicity - Prolonged inhalation may be harmful. May cause damage to organs through prolonged or repeated exposure. Specific target organ toxicity - Prolonged inhalation may be harmful. May cause damage to organs through prolonged or repeated exposure. Specific target organ toxicity - Prolonged inhalation may be harmful. May cause damage to organs through prolonged or repeated exposure. Specific target organ toxicity - Prolonged inhalation may be harmful or damaging effect on the environment. Component(s) Acute Crustacea ECS0 Expecific Species Test Results Acute Crustacea ECS0 Flathead minnow (Pimephales promelas) 0.619 - 0.796 mg/l, 96 hours Fish LCS0 Flathead minnow (Pimephales promelas) 0.619 - 0.796 mg/l, 96 hours A Componential the potential Protochemical ozone creation potential, endocrine disruption, global warming potential are expected from this component. Mobility in soil No data available. No d	Germ cell mutag	genicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.								
Specific target organ toxicity - inside exposure Not classified. Specific target organ toxicity - repeated exposure May cause damage to organs through prolonged or repeated exposure. Aspiration hazard Not classified. Aprintion hazard Not classified. Chronic effects Prolonged inhalation may be harmful. May cause damage to organs through prolonged or repeated exposure. Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. Component(s) Alcohols, C9-11, ethoxylate (CAS 68439-46-3) Aquatic Evel Type Code Species Test Results Level Type Code Species Test Results 2.9 - 8.5 mg/l, 48 hours Fish LC50 Fathead minnow (Pimephales promelas) 6 - 12 mg/l, 96 hours 6 Fish LC50 Flathead minnow (Pimephales promelas) 0.619 - 0.796 mg/l, 96 hours 1 43 No data available. No data available. No data available. No data available. Mobility in general No data available. No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global w	Carcinogenicity										
single exposure Specific target organ toxicity May cause damage to organs through prolonged or repeated exposure. Aspiration hazard Not classified. Chronic effects Prolonged inhalation may be harmful. May cause damage to organs through prolonged or repeated exposure. Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. Component(s) Alcohols, C9-11, ethoxylate (CAS 68439-46-3) Aquatic Level Type Code Species Test Results Acute Crustacea EC50 Water flea (Daphnia magna) 2.9 - 8.5 mg/l, 48 hours Fish LC50 Fathead minnow (Pimephales promelas) 0.619 - 0.796 mg/l, 96 hours Fish LC50 Fathead minnow (Pimephales promelas) 0.619 - 0.796 mg/l, 96 hours 43 Persistence and degradability No data is available. Mobility in soil No data is available. Mobility in soil No data available. Mobility in soil No data available. Mobility in general No data available. Mobility in general No data available. Disposal instructions Dispose in accordance with applicable federal, state, and local regulations. Lecal disposal regulations Dispose in accordance with applicable federal, state, and local regulations. Hazardous waste code Waste codes should be assigned by the user based on the application for which the product was used.	Reproductive to	xicity	This product is not ex	pected to cau	se reproductive or deve	elopmental effe	cts.				
Specific target organ toxicity- repeated exposure May cause damage to organs through prolonged or repeated exposure. Prepeated exposure Aspiration hazard Not classified. Chronic effects Prolonged inhalation may be harmful. May cause damage to organs through prolonged or repeated exposure. Ecotonic tiffets The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. Component(s) Alcohols, C9-11, ethoxylate (CAS 68439-46-3) Test Results Aquatic Evel Type Code Species Test Results Level Type Code Species Test Results Acute Crustacea EC50 Water flea (Daphnia magna) 2.9 - 8.5 mg/l, 48 hours Fish LC50 Flathead minnow (Pimephales promelas) 0.619 - 0.796 mg/l, 96 hours 43 No data is available on the degradability of this product. No data available. Mobility in goil No data available. No data available. Mobility in general No data available. Section 13 - Disposal considerations Other adverse effects No data available. Section 13 - Disposal considerations. Dispose in accordance with applicable fede	Specific target o single exposure	rgan toxicity -	Not classified.								
Chronic effects Prolonged inhalation may be harmful. May cause damage to organs through prolonged or repeated exposure. Section 12 - Ecological Information Betotxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. Component(s) Accure Type Code Species Test Results Acquatic Essential Cost (Cost (Co			May cause damage t	o organs throu	igh prolonged or repeat	ted exposure.					
Section 12 - Ecological Information Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. Component(s) Alcohols, C9-11, ethoxylate (CAS 68439-46-3) Aquatic Test Results Level Type Code Species Test Results Acute Crustacea ECS0 Water flea (Daphnia magna) 2.9 - 8.5 mg/l, 48 hours Fish LCS0 Fathead minnow (Pimephales promelas) 6 - 12 mg/l, 96 hours 43 Fish LCS0 Flathead minnow (Pimephales promelas) 0.619 - 0.796 mg/l, 96 hours 43 No data is available on the degradability of this product. No data available. No data available. Mobility in soil No data available. No data available. No data available. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. Dispose in accordance with applicable federal, state, and local regulations. Local disposal regulations Dispose of in accordance with local regulations. Lo	Aspiration hazar	rd	Not classified.								
Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. Component(s) Alcohols, C9-11, ethoxylate (CAS 68439-46-3) Aquatic Evel Type Code Species Test Results Acute Crustacea EC50 Water flea (Daphnia magna) 2.9 - 8.5 mg/l, 48 hours Fish LC50 Fathead minnow (Pimephales promelas) 6 - 12 mg/l, 96 hours Fish LC50 Flathead minnow (Pimephales promelas) 0.619 - 0.796 mg/l, 96 hours 43 V No data is available on the degradability of this product. Bioaccumulative potential Mobility in soil No data available. No data available. No data available. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. Disposal instructions Dispose in accordance with applicable federal, state, and local regulations. Local disposal regulations Dispose of in accordance with local regulations. Hazardous waste code Waste codes should be assigned by the user based on the application for which the product was used.	Chronic effects		Prolonged inhalation	may be harm	ful. May cause damage	to organs throu	igh prolonged or i	repeated exposure.			
Image: A curve spills can have a harmful or damaging effect on the environment. Component(s) Alcohols, C9-11, ethoxylate (CAS 68439-46-3) Aquatic Level Type Construction Code Species Acute Crustacea EC50 Fish LC50 Fathead minnow (Pimephales promelas) 6 - 12 mg/l, 96 hours Fish LC50 Flathead minnow (Pimephales promelas) 0.619 - 0.796 mg/l, 96 hours 43 Persistence and degradability No data is available on the degradability of this product. Bioaccumulative potential Bioaccumulative potential No data available. No data available. Section 13 - Disposal considerations Other adverse effects Dispose in accordance with applicable federal, state, and local regulations. Section 13 - Disposal on the application for which the product was used.			Se	ction 12	- Ecological In	formatio	n				
Alcohols, C9-11, ethoxylate (CAS 68439-46-3) Aquatic Level Type Code Species Test Results Acute Crustacea EC50 Water flea (Daphnia magna) 2.9 - 8.5 mg/l, 48 hours Fish LC50 Fathead minnow (Pimephales promelas) 6 - 12 mg/l, 96 hours Fish LC50 Flathead minnow (Pimephales promelas) 0.619 - 0.796 mg/l, 96 hours 43 V No data is available on the degradability of this product. No data available. Bioaccumulative potential No data available. No data available. Mobility in soil No data available. No data available. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. Disposal instructions Dispose in accordance with applicable federal, state, and local regulations. Local disposal regulations Dispose of in accordance with local regulations. Hazardous waste code Waste codes should be assigned by the user based on the application for which the product was used.	Ecotoxicity				,	,		the possibility that large or			
Aquatic Level Type Code Species Test Results Acute Crustacea EC50 Water flea (Daphnia magna) 2.9 - 8.5 mg/l, 48 hours Acute Fish LC50 Fathead minnow (Pimephales promelas) 6 - 12 mg/l, 96 hours 43 Image: Species No data is available on the degradability of this product. No data available. Mobility in soil No data available. No data available. No data available. Mobility in general No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. Sector 13 - Disposal considerations. Disposal instructions Dispose in accordance with applicable federal, state, and local regulations. Dispose of in accordance with local regulations. Hazardous waste code Waste codes should be assigned by the user based on the application for which the product was used. Sector 13 - Dispose on the application for which the product was used.	Component(s)									
Level AcuteTypeCode CodeSpeciesTest ResultsAcuteCrustaceaEC50Water flea (Daphnia magna)2.9 - 8.5 mg/l, 48 hoursFishLC50Fathead minnow (Pimephales promelas)6 - 12 mg/l, 96 hoursFishLC50Flathead minnow (Pimephales promelas)0.619 - 0.796 mg/l, 96 hours43No data is available on the degradability of this product. No data available.No data available.Mobility in soil Mobility in generalNo data available. No data available.No data available.Other adverse effects other adverse effectsNo other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.Disposal instructions Local disposal regulationsDispose in accordance with applicable federal, state, and local regulations. Dispose of in accordance with local regulations.Hazardous waste codeWaste codes should be assigned by the user based on the application for which the product was used.	Alcohols, C9-	11, ethoxylate (CA	AS 68439-46-3)								
Acute Crustacea EC50 Water flea (Daphnia magna) 2.9 - 8.5 mg/l, 48 hours Fish LC50 Fathead minnow (Pimephales promelas) 6 - 12 mg/l, 96 hours Fish LC50 Flathead minnow (Pimephales promelas) 0.619 - 0.796 mg/l, 96 hours 43 Persistence and degradability No data is available on the degradability of this product. No data available. Bioaccumulative potential No data available. No data available. No data available. Mobility in soil No data available. No data available. No data available. Mobility in general No data available. No data available. No data available. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. Section 13 - Disposal considerations Disposal instructions Dispose in accordance with applicable federal, state, and local regulations. Sispose of in accordance with local regulations. Hazardous waste code Waste codes should be assigned by the user based on the application for which the product was used. Sispose of in accordance with local regulations.	Aquatic										
Fish LC50 Fathead minnow (Pimephales promelas) 6 - 12 mg/l, 96 hours 43 43 Persistence and degradability No data is available on the degradability of this product. Bioaccumulative potential No data available. Mobility in soil No data available. Mobility in general No data available. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. Disposal instructions Dispose in accordance with applicable federal, state, and local regulations. Local disposal regulations Dispose of in accordance with local regulations. Hazardous waste code Waste codes should be assigned by the user based on the application for which the product was used.	Level	Туре		Code	Species		Test	Results			
Fish LC50 Flathead minnow (Pimephales promelas) 0.619 - 0.796 mg/l, 96 hours 43 Persistence and degradability No data is available on the degradability of this product. Bioaccumulative potential No data available. No data available. Mobility in soil No data available. No data available. Mobility in general No data available. No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. Section 13 - Disposal considerations Disposal instructions Dispose in accordance with applicable federal, state, and local regulations. Local disposal regulations Dispose of in accordance with local regulations. Hazardous waste code Waste codes should be assigned by the user based on the application for which the product was used.	Acute	Crustacea		EC50	Water flea (Daphni	a magna)	2.9	- 8.5 mg/l, 48 hours			
43 No data is available on the degradability of this product. Bioaccumulative potential No data available. Mobility in soil No data available. Mobility in general No data available. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. Disposal instructions Dispose in accordance with applicable federal, state, and local regulations. Local disposal regulations Dispose of in accordance with local regulations. Hazardous waste code Waste codes should be assigned by the user based on the application for which the product was used.		Fish		LC50	Fathead minnow (P	vimephales pror	nelas) 6 - 1	.2 mg/l, 96 hours			
Persistence and degradability Bioaccumulative potentialNo data is available on the degradability of this product. No data available.Mobility in soil Mobility in general Other adverse effectsNo data available. No data available.Motother adverse effects other adverse effectsNo other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.Disposal instructions Local disposal regulationsDispose in accordance with applicable federal, state, and local regulations. Dispose of in accordance with local regulations.Hazardous waste codeWaste codes should be assigned by the user based on the application for which the product was used.		Fish		LC50	Flathead minnow (Pimephales pro	melas) 0.61	.9 - 0.796 mg/l, 96 hours			
Bioaccumulative potential No data available. Mobility in soil No data available. Mobility in general No data available. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. Section 13 - Disposal considerations Disposal instructions Dispose in accordance with applicable federal, state, and local regulations. Local disposal regulations Dispose of in accordance with local regulations. Hazardous waste code Waste codes should be assigned by the user based on the application for which the product was used.	43										
Mobility in soil No data available. Mobility in general No data available. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. Section 13 - Disposal considerations Dispose in accordance with applicable federal, state, and local regulations. Local disposal regulations Dispose of in accordance with local regulations. Hazardous waste code Waste codes should be assigned by the user based on the application for which the product was used.	Persistence and	degradability	No data is available o	on the degrada	ability of this product.						
Mobility in general No data available. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. Section 13 - Disposal considerations Dispose in accordance with applicable federal, state, and local regulations. Disposal regulations Dispose of in accordance with local regulations. Hazardous waste code Waste codes should be assigned by the user based on the application for which the product was used.	Bioaccumulative	e potential	No data available.	Ū							
Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. Section 13 - Disposal considerations Disposal instructions Dispose in accordance with applicable federal, state, and local regulations. Local disposal regulations Dispose of in accordance with local regulations. Hazardous waste code Waste codes should be assigned by the user based on the application for which the product was used.	Mobility in soil		No data available.								
disruption, global warming potential) are expected from this component. Section 13 - Disposal considerations Disposal instructions Dispose in accordance with applicable federal, state, and local regulations. Local disposal regulations Dispose of in accordance with local regulations. Hazardous waste code Waste codes should be assigned by the user based on the application for which the product was used.	Mobility in gene	eral	No data available.								
Disposal instructions Dispose in accordance with applicable federal, state, and local regulations. Local disposal regulations Dispose of in accordance with local regulations. Hazardous waste code Waste codes should be assigned by the user based on the application for which the product was used.	Other adverse e	ffects					nical ozone creati	on potential, endocrine			
Local disposal regulationsDispose of in accordance with local regulations.Hazardous waste codeWaste codes should be assigned by the user based on the application for which the product was used.			Sec	tion 13 -	Disposal con	sideration	ıs				
Hazardous waste code Waste codes should be assigned by the user based on the application for which the product was used.	Disposal instruc	tions	Dispose in accordance	ce with applica	ble federal, state, and I	ocal regulations	5.				
Hazardous waste code Waste codes should be assigned by the user based on the application for which the product was used.	-		-								
	-	-	-		-	application for	which the produc	t was used.			
						-	·				

Section 14 - Transport information

DOT	Not regulated as dangerous goods.
ΙΑΤΑ	Not regulated as dangerous goods.
IMDG	Not regulated as dangerous goods.
Transportation in bulk according to Annex II of MARPOL 73/78 and IBC Code	This substance/mixture is not intended to be transported in bulk.

Section 15 - Regulatory Information

US federal	regulations
------------	-------------

products

Contaminated packaging

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. One or more components are not listed on TSCA.

Since emptied containers may retain product residue, follow label warnings even after container is emptied.

TSCA Section 12(b) Exp US. OSHA Specifically F CERCLA Hazardous Sub	Regulated Substances (29 CFR 1910.10	-	Not regulated. Not listed. Not listed.		
Superfund Amendmen	ts and Reauthorization	Act of 1986 (9	ARA)			
Hazard Categories	Immediate Hazard	Yes	,			
	Delayed Hazard	Yes				
	Fire Hazard	No				
	Pressure Hazard	No				
	Reactivity Hazard	No				
SARA 302 Extremely h	,					
Chemical name	CAS #	Re	portable	Threshold Planning	Threshold Planning	Threshold Planning
			antity	Quantity	quantity, lower value	quantity, upper value
Hydrogen Peroxide	7722-84-1	100	0	1000 lbs.		
SARA 311/312 Hazardo		Yes	•	1000 103.		
5ANA 511/512 Nazaru	Jus chemical	163				
SARA 313 (TRI reportin	g)	Not regulat	ed.			
Other federal regulations						
Clean Air Act (CAA) Sec	tion 112 Hazardous Air	Pollutants (H	APs) List	Not re	gulated.	
Clean Air Act (CAA) Sec	tion 112(r) Accidental	Release Prevei	ntion (40 CFR	68.130) Not re	gulated.	
Safe Drinking Water Ac	t (SDWA) Not reg	gulated.				
Food and Drug Adminis	stration (FDA) Not reg	gulated.				
state regulations						
US.Massachusetts RTK -	Substance List		Componer	its		
			Hydrogen	Peroxide (CAS 7722-84-1)		
US.New Jersey Worker	and Community Right-I	to-Know Act	Componer	its		
			Hydrogen	Peroxide (CAS 7722-84-1)		
US.Pennsylvania RTK - H	lazardous Substances		Componer	its		
			Hydrogen	Peroxide (CAS 7722-84-1)		
US.Rhode Island RTK			Componer	its		
			Hydrogen	Peroxide (CAS 7722-84-1)		
US - California Propositi	on 65				oxic Enforcement Act of 198	6 (Proposition 65): This
				not known to expose you	to any chemicals currently I	
ternational Inventories						
Country(s) or region	Inventor	=				On Inventory (yes/no)
Australia	Austral	ian Inventory	of Chemical S	ubstances (AICS)		No
Canada	Domes	tic Substances	List (DSL)			No
Canada	Non-Do	omestic Substa	nces List (ND	SL)		No
China	Invento	ory of Existing	Chemical Sub	stances in China (IECSC)		Yes
Europe	Europe	an Inventory o	of Existing Co	mmercial Chemical Substa	ances (EINECS)	No
Europe	Europe	an List of Noti	ed Chemical	Substances (ELINCS)		No
Japan	Invento	ory of Existing	and New Che	mical Substances (ENCS)		Yes
Korea	Existing	g Chemicals Lis	t (ECL)			No
New Zealand	New Ze	aland Invento	ry			Yes
Philippines	Philippi	ine Inventory o	of Chemicals	and Chemical Substances		Yes
Unites States Puerto Ri	co Toxic S	ubstances Con	trol Act (TSC/	A) Inventory		No
•		,		s administered by the gov sted or exempt from listin	erning country(s). g on the inventory adminis	tered by the governing

Section 16 - Other information, including date of preparation or last version

Version # 03	Revision date	6/1/2023			
	Version #	03			
Further information Meets Green Seal's requirments for acute toxicity at the as-used dilution.	Further information	Meets Green Seal's requirments for acute toxicity at the as-used dilution.			
HMIS Hazard Codes PPE A	HMIS Hazard Codes		PPE	А	

Disclaimer

SAFETY DATA SHEET

The information contained herein was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising from the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS. Various government agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be reflected in this SDS. The user should review these regulations to ensure full compliance.