

## NATIONAL CHEMICAL LABORATORIES, INC.

#### SAFETY DATA SHEET

	Section 1 - Identia	fication			
Product Identifier	RESTORE-IT Marble Polishing Cream				
Other means of identification	n 2502				
Recommended use	Cream paste cleaner.				
Recommended restrictions	For commercial and industrial use of	nly.			
Manufacturer / Importer / S	upplier / Distributor Information				
Company Name	National Chemical Laboratories of PA, Inc.				
Address	401 N. 10th Street - Philadelphia, PA 19123				
Telephone	1 (215) 922-1200				
Supplier Email	info@nclonline.com				
Contact	CHEM-TEL				
Emergency Phone	1 (800) 255-3924				
	Section 2 - Hazard(s) l	dentification			
	Classification	Category			
Physical Hazards	Not Classified	category			
Health Hazards	Serious eye damage/eye irritation	1			
	Skin corrosion/irritation	1			
	-	3	TARCET ORCANI, receivatory tract		
	Specific target organ toxicity, single exposure	3	TARGET ORGAN: respiratory tract irritation		
OSHA defined hazards	Not Classified.				
Label Elements					
·					
Signal Word	Danger				
Hazard Statement	Causes severe skin burns and eye damage. May cause respi	ratory irritation.			
recautionary statement					
Prevention	Do not breathe dust or mist. Wash thoroughly after handlin protection. Use only outdoors or in a well-ventilated area.	g. Wear protective glo	oves/protective clothing/eye protection/face		
	f swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center/doctor. If in eyes: Rinse cautiously with water for several ninutes. Remove contact lenses, if present and easy to do. Continue rinsing.				
Response	comfortable for breathing. Immediately call a poison center		ise cautiously with water for several		
Response Storage	comfortable for breathing. Immediately call a poison center	Continue rinsing.	ise cautiously with water for several		
	comfortable for breathing. Immediately call a poison center minutes. Remove contact lenses, if present and easy to do.	Continue rinsing. ed. Store locked up.			
Storage	comfortable for breathing. Immediately call a poison center minutes. Remove contact lenses, if present and easy to do. Store in a well-ventilated place. Keep container tightly close	Continue rinsing. ed. Store locked up.			

Mixture Hazardous Components	Ingredient Name	CAS #	%	
	Oxalic Acid Dihydrate	6153-56-6	5 - 10	
	Section 4 - First-a	id Measures		
Inhalation	If respiratory irritation or distress occurs, remove victim to fresh air. If breathing is difficult, give oxygen. If breathing stops, apply artificial respiration. CONSULT A PHYSICIAN.			
Skin contact	Remove contaminated clothing and shoes. Wash off immediately with plenty of water for at least 15 minutes. Get medical attention if irritation persists. Wash contaminated clothing before reuse. Destroy or thoroughly clean contaminated shoes.			
Eye contact	Immediately flush eyes with plenty of water for at least 20 minutes, occasionally lifting the upper and lower eyelids. Check and remove contact lenses. Continue to rinse for at least 10 minutes. Get medical attention immediately.			
Ingestion	stion Rinse mouth thoroughly with water. DO NOT induce vomiting. If victim is fully conscious, give a cupful of water. Never giv anything by mouth to an unconscious person. If vomiting occurs, keep head lower than the hips to help prevent aspiration			

		FETY DAT					
	a physician or poison contro	ol center immediatel	/.				
Most Important symptoms or effe	ects, acute and delayed						
	Causes skin and eye burns.						
Indication of immediate medical a	ate medical attention and special treatment needed						
	Treat symptomatically.						
General Information		nel are aware of the	material(s) involved, and	d take precautions to protect themselves.			
	Sectio	on 5 - Fire-fig	hting measure	S			
Suitable extinguishing media	Carbon dioxide, alcohol-res	istant foam, dry cher	nical, water spray, or wa	ater fog.			
Unsuitable extinguishing media	Not available.						
Specific hazards arising from the chemical	None known.						
Special protective equipment and precautions for firefighters	Self-contained breathing ap	paratus and full prot	ective clothing must be	worn in case of fire.			
Fire-fighting equipment /instructions	Move containers from fire a	area if you can do it v	vithout risk. Use water s	pray to keep fire-exposed containers cool.			
General fire hazards	This product is not flammat	ole or combustible.					
	Section 6	- Accidenta	release meas	ures			
Personal precautions, protective equipment and emergency procedures.	Isolate area. Keep unnecess	ary personnel away.	Use personal protection	n as recommended in Section 8 of the SDS.			
Methods and materials for containment and cleaning up	then place in a container fo	SMALL SPILLAGE: Absorb spillage with suitable absorbent material. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. After removal flush contaminated area thoroughly with water. LARGE SPILLS: Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. After					
Environmental precautions	Avoid discharge into drains,						
	Section	on 7 - Handli	ng and storage				
Precautions for safe handling			ng and storage				
Precautions for safe handling	Do not get in eyes, on skin,	or on clothing. Do no	ot breathe mist or vapor	<ul> <li>Do not taste or swallow. Use with adequate uipment recommended in section 8 of the SDS.</li> </ul>			
Precautions for safe handling Conditions for safe storage, including any incompatibilities	Do not get in eyes, on skin,	or on clothing. Do no ly after handling. Use	ot breathe mist or vapor Personal Protective Eq	. Do not taste or swallow. Use with adequate			
Conditions for safe storage,	Do not get in eyes, on skin, ventilation. Wash thorough Store away from incompati	or on clothing. Do no ly after handling. Usi ble materials. Keep c	ot breathe mist or vapor Personal Protective Eq	. Do not taste or swallow. Use with adequate uipment recommended in section 8 of the SDS.			
Conditions for safe storage,	Do not get in eyes, on skin, ventilation. Wash thorough Store away from incompati	or on clothing. Do no ly after handling. Usi ble materials. Keep c	ot breathe mist or vapor e Personal Protective Eq ontainer closed.	. Do not taste or swallow. Use with adequate uipment recommended in section 8 of the SDS.			
Conditions for safe storage, including any incompatibilities	Do not get in eyes, on skin, ventilation. Wash thorough Store away from incompati <b>Section 8 - Ex</b>	or on clothing. Do no ly after handling. Use ble materials. Keep o posure cont	ot breathe mist or vapor e Personal Protective Eq ontainer closed.	. Do not taste or swallow. Use with adequate uipment recommended in section 8 of the SDS.			
Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components	Do not get in eyes, on skin, ventilation. Wash thorough Store away from incompati <b>Section 8 - Ex</b> r Air Contaminants (29 CFR 19	or on clothing. Do no ly after handling. Use ble materials. Keep o <b>CPOSURE CONT</b> 10.1000) Type	t breathe mist or vapor e Personal Protective Eq ontainer closed. <b>rollpersonal pr</b> Value	. Do not taste or swallow. Use with adequate uipment recommended in section 8 of the SDS.			
Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components Oxalic Acid Dihydrate (CAS	Do not get in eyes, on skin, ventilation. Wash thorough Store away from incompati <b>Section 8 - Ex</b> r Air Contaminants (29 CFR 19 6153-56-6)	or on clothing. Do no ly after handling. Usi ble materials. Keep c <b>posure cont</b> 10.1000)	et breathe mist or vapor e Personal Protective Eq ontainer closed. rollpersonal pr	Do not taste or swallow. Use with adequate uipment recommended in section 8 of the SDS.			
Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components Oxalic Acid Dihydrate (CAS US. ACGIH Threshold Limit V	Do not get in eyes, on skin, ventilation. Wash thorough Store away from incompati <b>Section 8 - Ex</b> r Air Contaminants (29 CFR 19 6153-56-6)	or on clothing. Do no ly after handling. Use ble materials. Keep c ( <b>posure cont</b> (10.1000) Type TWA	value 1 mg/m <sup>3</sup>	Do not taste or swallow. Use with adequate uipment recommended in section 8 of the SDS.			
Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components Oxalic Acid Dihydrate (CAS US. ACGIH Threshold Limit V Component	Do not get in eyes, on skin, ventilation. Wash thorough Store away from incompati <b>Section 8 - Ex</b> Air Contaminants (29 CFR 19 6153-56-6) Falues	or on clothing. Do no ly after handling. Use ble materials. Keep o ( <b>posure cont</b> (10.1000) Type TWA Type	value Value Value Value	Do not taste or swallow. Use with adequate uipment recommended in section 8 of the SDS.			
Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components Oxalic Acid Dihydrate (CAS US. ACGIH Threshold Limit V Component Oxalic Acid Dihydrate (CAS	Do not get in eyes, on skin, ventilation. Wash thorough Store away from incompati <b>Section 8 - Ex</b> r Air Contaminants (29 CFR 19 6153-56-6) alues 6153-56-6)	or on clothing. Do no ly after handling. Use ble materials. Keep o <b>Sposure cont</b> 10.1000) Type TWA Type STEL	value 2 mg/m <sup>3</sup> Value 2 mg/m <sup>3</sup>	Do not taste or swallow. Use with adequate uipment recommended in section 8 of the SDS.			
Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components Oxalic Acid Dihydrate (CAS US. ACGIH Threshold Limit V Component	Do not get in eyes, on skin, ventilation. Wash thorough Store away from incompati <b>Section 8 - Ex</b> r Air Contaminants (29 CFR 19 6153-56-6) alues 6153-56-6)	or on clothing. Do no ly after handling. Use ble materials. Keep o ( <b>posure cont</b> (10.1000) Type TWA Type	value Value Value Value	Do not taste or swallow. Use with adequate uipment recommended in section 8 of the SDS.			
Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components Oxalic Acid Dihydrate (CAS US. ACGIH Threshold Limit V Component Oxalic Acid Dihydrate (CAS	Do not get in eyes, on skin, ventilation. Wash thorough Store away from incompati <b>Section 8 - Ex</b> r Air Contaminants (29 CFR 19 6153-56-6) 6153-56-6) 6153-56-6)	or on clothing. Do no ly after handling. Use ble materials. Keep o <b>Sposure cont</b> 10.1000) Type TWA Type STEL	value 2 mg/m <sup>3</sup> Value 1 mg/m <sup>3</sup>	Do not taste or swallow. Use with adequate uipment recommended in section 8 of the SDS.			
Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components Oxalic Acid Dihydrate (CAS US. ACGIH Threshold Limit V Component Oxalic Acid Dihydrate (CAS Oxalic Acid Dihydrate (CAS US. NIOSH: Pocket Guide to C Components	Do not get in eyes, on skin, ventilation. Wash thorough Store away from incompati <b>Section 8 - Ex</b> r Air Contaminants (29 CFR 19 6153-56-6) 6153-56-6) 6153-56-6) Chemical Hazards	or on clothing. Do no ly after handling. Use ble materials. Keep o (CONTINE CONT 10.1000) Type TWA Type STEL TWA Type	value 2 mg/m <sup>3</sup> Value 1 mg/m <sup>3</sup> Value 2 mg/m <sup>3</sup>	Do not taste or swallow. Use with adequate uipment recommended in section 8 of the SDS.			
Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components Oxalic Acid Dihydrate (CAS US. ACGIH Threshold Limit V Component Oxalic Acid Dihydrate (CAS Oxalic Acid Dihydrate (CAS US. NIOSH: Pocket Guide to C	Do not get in eyes, on skin, ventilation. Wash thorough Store away from incompati <b>Section 8 - Ex</b> r Air Contaminants (29 CFR 19 6153-56-6) 6153-56-6) 6153-56-6) Chemical Hazards	or on clothing. Do no ly after handling. Use ble materials. Keep o (CONTINE CONT 10.1000) Type TWA Type STEL TWA	value 2 mg/m <sup>3</sup> Value 1 mg/m <sup>3</sup>	Do not taste or swallow. Use with adequate uipment recommended in section 8 of the SDS.			
Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components Oxalic Acid Dihydrate (CAS US. ACGIH Threshold Limit V Component Oxalic Acid Dihydrate (CAS Oxalic Acid Dihydrate (CAS US. NIOSH: Pocket Guide to C Components	Do not get in eyes, on skin, ventilation. Wash thorough Store away from incompati <b>Section 8 - Ex</b> r Air Contaminants (29 CFR 19 6153-56-6) 6153-56-6) 6153-56-6) Chemical Hazards 6153-56-6)	or on clothing. Do no ly after handling. Use ble materials. Keep o (CONTINE CONT 10.1000) Type TWA Type STEL TWA Type	value 2 mg/m <sup>3</sup> Value 1 mg/m <sup>3</sup> Value 2 mg/m <sup>3</sup>	Do not taste or swallow. Use with adequate uipment recommended in section 8 of the SDS.			
Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components Oxalic Acid Dihydrate (CAS US. ACGIH Threshold Limit V Component Oxalic Acid Dihydrate (CAS Oxalic Acid Dihydrate (CAS US. NIOSH: Pocket Guide to C Components Oxalic Acid Dihydrate (CAS Oxalic Acid Dihydrate (CAS	Do not get in eyes, on skin, ventilation. Wash thorough Store away from incompati <b>Section 8 - Ex</b> r Air Contaminants (29 CFR 19 6153-56-6) 6153-56-6) 6153-56-6) Chemical Hazards 6153-56-6)	or on clothing. Do no ly after handling. Use ble materials. Keep of ( <b>posure cont</b> ( <b>10.1000)</b> Type TWA Type STEL TWA Type TWA STEL	value 2 mg/m <sup>3</sup> Value 1 mg/m <sup>3</sup> Value 2 mg/m <sup>3</sup> 2 mg/m <sup>3</sup>	Do not taste or swallow. Use with adequate uipment recommended in section 8 of the SDS.			
Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components Oxalic Acid Dihydrate (CAS US. ACGIH Threshold Limit V Component Oxalic Acid Dihydrate (CAS Oxalic Acid Dihydrate (CAS US. NIOSH: Pocket Guide to C Components Oxalic Acid Dihydrate (CAS Oxalic Acid Dihydrate (CAS Oxalic Acid Dihydrate (CAS Oxalic Acid Dihydrate (CAS	Do not get in eyes, on skin, ventilation. Wash thorough Store away from incompati <b>Section 8 - Ex</b> Air Contaminants (29 CFR 19 6153-56-6) 6153-56-6) Chemical Hazards 6153-56-6) 6153-56-6)	or on clothing. Do no ly after handling. Use ble materials. Keep of <b>CPOSURE CONT</b> (10.1000) Type TWA Type STEL TWA Type TWA STEL ts noted for the ingre	value 2 mg/m <sup>3</sup> Value 1 mg/m <sup>3</sup> Value 2 mg/m <sup>3</sup> Value 2 mg/m <sup>3</sup> 1 mg/m <sup>3</sup> dient(s).	Do not taste or swallow. Use with adequate uipment recommended in section 8 of the SDS.			
Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components Oxalic Acid Dihydrate (CAS US. ACGIH Threshold Limit V Component Oxalic Acid Dihydrate (CAS Oxalic Acid Dihydrate (CAS US. NIOSH: Pocket Guide to C Components Oxalic Acid Dihydrate (CAS Oxalic Acid Dihydrate (CAS Biological limit values Exposure guidelines	Do not get in eyes, on skin, ventilation. Wash thorough Store away from incompati <b>Section 8 - Ex</b> <b>r Air Contaminants (29 CFR 19</b> 6153-56-6) 6153-56-6) 6153-56-6) 6153-56-6) 6153-56-6) Mo biological exposure limit Use personal protective equ	or on clothing. Do no ly after handling. Use ble materials. Keep of (posure cont (10.1000) Type TWA Type STEL TWA Type STEL TWA STEL ts noted for the ingre upment as required.	value 1 mg/m <sup>3</sup> Value 1 mg/m <sup>3</sup> Value 2 mg/m <sup>3</sup> Value 1 mg/m <sup>3</sup> Value 3 mg/m <sup>3</sup> Value 1 mg/m <sup>3</sup> Value Value 1 mg/m <sup>3</sup> Value	Do not taste or swallow. Use with adequate uipment recommended in section 8 of the SDS.			
Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components Oxalic Acid Dihydrate (CAS US. ACGIH Threshold Limit V Component Oxalic Acid Dihydrate (CAS Oxalic Acid Dihydrate (CAS US. NIOSH: Pocket Guide to C Components Oxalic Acid Dihydrate (CAS Oxalic Acid Dihydrate (CAS Biological limit values Exposure guidelines Appropriate engineering	Do not get in eyes, on skin, ventilation. Wash thorough Store away from incompati <b>Section 8 - Ex</b> <b>Air Contaminants (29 CFR 19</b> 6153-56-6) 6153-56-6) 6153-56-6) 6153-56-6) 6153-56-6) No biological exposure limit Use personal protective equ Provide adequate ventilatic supply and eye wash faciliti	or on clothing. Do no ly after handling. Use ble materials. Keep of (CONTINE CONT (CONTINE) (CON	value 1 mg/m <sup>3</sup> Value 1 mg/m <sup>3</sup> Value 2 mg/m <sup>3</sup> Value 1 mg/m <sup>3</sup> Value 3 mg/m <sup>3</sup> Value 1 mg/m <sup>3</sup> Value Value 1 mg/m <sup>3</sup> Value	Do not taste or swallow. Use with adequate uipment recommended in section 8 of the SDS.			
Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components Oxalic Acid Dihydrate (CAS US. ACGIH Threshold Limit V Component Oxalic Acid Dihydrate (CAS Oxalic Acid Dihydrate (CAS US. NIOSH: Pocket Guide to C Components Oxalic Acid Dihydrate (CAS Oxalic Acid Dihydrate (CAS Exposure guidelines Appropriate engineering controls	Do not get in eyes, on skin, ventilation. Wash thorough Store away from incompati <b>Section 8 - Ex</b> <b>Air Contaminants (29 CFR 19</b> 6153-56-6) 6153-56-6) 6153-56-6) 6153-56-6) 6153-56-6) No biological exposure limit Use personal protective equ Provide adequate ventilatic supply and eye wash faciliti	or on clothing. Do no ly after handling. Use ble materials. Keep of ( <b>posure cont</b> ( <b>10.1000</b> ) Type TWA Type STEL TWA Type STEL TWA STEL ts noted for the ingre uipment as required. on and minimize the res. guipment	value 1 mg/m <sup>3</sup> Value 1 mg/m <sup>3</sup> Value 2 mg/m <sup>3</sup> taing/m <sup>3</sup> value 1 mg/m <sup>3</sup> taing/m <sup>3</sup> taing/tai	Do not taste or swallow. Use with adequate uipment recommended in section 8 of the SDS.			
Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components Oxalic Acid Dihydrate (CAS US. ACGIH Threshold Limit V Component Oxalic Acid Dihydrate (CAS Oxalic Acid Dihydrate (CAS US. NIOSH: Pocket Guide to C Components Oxalic Acid Dihydrate (CAS Oxalic Acid Dihydrate (CAS Oxalic Acid Dihydrate (CAS Oxalic Acid Dihydrate (CAS Oxalic Acid Dihydrate (CAS Biological limit values Exposure guidelines Appropriate engineering controls Individual protection measures, s	Do not get in eyes, on skin, ventilation. Wash thorough Store away from incompati <b>Section 8 - Ex</b> <b>r Air Contaminants (29 CFR 19</b> 6153-56-6) 6153-56-6) 6153-56-6) 6153-56-6) 6153-56-6) Mo biological exposure limit Use personal protective equ Provide adequate ventilatic supply and eye wash faciliti such as personal protective equ	or on clothing. Do no ly after handling. Use ble materials. Keep of ( <b>posure cont</b> ( <b>10.1000</b> ) Type TWA Type STEL TWA Type STEL TWA STEL ts noted for the ingre uipment as required. on and minimize the res. guipment	value 1 mg/m <sup>3</sup> Value 1 mg/m <sup>3</sup> Value 2 mg/m <sup>3</sup> taing/m <sup>3</sup> value 1 mg/m <sup>3</sup> taing/m <sup>3</sup> taing/tai	Do not taste or swallow. Use with adequate uipment recommended in section 8 of the SDS.			
Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components Oxalic Acid Dihydrate (CAS US. ACGIH Threshold Limit V Component Oxalic Acid Dihydrate (CAS US. NIOSH: Pocket Guide to C Components Oxalic Acid Dihydrate (CAS US. NIOSH: Pocket Guide to C Components Oxalic Acid Dihydrate (CAS Biological limit values Exposure guidelines Appropriate engineering controls Individual protection measures, s Eye/face protection	Do not get in eyes, on skin, ventilation. Wash thorough Store away from incompati <b>Section 8 - Ex</b> <b>r Air Contaminants (29 CFR 19</b> 6153-56-6) 6153-56-6) 6153-56-6) 6153-56-6) 6153-56-6) Mo biological exposure limit Use personal protective equ Provide adequate ventilatic supply and eye wash faciliti such as personal protective equ	or on clothing. Do no ly after handling. Use ble materials. Keep of <b>(posure cont</b> <b>10.1000)</b> Type TWA Type STEL TWA Type STEL TWA STEL ts noted for the ingre uipment as required. on and minimize the is sure to contact, wear	value 1 mg/m <sup>3</sup> Value 2 mg/m <sup>3</sup> Value 1 mg/m <sup>3</sup> Value 1 mg/m <sup>3</sup> tag/m <sup>3</sup> ta	Do not taste or swallow. Use with adequate uipment recommended in section 8 of the SDS.			
Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components Oxalic Acid Dihydrate (CAS US. ACGIH Threshold Limit V Component Oxalic Acid Dihydrate (CAS Oxalic Acid Dihydrate (CAS US. NIOSH: Pocket Guide to C Components Oxalic Acid Dihydrate (CAS Oxalic Acid Dihydrate (CAS Oxalic Acid Dihydrate (CAS Oxalic Acid Dihydrate (CAS Oxalic Acid Dihydrate (CAS Biological limit values Exposure guidelines Appropriate engineering controls Individual protection measures, s Eye/face protection Skin protection	Do not get in eyes, on skin, ventilation. Wash thorough Store away from incompati <b>Section 8 - Ex</b> <b>r Air Contaminants (29 CFR 19</b> 6153-56-6) 6153-56-6) 6153-56-6) 6153-56-6) 6153-56-6) 6153-56-6) Mo biological exposure limit Use personal protective equ Provide adequate ventilatic supply and eye wash faciliti such as personal protective eco If use of product risks expos	or on clothing. Do no ly after handling. Use ble materials. Keep of ( <b>posure cont</b> ( <b>10.1000</b> ) Type TWA Type STEL TWA Type STEL TWA STEL ts noted for the ingre uipment as required. upment as required. upment streak the sure to contact, wear mmended for prolon	value 1 mg/m <sup>3</sup> Value 2 mg/m <sup>3</sup> Value 1 mg/m <sup>3</sup> Value 1 mg/m <sup>3</sup> Value 1 mg/m <sup>3</sup> ing/m <sup>3</sup> dient(s). Keep working clothes set isk of inhalation of vapo safety glasses with side ged use.	Do not taste or swallow. Use with adequate uipment recommended in section 8 of the SDS.			
Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components Oxalic Acid Dihydrate (CAS US. ACGIH Threshold Limit V Component Oxalic Acid Dihydrate (CAS Oxalic Acid Dihydrate (CAS US. NIOSH: Pocket Guide to C Components Oxalic Acid Dihydrate (CAS US. NIOSH: Pocket Guide to C Components Oxalic Acid Dihydrate (CAS Biological limit values Exposure guidelines Appropriate engineering controls Individual protection measures, s Eye/face protection Skin protection Hand protection	Do not get in eyes, on skin, ventilation. Wash thorough Store away from incompati <b>Section 8 - Ex</b> <b>r Air Contaminants (29 CFR 19</b> 6153-56-6) 6153-56-6) 6153-56-6) Chemical Hazards 6153-56-6) Chemical Hazards 6153-56-6) No biological exposure limit Use personal protective equ Provide adequate ventilation supply and eye wash faciliti <b>such as personal protective equ</b> If use of product risk exposed	or on clothing. Do no ly after handling. Use ble materials. Keep of <b>(posure cont</b> <b>(10.1000)</b> Type TWA Type STEL TWA Type STEL TWA STEL ts noted for the ingre uipment as required. on and minimize the i es. <b>(uipment</b> sure to contact, wear exhaust or ventilation	value 1 mg/m <sup>3</sup> Value 2 mg/m <sup>3</sup> Value 2 mg/m <sup>3</sup> Value 1 mg/m <sup>3</sup> Value 1 mg/m <sup>3</sup> i mg/m <sup>3</sup> calue 1 mg/m <sup>3</sup> value 1 mg/m <sup>3</sup> calue 1 mg/m <sup>3</sup> calue	Do not taste or swallow. Use with adequate uipment recommended in section 8 of the SDS.			

General hygiene Always of considerations and/or s

# Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

	Section 9 - Physical and chemical properties
Appearance	Opaque.
Physical state	Liquid.
Form	Fluid suspension.
Color	White.
Odor	Mildly acidic.
Odor threshold	Not available.
рН	0.7
Melting point/freezing point	Not available.
Initial boinging point and boiling range	212 °F (100 °C)
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or expl	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Similar to water.
Vapor density	Similar to water.
Relative density	$1.30 \pm 0.01$
Relative density temperature	75 °F (23.9 °C)
Solubilities (water)	Soluable
Partition Coefficient n- octanol/water	Not available
Auto-ignition temperature	Not Available
Decomposition temperature	Not Available
Viscosity	Thixotropic
	Section 10 - Stability and reactivity

#### Section 10 - Stability and reactivity

Reactivity	Not available.
Chemical stability	Stable at normal conditions.
Possiblity of hazardous reactions	Hazardous polymerization does not occur.
Conditions to Avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents. Strong oxidizing agents.
Hazardous Decomposition	Carbon monoxide. Carbon dioxide.
Products	

#### Section 11 - Toxicological information

			•				
Information on likely routes o	f exposure						
Ingestion	May cause burns	May cause burns of the gastrointestinal tract if swallowed.					
Inhalation	Irritating to respi	ratory system.					
Skin contact	Causes skin burn	s.					
Eye contact	Causes serious e	ye damage.					
Symptoms related to the physical, chemical and toxicological characteristics	Causes skin and eye burns. Symptoms may be delayed.						
Information on toxicological e	ffects.						
Acute toxicity	May cause burns						
Components		Level	Туре	Code	Species	Results	
Oxalic Acid Dihydrate (CA	S 6153-56-6)	Acute	Oral	LDL0	Dog	1000 mg/kg	
Skin corrosion/irritation	Causes skin burn	S.					
Serious eye damage/ eye irritation	Causes serious ev	ye damage.					
Respiratory sensitization	Not classified.						
Skin sensitization	Not classified.						

Germ cell mutagenicity	Not classified.
Carcinogenicity	Not available.
Reproductive toxicity	Not classified.
Specific target organ toxicity -	Not classified.
single exposure	
Specific target organ toxicity -	Not classified.
repeated exposure	
Aspiration hazard	Not classified.
Chronic effects	Prolonged or repeated exposure may cause liver and kidney damage. These effects have not been observed in humans.

#### Section 12 - Ecological Information

Ecotoxicity		Because of the low pH of this product, it would be expected to produce significant ecotoxicity upon exposure to aquatic organisms and aquatic systems.					
Component(	s)						
Oxalic Acid D	ihydrate (CAS 61	53-56-6)					
Aquatic							
Level	Туре	Code	Sp	ecies	Test Results		
Acute	Crustacea	EC50	) W	ater flea (Daphnia magna)	125 - 150 mg/l, 48 hours		
Persistence and degradability		The product is expected to be biodegradable.					
Bioaccumulative	e potential	Not known.					
Mobility in soil		Not available.					
Mobility in general		The product is water soluble and may spread in water systems.					
Other adverse effects		None known.					

Disposal instructions	Dispose in accordance with applicable federal, state, and local regulations.
Local disposal regulations	Dispose of in accordance with local regulations.
Hazardous waste code	Waste codes should be assigned by the user based on the application for which the product was used.
Waste from residues / unused products	Dispose in accordance with all applicable regulations.
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied.

### Section 14 - Transport information

DO	т	
	UN number	UN3265
	Proper shipping name	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (OXALIC ACID)
	Transport hazard class(es)	8
	Packing group	III
	Special precautions for user	Not available.
	Special provisions	IB3, T7, TP1, TP28
	Packaging exemption	154
	Packaging non bulk	203
	Packaging bulk	241
IAT	Ά	
	UN number	UN3265
	UN proper shipping name	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (OXALIC ACID)
	Transport hazard class(es)	8
	Packaging group	III
	Environmental hazards	No.
	ERG Code	8L
	Special precautions for user Other Information	Not available.
IM	DG	
	UN number	UN3265
	UN proper shipping name	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (OXALIC ACID)
	Transport hazard class(es)	8
	Packaging group	III

		SAI	ETY L	DATA SHEET		
Environmental hazards Marine pollutant	No.					
EmS	F-A, S-B					
Special precautions for user	Not available.					
Transportation in bulk according to Annex II of MARPOL 73/78 and IBC Code	This substance/r	mixture is not i	ntended to l	be transported in bulk.		
General Information	consideration to	packaging, qu	antity, or m	epresents the regulatory t odal restrictions and exce nents and/or limitations fe	ptions. It is the user's res	ponsibility to determine the
		Section	15 - Re	gulatory Inform	ation	
US federal regulations	This product is	a "Hazardous (	Chemical" as	defined by the OSHA Ha	zard Communication Star	ndard, 29 CFR 1910.1200.
TSCA Section 12(b) Export No.	otification (40 CFR	707, Subpt. D	)			
Components				% by Weight	Comment	
Oxalic Acid Dihydr	ate (CAS 6153-56-	6)		5 - 10	One time exp	port notification only.
US. OSHA Specifically Regula CERCLA Hazardous Substanc	-		01-1050)	Not listed. Not listed.		
Superfund Amendments and Hazard Categories Imr	<b>d Reauthorization</b> nediate Hazard	-	ARA)			
•	ayed Hazard	Yes No				
	Hazard	No				
	ssure Hazard	No				
	ctivity Hazard	No				
SARA 302 Extremely hazardo SARA 311/312 Hazardous ch	ous substance	Not listed. Yes				
SARA 313 (TRI reporting) Other federal regulations Clean Air Act (CAA) Section 1 Clean Air Act (CAA) Section 1 Safe Drinking Water Act (SD) Food and Drug Administratic	.12(r) Accidental R NA) Not reg	telease Preven ulated.	APs) List		regulated. regulated.	
-		uluteu.				
US state regulations US.Massachusetts RTK - Subs	tance List		Compone Oxalic Aci	nts d Dihydrate (CAS 6153-56	5-6)	
US.New Jersey Worker and Co	ommunity Right-t	o-Know Act	Compone Oxalic Aci	nts d Dihydrate (CAS 6153-56	i-6)	
US.Pennsylvania RTK - Hazarc	lous Substances		Compone Oxalic Aci	nts d Dihydrate (CAS 6153-56	i-6)	
US.Rhode Island RTK US - California Proposition 65				Safe Drinking Water and <sup>-</sup> not known to expose you		1986 (Proposition 65): This atly listed as carcinogens or
International Inventories						
Country(s) or region	Inventory					On Inventory (yes/no)*
Australia		-		Substances (AICS)		Yes
Canada		ic Substances	• •			Yes
Canada		mestic Substa	•	•		No
China -				bstances in China (IECSC)		Yes
Europe		-	-	mmercial Chemical Subs	tances (EINECS)	Yes
Europe				Substances (ELINCS)	N	No
Japan				emical Substances (ENCS	)	Yes
Korea	-	Chemicals List				Yes
New Zealand		aland Invento	•	and Charriel C. hata		Yes
Philippines Unites States, Puerto Rico		ne Inventory o Ibstances Cont		and Chemical Substance	:5	Yes

Unites States Puerto Rico Toxic Substances Control Act (TSCA) Inventory \*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

\*A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Yes

#### Section 16 - Other information, including date of preparation or last version

Revision date	6/1/2023
Version #	03
HMIS Hazard Codes	

Disclaimer

#### PPE A

The information contained herein was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising from the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS. Various government agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be reflected in this SDS. The user should review these regulations to ensure full compliance.