

# NATIONAL CHEMICAL LABORATORIES, INC.

## **SAFETY DATA SHEET**

	Section 1 - Identification
Product Identifier	SOIL-LOK Penetrating Grout Sealer
Other means of identification	2521
Recommended use	Grout sealer.
Recommended restrictions	For commercial and industrial use only.
Manufacturer / Importer / Suppl	er / Distributor Information
Company Name	National Chemical Laboratories of PA, Inc.
Address	401 N. 10th Street - Philadelphia, PA 19123
Telephone	1 (215) 922-1200
Supplier Email	info@nclonline.com
Contact	CHEM-TEL
Emergency Phone	1 (800) 255-3924

#### Section 2 - Hazard(s) Identification

	Classification	Category		
Physical Hazards	Not Classified			
Health Hazards	Serious eye damage/eye irritation	2B		
OSHA defined hazards	Not Classified.			
Label Elements				
Hazard Symbol	None.			
Signal Word	Warning			
Hazard Statement	Causes eye irritation.			
Precautionary statement				
Prevention	Wash thoroughly after handling.			
Response	If in eyes: Rinse cautiously with water for If eye irritation persists: Get medical advi		lenses, if present an	d easy to do. Continue rinsing.
Storage	Store in a well-ventilated place. Keep coc	ol.		
Disposal	Dispose of contents/container in accorda	nce with local/regional/national/i	nternational regulati	ons.
Hazard(s) not otherwise classified (HNOC)	Not classified.			
	Section 3 - Compositio	n/Information on ing	redients	
Mixture				
Hazardous Components	Ingredient Name		CAS #	%
	2-Butoxyethanol		111-76-2	1 - 5
	2-Propanol		67-63-0	1 - 5
	Section 4 - F	irst-aid Measures		
Inhalation	Move to fresh air. Get medical attention	if irritation persists.		
Skin contact	Wash skin with water. Get medical atten	tion if irritation persists.		
Eye contact	Flush eyes thoroughly with water for at le	east 15 minutes. Get medical atter	ntion if irritation pers	sists.
Ingestion	Immediately rinse mouth and drink plent occurs, keep head low. If person become			luce vomiting. If vomiting
Most Important symptoms /effects, acute and delayed	May cause eye irritation. Exposed individ contact may cause drying, cracking, or irr	, , , ,	redness, and discomf	fort. Prolonged or repeated skin
Indication of immediate medical attention and special treatment	Provide general supportive measures and	d treat symptomatically. Keep vict	im under observatior	n. Symptoms may be delayed.
General Information	Ensure that medical personnel are aware	of the material(s) involved, and t	ake precautions to pr	rotect themselves.
	Section 5 - Fire	e-fighting measures		
Suitable extinguishing media	In case of fire, use water spray, dry chem	ical, or CO2. Avoid using a direct s	stream of water.	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, a	as this will spread the fire.		

Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.					
Special protective equipment and precautions for firefighters	elf-contained breathing apparatus and full protective clothing must be worn in case of fire.					
Fire-fighting equipment /instructions	Move containers from fire area if you can do it without risk. Cool material exposed to heat with water spray and remove it if no risk is involved.					
	Section 6 - Accidental release measures					
Personal precautions, protective equipment and emergency procedures.	Isolate area. Keep unnecessary personnel away. Ensure adequate ventilation. Use personal protection as recommended in Section 8 of the SDS					
Methods and materials for containment and cleaning up	SMALL SPILLAGE: Absorb spillage with suitable absorbent material. LARGE SPILLS: Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. After removal flush contaminated area thoroughly with water.					
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.					
	Section 7 - Handling and storage					
Precautions for safe handling	Avoid breathing mist or vapor. Avoid contact eyes. Wash hands thoroughly after handling. Provide adequate ventilation. Keep container closed. Use Personal Protective Equipment recommended in section 8 of the SDS.					
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Keep containers closed when not in use. Store at ambient temperature and atmospheric pressure. Store away from incompatible materials (see Section 10 of the SDS).					

#### Section 8 - Exposure control/personal protection

		-	-	-			
Occupational exposure limits							
US. OSHA Table Z-1 Limit	ts for Air Contaminants (29	CFR 1910.1000)					
Components	Components		pe Value		Form		
2-Butoxyethanol (CAS	2-Butoxyethanol (CAS 111-76-2)		VA 240 mg/m <sup>3</sup> ,	, 50 ppm			
2-Propanol (CAS 67-63	6-0)	TV	VA 980 mg/m³,	400ppm			
US. ACGIH Threshold Lin	nit Values						
Component		Ту	pe Value	Value Form			
2-Propanol (CAS 67-63	6-0)	ST	EL 400 ppm				
2-Propanol (CAS 67-63	-0)	ΤV	VA 200 ppm				
2-Butoxyethanol (CAS	111-76-2)	τv	VA 20 ppm				
US. NIOSH: Pocket Guide	e to Chemical Hazards						
Components		Ту	pe Value				
2-Butoxyethanol (CAS	111-76-2)	ΤV	VA 24 mg/m³, 5	5 ppm			
2-Propanol (CAS 67-63	8-0)	ID	LH 2000 ppm				
2-Propanol (CAS 67-63	8-0)	ST	EL 1225 mg/m <sup>3</sup>	³, 500 ppm			
2-Propanol (CAS 67-63	8-0)	ΤV	VA 980 mg/m³,	400 ppm			
US. ACGIH. BEIs. Biologi	cal Exposure Indices					Sampling	
Components		Value	Determinate	2	Specimen	Time	
2-Propanol (CAS 67-63	3-0)	200 mg/g	Butoxyacetic with hydroly	1 <i>J</i>	Creatinine in urine	*	
2-Propanol (CAS 67-63	8-0)	40 mg/l	Acetone		Urine	*	
2-Butoxyethanol (CAS	2-Butoxyethanol (CAS 111-76-2) 200 m		Butoxyacetic with hydroly	c acid (BAA), /sis	Creatinine in urine	*	
* - For sampling detail	ls, please see the source do	ocument.					
Exposure guidelines	Use personal protec	tive equipment as req	uired. Keep working o	clothes separately.			
US. California Code of Re	gulations, Title 8, Section 5	5155. Airborne Conta	minants				
Components	0		posure				
2-Butoxyethanol (CAS	111-76-2)		in be absorbed thoug	h the skin.			
	s Substances List (Minn. Ru						
Components		Ex	posure				
•	2-Butoxyethanol (CAS 111-76-2)			Skin designation applies.			
US.NIOSH: Pocket Guide			<b>U</b>				
Component		Ex	posure				
2-Butoxyethanol (CAS 111-76-2)			Can be absorbed though the skin.				
	s for Air Contaminants (29		-				
Components	·	Ex	posure				
2-Butoxyethanol (CAS 111-76-2)			Can be absorbed though the skin.				
US.OSHA Table Z-1-A (29			-				
	- /						

Components	Ext	oosure			
2-Butoxyethanol (CAS 111-76-2) Can be absorbed though the skin.					
US.Rhode Island Hazardou	us Substances Right-to-Know Act (R.I. Gen. Laws	s Section 28-21-1 et. seq.)			
Components	Exi	posure			
2-Butoxyethanol (CAS 12	11-76-2) Ca	Can be absorbed though the skin.			
US.Tennesee. OELs Occup	ational Exposure Limkits, Table Z1A				
Components	Exi	posure			
2-Butoxyethanol (CAS 1	11-76-2) Ca	n be absorbed though the skin.			
Appropriate engineering controls	Provide adequate ventilation and minimize supply and eye wash facilities.	Provide adequate ventilation and minimize the risk of inhalation of vapors and mists. Provide easy access to water supply and eye wash facilities.			
Individual protection measure	s, such as personal protective equipment				
Eye/face protection	If use of product risks exposure to contact,	If use of product risks exposure to contact, wear safety glasses with side shields.			
Skin protection					
Hand protection	Impervious gloves are recommended for p	Impervious gloves are recommended for prolonged use.			
Other	If use of product risk exposure to contact,	If use of product risk exposure to contact, wear suitable protective clothing.			
<b>Respiratory protection</b>	In case of inadequate ventilation, use respi	In case of inadequate ventilation, use respiratory protection.			
Thermal hazards	Wear appropriate thermal protective cloth	Wear appropriate thermal protective clothing, when necessary.			
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.				

## Section 9 - Physical and chemical properties

Appearance					
Physical state	Liquid.				
Form	Clear, thin liquid.				
Color	Colorless to pale straw.				
Odor	Mild.				
Odor threshold	Not available.				
рН	8.3				
Melting point/freezing point	Not available.				
Initial boinging point and boiling range	212 °F (100 °C)				
Flash point	> 201.0 °F (> 94.0 °C)				
Evaporation rate	Not available.				
Flammability (solid, gas)	Not applicable.				
Upper/lower flammability or exp	losive limits				
Flammability limit - lower (%)	Not available.				
Flammability limit - upper (%)	Not available.				
Explosive limit - lower (%)	Not available.				
Explosive limit - upper (%)	Not available.				
Vapor pressure	Not available.				
Vapor density	Not available.				
Relative density	$1.00 \pm 0.01$				
Relative density temperature	75 °F (23.9 °C)				
Solubilities (water)	Soluble				
Partition Coefficient n- octanol/water	Not available.				
Auto-ignition temperature	Not available.				
Decomposition temperature	Not available.				
Viscosity	< 10 cP				
Viscosity Temperature	75 °F (23.9 °C)				

## Section 10 - Stability and reactivity

Reactivity	The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	Stable at normal conditions.
Possiblity of hazardous reactions	Hazardous polymerization does not occur.
Conditions to Avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents. Strong acids. Strong bases.

Hazardous Decomposition	Carbon oxides, other incomplete burned carbon compounds, Hydrofluoric acid.		
Products			

## Section 11 - Toxicological information

Information on likely routes of ex	posure			
Ingestion	May be harmful if swallowed.			
Inhalation	Vapors and mist may irritate throat and respiratory system and cause coughing.			
Skin contact	Prolonged or repeated skin contact may cause drying, cracking, or irritation.			
Eye contact	May cause eye irritation.			
Symptoms related to the physical, chemical and toxicological characteristics	May cause eye irritation. Prolonged or repeated skin contact may cause drying, cracking, or irritation.			

#### Information on toxicological effects.

Information on toxicological effe	cts.					
Acute toxicity	May be harmful if swallowed.					
Components	Level	Туре	Code	Species	Results	
2-Butoxyethanol (CAS 111-76-2)		Acute	Dermal	LD50	Rabbit	400 mg/kg
		Acute	Inhalation	LC50	Mouse	700 ppm, 7 hours
		Acute	Inhalation	LC50	Rat	450 mg/l, 4 hrs
		Acute	Oral	LD50	Guinea pig	1.2 g/kg
		Acute	Oral	LD50	Mouse	1519 mg/kg
		Acute	Oral	LD50	Rabbit	0.32 g/kg
		Acute	Oral	LD50	Rat	560 mg/kg
Skin corrosion/irritation	Prolonged or repeat	ed contact may dry	skin and cause irr	itation.		
Serious eye damage/ eye irritation	May cause eye irrita	tion.				
Respiratory sensitization	Not classified.					
Skin sensitization	Not available.					
Germ cell mutagenicity	Not classified.					
Carcinogenicity	Not classified.					
IARC Monographs. Overall Evalua	ation of Carcinogenicity	/				
	Component			Result	Comment	
	2-Butoxyethanol (C	AS 111-76-2)		3	Not classifiable as to	carcinogenicity to humans.
Reproductive toxicity	Not classified.					
Specific target organ toxicity - single exposure	Not classified.					
Specific target organ toxicity - repeated exposure	Not classified.					
Aspiration hazard	Not available.					
	Se	ction 12 - E	cological lı	nformati	ion	
Ecotoxicity	The product is not c frequent spills can h					e possibility that large or
Persistence and degradability	The product is expe	cted to be biodegra	dable.			
Bioaccumulative potential	Not known.					
Partition coefficient n-octand	ol / water log (Kow)					
Components			Results			
2-Propanol (CAS 67-63-0)			0.05			
2-Butoxyethanol (CAS 111-	76-2)		0.83			
Mobility in soil	Not available.					
Mobility in general	The product is wate	r soluble and may s	pread in water sys	tems.		
Other adverse effects	ts None known.					
	Sec	tion 13 - Di	sposal con	siderati	ons	
Disposal instructions	Dispose in accordan	ce with applicable f	ederal, state, and	local regulati	ions.	
Local disposal regulations	-					
Hazardous waste code	Dispose of in accordance with local regulations. Waste codes should be assigned by the user based on the application for which the product was used.					
Waste from residues / unused	Dispose in accordance with all applicable regulations.					
products Contaminated packaging	Since emptied conta	iners may retain pr	oduct residue, foll	ow label war	rnings even after contair	er is emptied.

#### **Section 14 - Transport information**

DOT IATA IMDG Transportation in bulk according to Annex II of MARPOL 73/78 and IBC Code Not regulated as dangerous goods. Not regulated as dangerous goods. Not regulated as dangerous goods. This substance/mixture is not intended to be transported in bulk.

	Se	ection 1	15 - Reg	gulatory In	formatio	n	
US federal regulations	This product is a "H All components are				SHA Hazard C	communication Standard,	29 CFR 1910.1200.
TSCA Section 12(b) Fr	port Notification (40 CFR707		. LI A IJCA	Not regulate	h		
	Regulated Substances (29 Cl		01-1050)	Not on regulated			
. ,	bstance List (40 CFR 302.4		- 1050,	Not on regul	atory list.		
Componen	•			Result			
•	hanol (CAS 111-76-2)			LISTED			
	nts and Reauthorization Act	of 1086 /S/		LISTED			
Hazard Categories		es	(NA)				
nazaru categories		0					
	· .	0					
		0					
		0					
SARA 302 Extremely h		0					
SARA 311/312 Hazard		es					
SARA 313 (TRI reporti							
	nical name			C	AS #	% by wt.	
2_But	toxyethanol				11-76-2	1 - 5	
	loxyethanol			1	11-70-2	1-5	
Other federal regulations	ation 112 Hanandana Air Dall		Da\ 1 :-+			4 a d	
	ction 112 Hazardous Air Pol	•	•	0 69 120)	Not regula		
	ction 112(r) Accidental Rele		-	-	Not regula	ted.	
•	ministration (DEA), List 1 2	N	ot regulate	d.			
-	tures (21 CFR 1310.12(c)) Mixtures Code Number	Ν	lot regulate	d			
-			iot regulate	u.			
Safe Drinking Water A Food and Drug Admin							
US state regulations	istration (FDA) Not regulat	eu.					
US.Massachusetts RT	K - Substance List		Compon	onts			
oo.massachasetts kii			-	iol (CAS 67-63-0)			
				ethanol (CAS 111			
LIE Now Jorson Works	r and Community Bight to K	now Act	Compon		-70-2)		
US.New Jersey Worke	er and Community Right-to-K	now Act	•	iol (CAS 67-63-0)			
	Unangeland Calendaria		-	ethanol (CAS 111	1-70-2)		
US.Pennsylvania KTK	- Hazardous Substances		Compon				
			•	iol (CAS 67-63-0)			
			-	ethanol (CAS 111	-76-2)		
US.Rhode Island RTK			Compon		76.0)		
			-	ethanol (CAS 111	-		
			material			: Enforcement Act of 1986 any chemicals currently lis	
International Inventories			-1				
Country(s) or region	Inventory N	ame					On Inventory (yes/no)*
Australia	-		of Chemical	Substances (AIC	S)		Yes
Canada	Domestic S	•					Yes
Canada	Non-Dome		• •	DSL)			No
China			•	, ubstances in Chin	a (IECSC)		Yes
Europe	European I	nventory o	f Existing C	ommercial Chem	nical Substance	es (EINECS)	Yes
Europe	-	-	-	al Substances (EL			No
Japan	Inventory	of Existing a	and New Ch	emical Substanc	es (ENCS)		Yes
Korea	Existing Ch	emicals Lis	t (ECL)				Yes
New Zealand	New Zeala	nd Invento	ry				Yes
Philippines	Philippine	Inventory o	of Chemical	s and Chemical S	ubstances		Yes
		-					

Unites States Puerto Rico

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

Toxic Substances Control Act (TSCA) Inventory

\*A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

3e	ction 16 - Other Information, including date of preparation or last version
Revision date	1/17/2021
Version #	02
Further information	Not available.
References	HSDB® - Hazardous Substances Data Bank HPVIS - High Production Volume Information System
HMIS Hazard Codes	PPE A
Disclaimer	The information contained herein was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising from the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS. Various government agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be reflected in this SDS. The user should review these regulations to ensure full compliance.