



World Class Cleaning & Hygiene Solutions™

NATIONAL CHEMICAL LABORATORIES, INC.

SAFETY DATA SHEET

Section 1 - Identification

Product Identifier Afia™ Alcohol Based Foaming Hand Sanitizer
Other means of identification 0440
Recommended use Hand Sanitizer.
Recommended restrictions For commercial and industrial use only.

Manufacturer / Importer / Supplier / Distributor Information

Company Name National Chemical Laboratories of PA, Inc.
Address 401 N. 10th Street - Philadelphia, PA 19123
Telephone 1 (215) 922-1200
Supplier Email info@nclonline.com
Contact CHEM-TEL
Emergency Phone 1 (800) 255-3924

Section 2 - Hazard(s) Identification

SDS Hazards and Warnings are based on the undiluted product. Refer to diluted SDS for Ready-To-Use Hazards and Warnings.

	Classification	Category
Physical Hazards	Flammable Liquids	3
Health Hazards	Serious eye damage/eye irritation	2A
OSHA defined hazards	Not Classified.	
Label Elements		
Hazard Symbol		
Signal Word	Danger	
Hazard Statement	Highly flammable liquid and vapor. Causes serious eye irritation.	
Precautionary statement		
Prevention	Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Take precautionary measures against static discharge. Use explosion-proof electrical/ventilating/lighting/equipment. Avoid breathing mist or vapor.	
Response	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. Repeated use may cause skin irritation. If skin irritation persists: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.	
Storage	Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up.	
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.	
Hazard(s) not otherwise classified (HNOC)	None known.	

Section 3 - Composition/Information on ingredients

Mixture			
Hazardous Components	Ingredient Name	CAS #	%
	Ethyl Alcohol	64-17-5	60 - 70
Composition Comments	Components not listed are either non-hazardous or are below reportable limits.		

Section 4 - First-aid Measures

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
Skin contact	Intended for use on hands only. For other areas of skin; Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	If conscious rinse mouth. Do not induce vomiting without medical advise. Contact poison control immediately (USA 800-222-1222).

SAFETY DATA SHEET

Most Important symptoms /effects, acute and delayed	May cause drowsiness and dizziness. Headache. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Delayed skin symptom, may cause redness and irritation.
Indication of immediate medical attention and special treatment	Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.
General Information	Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

Section 5 - Fire-fighting measures

Suitable extinguishing media	Alcohol resistant foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire-fighting equipment /instructions	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.
General fire hazards	Highly flammable liquid and vapor.
Specific Methods	Use standard firefighting procedures and consider the hazards of other involved materials.

Section 6 - Accidental release measures

Personal precautions, protective equipment and emergency procedures.	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge. Use only non-sparking tools. Keep combustibles (wood, paper, oil, etc.) away from spilled material. This product is miscible in water. Large Spills: Stop the flow of material, if this is without risk. Use water spray to reduce vapors or divert vapor cloud drift. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water. Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.

Section 7 - Handling and storage

Precautions for safe handling	Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Do not get in eyes, on skin, or on clothing. Avoid breathing mist or vapor. Avoid prolonged exposure. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store locked up. Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store between 32-86°F (0-30°C). Store in original tightly closed container. Store in a well-ventilated place. Use explosion-proof electrical/ventilating/lighting/equipment. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

Section 8 - Exposure control/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
Ethyl Alcohol (CAS 64-17-5)	TWA	1900 mg/m ³ , 1000 ppm	

US. ACGIH Threshold Limit Values

Component	Type	Value	Form
Ethyl Alcohol (CAS 64-17-5)	STEL	1000 ppm	

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
Ethyl Alcohol (CAS 64-17-5)	IDLH	3300 ppm
Ethyl Alcohol (CAS 64-17-5)	TWA	1900 mg/m ³ , 1000 ppm

Appropriate engineering controls	Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Adequate ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure
---	---

SAFETY DATA SHEET

limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection	No special protective equipment required, under normal conditions of use.
Skin protection	
Hand protection	No special protective equipment required, under normal conditions of use.
Respiratory protection	No special protective equipment required, under normal conditions of use.
Thermal hazards	When using do not smoke. Do not station or use near any source of ignition.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Section 9 - Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Clear, thin liquid.
Color	Colorless.
Odor	Alcohol.
Odor threshold	Not available.
pH	6.3 ± 0.3
Melting point/freezing point	Not relevant.
Initial boiling point and boiling range	177 - 212°F (80.6 - 100°C)
Flash point	74°F (23.3°C) Tag Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	3.3% (Ethanol)
Flammability limit - upper (%)	19.0% (Ethanol)
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	7.91 kPa(Ethanol)
Vapor density	1.59 (Ethanol)
Relative density	0.88 ± 0.01
Relative density temperature	75 °F (23.9 °C)
Solubilities (water)	Completely soluble.
Partition Coefficient n-octanol/water	Not available
Auto-ignition temperature	Not Available
Decomposition temperature	Not Available
Viscosity	<10 cSt
Viscosity Temperature	75 °F (23.9 °C)

Section 10 - Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to Avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous Decomposition Products	No hazardous decomposition products are known.

Section 11 - Toxicological information

Information on likely routes of exposure

Ingestion	May be harmful if swallowed.
Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
Skin contact	Frequent use may cause skin irritation.
Eye contact	Causes serious eye irritation.
Symptoms related to the physical, chemical and toxicological characteristics	Prolonged inhalation may cause drowsiness and dizziness, headache, nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Prolonged skin contact, may cause redness and irritation.

SAFETY DATA SHEET

Information on toxicological effects.

Acute toxicity	Narcotic effects.				
Components	Level	Type	Code	Species	Results
Ethyl Alcohol (CAS 64-17-5)	Acute	Dermal	LD50	Rabbit	>2000 mg/kg
	Acute	Dermal	LD50	Rat	10470 mg/kg
	Acute	Inhalation	LC50	Rat	117 - 125 mg/l, 4 h
	Acute	Oral	LD50	Rat	2000 mg/kg
Skin corrosion/irritation	Frequent use may cause skin irritation.				
Serious eye damage/ eye irritation	Causes serious eye irritation.				
Respiratory sensitization	Not a respiratory sensitizer.				
Skin sensitization	This product is not expected to cause skin sensitization.				
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.				
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.				
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.				
Specific target organ toxicity - single exposure	May cause drowsiness and dizziness.				
Specific target organ toxicity - repeated exposure	Not classified.				
Aspiration hazard	Not an aspiration hazard.				
Chronic effects	May be harmful if absorbed through skin. Prolonged inhalation may be harmful.				

Section 12 - Ecological Information

Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.			
Component(s)	Ethyl Alcohol, 64-17-5			
Aquatic				
Level	Type	Code	Species	Test Results
Acute	Algae	EC50	Freshwater algae (<i>Chlorella vulgaris</i>)	275 mg/l, 72 h
	Crustacea	EC50	Daphnia	9268 mg/l, 48 h
	Fish	LC50	Fathead minnow (<i>Pimephales promelas</i>)	14200 mg/l, 96 h
Chronic	Crustacea	NOEC	Daphnia	9.6 mg/l, 9 d
Persistence and degradability	The product is expected to be readily biodegradable.			
Bioaccumulative potential	Not known.			
Partition coefficient n-octanol / water log (Kow)				
Components	Results			
Ethyl Alcohol (CAS 64-17-5)	-0.31			
Mobility in soil	No data available.			
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.			

Section 13 - Disposal considerations

Disposal instructions	Dispose in accordance with applicable federal, state, and local regulations.
Local disposal regulations	Dispose of in accordance with local regulations.
Hazardous waste code	Waste codes should be assigned by the user based on the application for which the product was used.
Waste from residues / unused products	Dispose in accordance with all applicable regulations.
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied.

Section 14 - Transport information

DOT	
UN number	LTD QTY
Transport hazard class(es)	3
Packing group	III
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Labels required	LTD QTY
IATA	Other Information: Not eligible for shipment by air as packaged.
IMDG	
UN number	UN1170

SAFETY DATA SHEET

UN proper shipping name	ETHANOL SOLUTION
Transport hazard class(es)	3
Packaging group	III
Environmental hazards	No
Marine pollutant	
Labels required	LTD QTY
EmS	F-E, S-D
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Transportation in bulk according to Annex II of MARPOL 73/78 and IBC Code	This substance/mixture is not intended to be transported in bulk.

Section 15 - Regulatory Information

US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.	
TSCA Section 12(b) Export Notification (40 CFR707, Subpt. D)		Not regulated.
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)		Not listed
CERCLA Hazardous Substance List (40 CFR 302.4)		Not Listed
Superfund Amendments and Reauthorization Act of 1986 (SARA)		
Hazard Categories	Immediate Hazard	No
	Delayed Hazard	No
	Fire Hazard	Yes
	Pressure Hazard	No
	Reactivity Hazard	No
SARA 302 Extremely hazardous substance		Not listed.
SARA 311/312 Hazardous chemical		Yes
SARA 313 (TRI reporting)		No
Other federal regulations		
Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HSPs) List		Not regulated.
Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)		Not regulated.
Safe Drinking Water Act (SDWA)	Not regulated.	
Food and Drug Administration (FDA)	Not regulated.	
US state regulations		
US.Massachusetts RTK - Substance List	Components	
	Ethyl Alcohol (CAS 64-17-5)	
US.New Jersey Worker and Community Right-to-Know Act	Components	
	Ethyl Alcohol (CAS 64-17-5)	
US.Pennsylvania RTK - Hazardous Substances	Components	
	Ethyl Alcohol (CAS 64-17-5)	
US.Rhode Island RTK	Not listed.	
US - California Proposition 65	California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to expose you to any chemicals currently listed as carcinogens or reproductive toxins.	

International Inventories

Country(s) or region	Inventory Name	On Inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes
Unites States Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

*A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Section 16 - Other information, including date of preparation or last version

Issue date	1/26/2021
Version #	01

SAFETY DATA SHEET

HMIS Hazard Codes Health 1 Flammability 3 Physical Hazard 0

Disclaimer

The information contained herein was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising from the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS. Various government agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be reflected in this SDS. The user should review these regulations to ensure full compliance.