



World Class Cleaning & Hygiene Solutions™

# NATIONAL CHEMICAL LABORATORIES, INC.

## SAFETY DATA SHEET

### Section 1 - Identification

Product Identifier Afia™ Alcohol Based Foaming Hand Sanitizer  
 Other means of identification 0440  
 Recommended use Hand Sanitizer.  
 Recommended restrictions For commercial and industrial use only.

#### Manufacturer / Importer / Supplier / Distributor Information

Company Name National Chemical Laboratories of PA, Inc.  
 Address 401 N. 10th Street - Philadelphia, PA 19123  
 Telephone 1 (215) 922-1200  
 Supplier Email info@nclonline.com  
 Contact CHEM-TEL  
 Emergency Phone 1 (800) 255-3924

### Section 2 - Hazard(s) Identification

	Classification	Category
Physical Hazards	Flammable Liquids	3
Health Hazards	Serious eye damage/eye irritation	2B
OSHA defined hazards	Not Classified.	

#### Label Elements

##### Hazard Symbol



Signal Word Warning  
 Hazard Statement Highly flammable liquid and vapor. Causes serious eye irritation.

#### Precautionary statement

##### Prevention

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Take precautionary measures against static discharge. Use explosion-proof electrical/ventilating/lighting/equipment. Avoid breathing mist or vapor.

##### Response

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. Repeated use may cause skin irritation. If skin irritation persists: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

##### Storage

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up.

##### Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Hazard(s) not otherwise classified (HNOC)

None known.

### Section 3 - Composition/Information on ingredients

#### Mixture

Hazardous Components	Ingredient Name	CAS #	%
	Ethyl Alcohol	64-17-5	70 - 75

Composition Comments Components not listed are either non-hazardous or are below reportable limits.

### Section 4 - First-aid Measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

Skin contact If irritation persists, wash with water.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion If conscious rinse mouth. Do not induce vomiting without medical advise. Contact poison control immediately (USA 800-222-1222).

#### Most important symptoms or effects, acute and delayed

# SAFETY DATA SHEET

May cause drowsiness and dizziness. Headache. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Delayed skin symptom, may cause redness and irritation.

## Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.

## General Information

Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

## Section 5 - Fire-fighting measures

<b>Suitable extinguishing media</b>	Alcohol resistant foam. Dry chemical powder. Carbon dioxide (CO <sub>2</sub> ).
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.
<b>Specific hazards arising from the chemical</b>	Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.
<b>Special protective equipment and precautions for firefighters</b>	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
<b>Fire-fighting equipment /instructions</b>	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.
<b>General fire hazards</b>	Highly flammable liquid and vapor.
<b>Specific Methods</b>	Use standard firefighting procedures and consider the hazards of other involved materials.

## Section 6 - Accidental release measures

<b>Personal precautions, protective equipment and emergency procedures.</b>	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
<b>Methods and materials for containment and cleaning up</b>	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge. Use only non-sparking tools. Keep combustibles (wood, paper, oil, etc.) away from spilled material. This product is miscible in water. Large Spills: Stop the flow of material, if this is without risk. Use water spray to reduce vapors or divert vapor cloud drift. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water. Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
<b>Environmental precautions</b>	Avoid discharge into drains, water courses or onto the ground.

## Section 7 - Handling and storage

<b>Precautions for safe handling</b>	Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Do not get in eyes, on skin, or on clothing. Avoid breathing mist or vapor. Avoid prolonged exposure. Observe good industrial hygiene practices.
<b>Conditions for safe storage, including any incompatibilities</b>	Store locked up. Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store between 32-86°F (0-30°C). Store in original tightly closed container. Store in a well-ventilated place. Use explosion-proof electrical/ventilating/lighting/equipment. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

## Section 8 - Exposure control/personal protection

### Occupational exposure limits

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
Ethyl Alcohol (CAS 64-17-5)	TWA	1900 mg/m <sup>3</sup> , 1000 ppm	

#### US. ACGIH Threshold Limit Values

Component	Type	Value	Form
Ethyl Alcohol (CAS 64-17-5)	STEL	1000 ppm	

#### US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
Ethyl Alcohol (CAS 64-17-5)	IDLH	3300 ppm
Ethyl Alcohol (CAS 64-17-5)	TWA	1900 mg/m <sup>3</sup> , 1000 ppm

# SAFETY DATA SHEET

<b>Appropriate engineering controls</b>	Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Adequate ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities must be available when handling this product.
<b>Individual protection measures, such as personal protective equipment</b>	
<b>Eye/face protection</b>	No special protective equipment required, under normal conditions of use.
<b>Skin protection</b>	
<b>Hand protection</b>	No special protective equipment required, under normal conditions of use.
<b>Respiratory protection</b>	No special protective equipment required, under normal conditions of use.
<b>Thermal hazards</b>	When using do not smoke. Do not station or use near any source of ignition.
<b>General hygiene considerations</b>	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## Section 9 - Physical and chemical properties

<b>Appearance</b>	
<b>Physical state</b>	Liquid.
<b>Form</b>	Clear, thin liquid.
<b>Color</b>	Colorless.
<b>Odor</b>	Alcohol.
<b>Odor threshold</b>	Not available.
<b>pH</b>	6.7 ± 0.5
<b>Melting point/freezing point</b>	Not available.
<b>Initial boiling point and boiling range</b>	Not available.
<b>Flash point</b>	77°F (25°C)
<b>Evaporation rate</b>	< 1
<b>Flammability (solid, gas)</b>	No data available.
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	Not established
<b>Flammability limit - upper (%)</b>	Not established
<b>Explosive limit - lower (%)</b>	Not available.
<b>Explosive limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	N/A
<b>Vapor density</b>	N/A
<b>Relative density</b>	Not available.
<b>Relative density temperature</b>	Not available.
<b>Solubilities (water)</b>	No data available
<b>Partition Coefficient n-octanol/water</b>	No data available
<b>Auto-ignition temperature</b>	N/A
<b>Decomposition temperature</b>	No data available
<b>Viscosity</b>	N/A

## Section 10 - Stability and reactivity

<b>Reactivity</b>	The product is stable and non-reactive under normal conditions of use, storage and transport.
<b>Chemical stability</b>	Material is stable under normal conditions.
<b>Possibility of hazardous reactions</b>	No dangerous reaction known under conditions of normal use.
<b>Conditions to Avoid</b>	Avoid heat, sparks, open flames and other ignition sources.
<b>Incompatible materials</b>	None known
<b>Hazardous Decomposition Products</b>	Carbon Oxides

## Section 11 - Toxicological information

<b>Information on likely routes of exposure</b>	
<b>Ingestion</b>	Health injuries are not known or expected under normal use.
<b>Inhalation</b>	Health injuries are not known or expected under normal use.
<b>Skin contact</b>	Health injuries are not known or expected under normal use.
<b>Eye contact</b>	Causes serious eye irritation.

# SAFETY DATA SHEET

## Symptoms related to the physical, chemical and toxicological characteristics

Prolonged inhalation may cause drowsiness and dizziness, headache, nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Prolonged skin contact, may cause redness and irritation.

## Information on toxicological effects.

### Acute toxicity

Components	Level	Type	Code	Species	Results
Ethyl Alcohol (CAS 64-17-5)	Acute	Dermal	LD50	Rabbit	>2000 mg/kg
	Acute	Dermal	LD50	Rat	10470 mg/kg
	Acute	Inhalation	LC50	Rat	117 - 125 mg/l, 4 h
	Acute	Oral	LD50	Rat	2000 mg/kg

**Skin corrosion/irritation** Frequent use may cause skin irritation.

**Serious eye damage/ eye irritation** Causes mild eye irritation.

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Carcinogenicity** This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

**Reproductive toxicity** This product is not expected to cause reproductive or developmental effects.

**Specific target organ toxicity - single exposure** May cause drowsiness and dizziness.

**Specific target organ toxicity - repeated exposure** Not classified.

**Aspiration hazard** Not an aspiration hazard.

## Section 12 - Ecological Information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

### Component(s)

Ethyl Alcohol (CAS 64-17-5)

### Aquatic

Level	Type	Code	Species	Test Results
Acute	Algae	EC50	Freshwater algae ( <i>Chlorella vulgaris</i> )	275 mg/l, 72 h
	Crustacea	EC50	Daphnia	9268 mg/l, 48 h
	Fish	LC50	Fathead minnow ( <i>Pimephales promelas</i> )	14200 mg/l, 96 h
Chronic	Crustacea	NOEC	Daphnia	9.6 mg/l, 9 d

**Persistence and degradability** The product is expected to be readily biodegradable.

**Bioaccumulative potential** Not known.

### Partition coefficient n-octanol / water log (Kow)

Components	Results
Ethyl Alcohol (CAS 64-17-5)	-0.31

**Mobility in soil** No data available.

**Other adverse effects** No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## Section 13 - Disposal considerations

**Disposal instructions** The product should not be allowed to enter drains, water courses or the soil. When possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

**Local disposal regulations** Dispose of in accordance with local regulations.

**Hazardous waste code** Waste codes should be assigned by the user based on the application for which the product was used.

**Waste from residues / unused products** Dispose in accordance with all applicable regulations.

**Contaminated packaging** Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not reuse empty containers.

## Section 14 - Transport information

### DOT

UN number	LTD QTY
Transport hazard class(es)	3
Packing group	III

# SAFETY DATA SHEET

<b>Special precautions for user</b>	Read safety instructions, SDS and emergency procedures before handling.
<b>Labels required</b>	LTD QTY
<b>IATA</b>	Other Information: Not eligible for shipment by air as packaged.
<b>IMDG</b>	
<b>UN number</b>	UN1170
<b>UN proper shipping name</b>	ETHANOL SOLUTION
<b>Transport hazard class(es)</b>	3
<b>Packaging group</b>	III
<b>Environmental hazards</b>	No
<b>Marine pollutant</b>	
<b>Labels required</b>	LTD QTY
<b>EmS</b>	F-E, S-D
<b>Special precautions for user</b>	Read safety instructions, SDS and emergency procedures before handling.
<b>Transportation in bulk according to Annex II of MARPOL 73/78 and IBC Code</b>	This substance/mixture is not intended to be transported in bulk.

## Section 15 - Regulatory Information

**US federal regulations**                      This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.

<b>TSCA Section 12(b) Export Notification (40 CFR707, Subpt. D)</b>	Not regulated.	
Components	% by Weight	Comment
Ethyl Alcohol (CAS 64-17-5)	70 - 75	
<b>US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)</b>	Not listed	
Component	Result	Comment
Ethyl Alcohol (CAS 64-17-5)		
<b>CERCLA Hazardous Substance List (40 CFR 302.4)</b>	Not Listed	

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

<b>Hazard Categories</b>	Immediate Hazard	No
	Delayed Hazard	No
	Fire Hazard	Yes
	Pressure Hazard	No
	Reactivity Hazard	No
<b>SARA 302 Extremely hazardous substance</b>		Not listed.
<b>SARA 311/312 Hazardous chemical</b>		Yes

**SARA 313 (TRI reporting)**                      No

**Other federal regulations**

<b>Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List</b>	Not regulated.
<b>Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)</b>	Not regulated.
<b>Safe Drinking Water Act (SDWA)</b>	Not regulated.
<b>Food and Drug Administration (FDA)</b>	Not regulated.

**US state regulations**

<b>US.Massachusetts RTK - Substance List</b>	Components Ethyl Alcohol (CAS 64-17-5)
<b>US.New Jersey Worker and Community Right-to-Know Act</b>	Components Ethyl Alcohol (CAS 64-17-5)
<b>US.Pennsylvania RTK - Hazardous Substances</b>	Components Ethyl Alcohol (CAS 64-17-5)
<b>US.Rhode Island RTK</b>	Not listed.
<b>US - California Proposition 65</b>	California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to expose you to any chemicals currently listed as carcinogens or reproductive toxins.

**International Inventories**

Country(s) or region	Inventory Name	On Inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No

# SAFETY DATA SHEET

Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes
Unites States Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

\*A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## Section 16 - Other information, including date of preparation or last version

Revision date	4/12/2024					
Version #	03					
HMIS Hazard Codes	Health	1	Flammability	3	Physical Hazard	0

**Disclaimer** The information contained herein was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising from the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS. Various government agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be reflected in this SDS. The user should review these regulations to ensure full compliance.