

Ready-to-Use Surface Disinfectant Cleaner

DESCRIPTION

This product is formulated to disinfect on hard, non-porous surfaces such as: tables, chairs, desks, cabinets, doorknobs and garbage cans/pails, trash cans, countertops, sinks and other hard, non-porous surfaces. This product cleans, disinfects, and deodorizes hard, non-porous, non-food contact surfaces with nor insing required. This product is a one-step disinfectant that is effective against a broad spectrum of bacteria, is virucidal* (including HIV-1, HCV & HBV) and inhibits the growth of mold and mildew and their odors when used on non-food contact surfaces. This product cleans quickly by removing dirt, grime, mold, mildew, food residue, body oils, dead skin, blood and other organic matter commonly found in schools, colleges, classrooms, supermarkets, convenience stores, department stores, shopping malls, office buildings, public restrooms, institutional facilities and industrial sites. **DISINFECTION PERFORMANCE**: This product kills the following bacteria in 10 minutes on hard, non-porous surfaces with 5% soil: Bordetella bronchiseptica, Burkholderia cepacia, Campylobacter jejuni, Corynebacterium ammoniagenes, Enterobacter cloacae, Enterobacteriaciae with extended beta-lactamase resistance, Enterococcus faecalis, Enterococcus faecium Vancomycin Resistant (VRE), Escherichia coli, Escherichia coli Q25:H4 ST131 (MDR), Escherichia coli O157:H7, Klebsiella aerogenes, Klebsiella pneumoniae, Klebsiella pneumoniae (MDR), Legionella pneumoniae (MDR), Salmonella enterica Typhi, Serratia marcescens, Shigella dysenteriae, Shigella flexneri 2B, Shigella sonnei, Staphylococcus aureus Hospital Acquired Methicillin Resistant (HA MRSA), Staphylococcus aureus Community Associated Methicillin Resistant (CA MRSA), Staphylococcus

VIRUCIDAL* PERFORMANCE: This product kills the following viruses in 10 minutes on hard, non-porous surfaces with 5% soil: Avian Influenza A (H5N1) Virus, Avian Influenza A (H5N2) Virus, Hepatitis A Virus, Hepatitis B Virus, Hepatitis C Virus, Herpes Simplex Virus Type 1, Herpes Simplex Virus Type 2, Human Coronavirus, Human Immunodeficiency Virus Type 1** (HIV-1) (AIDS Virus), Influenza A (H1N1) Virus, Influenza A (H3N2) Virus, Respiratory Syncytial Virus, SARS-CoV-2*** (COVID-19 virus), Vaccinia Virus. ** Indicates a 2-minute contact time is required for this claim.

*** Indicates a 1-minute contact time is required for this claim.

FUNGICIDAL PERFORMANCE: This product kills the following fungi in 10 minutes on hard, non-porous surfaces with 5% soil: Candida albicans, Trichophyton interdigitale (formerly T. mentagrophytes).

MILDEWSTATIC PERFORMANCE: This product controls the following mold for 7 days on hard, non-porous surfaces with 5% soil: Aspergillus niger.

PRODUCT FEATURES / BENEFITS

| Cleans, disinfects and deodorizes in one step with no rinsing required.Long lasting, fresh floral fragrance | Neutral pH, does not harm water washable surfaces. For use on all type of surfaces including finished floors Viruicidal; kills HIV-1* (associated with AIDS), HBV and HCV |
|--|--|
| DIRECTIONS FOR USE | • Effective in the presence of 5% serum contamination. |

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Before using this product, food products and packaging materials must be removed from the room or carefully protected.

This product is not for use on medical device surfaces.

FOR USE AS A GENERAL CLEANER AND/OR DEODORIZER: Apply product to hard, non-porous surfaces. Allow to air dry. Rinse with potable water after use on surfaces that come in contact with food.

FOR USE AS A ONE-STEP, GENERAL, HOSPITAL DISINFECTANT, VIRUCIDE*: Pre-clean visibly soiled areas. Apply this product to disinfect hard, non-porous, non-food contact surfaces with a sponge, brush, cloth, mechanical spray device, hand pump trigger spray device, coarse trigger spray device. For spray applications, spray 6 - 8 inches from surface. Do not breathe spray. Treated surfaces must remain visibly wet for 1 minute to kill SARS-CoV-2 and 10 minutes to kill all organisms listed on the label. Wipe dry with a clean cloth or allow to air dry. Change solution when visibly dirty.

TO KILL SARS-COV-2: Pre-clean visibly soiled areas. Apply this product undiluted to hard, non-porous surfaces. Allow treated surfaces to remain visibly wet for 1 minute. Rinse with potable water after use on surfaces that come in contact with food.

*KILLS HIV, HBV AND HCV ON PRE-CLEANED HARD, NON-POROUS SURFACES/ OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings

SPECIFICATIONS

| Specific Gravity (g/cc) | 1.00 ± 0.01 |
|-------------------------|-------------|
| рН | 10.0 ± 0.5 |
| Density (lbs/gal) | 8.3 ± 0.1 |
| Ready-to-use | Yes |

SAFETY INFORMATION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Causes moderate eye irritation. Harmful if absorbed through the skin. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and freshwater aquatic invertebrates.



DISINFECTANT

or other settings in which there is an expected likelihood of soiling of hard, non-porous surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1), Hepatitis B Virus (HBV) and Hepatitis C Virus (HCV).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV and HCV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS. Personal Protection: Wear protective latex gloves, gowns, masks and eye protection. Cleaning Procedure: Blood and other body fluids must be thoroughly cleaned from hard, non-porous surfaces and objects before application of this product. Disposal of Infectious Materials: Blood and other body fluids, cleaning materials and clothing must be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal. Contact Time: Allow hard, non-porous surface to remain visibly wet for 2 minutes to kill HIV and for 10 minutes to kill all other viruses and bacteria listed on the label. TO KILL FUNGI: Pre-clean visibly soiled surfaces. Apply product to hard, non-porous surfaces. Allow surface to remain visibly wet for 10 minutes. Wipe surfaces and let air dry. TO CONTROL MOLD/MILDEW: Apply product to hard, non-porous surfaces which will effectively inhibit the growth of mold and mildew and their odors. Repeat treatment every seven days, or more often if new growth appears.

| Bacteriocidal, Fungicidal, Mildewstat, Virucidal | Yes |
|--|-------------------|
| Color | Clear blue liquid |
| Odor | Floral fragrance |
| Flash Point | None |

FIRST AID

In case of emergency, call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes.



401 N. 10th Street • Philadelphia, PA 19123 1-800-NAT-CHEM • 215-922-1200 • FAX: 215-922-5517 www.nclonline.com • e-mail:info@nclonline.com